



### STATE OF CALIFORNIA GOODWIN J. KNIGHT. Governor DEPARTMENT OF NATURAL RESOURCES DeWITT NELSON, Director

### DIVISION OF MINES FERRY BUILDING, SAN FRANCISCO 11 GORDON B. OAKESHOTT, Chief

SAN FRANCISCO

SPECIAL REPORT 52

JUNE 1958

# INDEX TO GEOLOGIC MAPS OF CALIFORNIA

TO DECEMBER 31, 1956

By R. G. STRAND, J. B. KOENIG, and C. W. JENNINGS





### CONTENTS

Tutnoduction	Page
Introduction	. 5
Alturas sheet	. 8
Bakersfield sheet 1	. 10
Bakersfield sheet 2	. 12
Chico sheet 1	. 14
Chico sheet 2	. 16
Death Valley and Las Vegas sheet	. 18
El Centro sheet	. 20
Eureka sheet	. 22
Fort Bragg sheet 1	24
Fort Bragg sheet 2	. 26
Fresno sheet 1 Fresno sheet 2	. 28
Goldfield sheet	30 $32$
Kingman sheet	34
Long Beach sheet 1	36
Long Beach sheet 2	. 38
Los Angeles sheet 1	40
Los Angeles sheet 2	42
Los Angeles sheet 3	44
Los Angeles sheet 4a	46
Los Angeles sheet 4b	48
Mariposa sheet 1	50
Mariposa sheet 2	52
Needles sheet	54
Redding sheet 1	56
Redding sheet 2	58
Sacramento sheet 1	60
Sacramento sheet 2	62
Sacramento sheet 3	64
Salton Sea sheet	66
San Bernardino sheet 1	68
San Bernardino sheet 2	70
San Diego sheet 1	72
San Diego sheet 2	74
San Francisco sheet 1	76
San Francisco sheet 2	78
San Jose sheet 1	80
San Jose sheet 2	
San Jose sheet 3	
San Luis Obispo sheet 1	86
San Luis Obispo sheet 2	88
Santa Ana sheet 1	90
Santa Ana sheet 2	92
Santa Ana sheet 3	
Santa Cruz sheet 1	
Santa Cruz sheet 2	
Santa Maria sheet 1	
Santa Maria sheet 2	
Santa Rosa sheet 1	
Santa Rosa sheet 2	
Trona sheet 1	
Trona sheet 2	
Walker Lake sheet 1	
Weed sheet 1	114
Weed sheet 2	
Westwood sheet	118
Index to authors	121
Special Reports issued by the Division of Mines	127



### INDEX TO GEOLOGIC MAPS OF CALIFORNIA TO DECEMBER 31, 1956

By R. G. Strand, J. B. Koenig, And C. W. Jennings

### INTRODUCTION

This index of published areal geologic mapping was prepared in conjunction with the State Division of Mines project of compiling a new geologic map of the state. The index has also proved its value in providing the Public Information Section of the Division of Mines with the latest references on published geologic maps. To make this information readily available to geologists and engineers who have constant need for up-to-date bibliographic material, the Division is publishing this in a format that will permit rapid and wide distribution. The authors would appreciate being informed of errors or omissions in this index.


Acknowledgements. "Geologic Map Index of California," prepared in 1950 by Miss Leona Boardman of the U. S. Geological Survey, was published in 1952. We wish to acknowledge her work, much of which we have incorporated in this report. We also wish to acknowledge the check lists of reports published since 1951, compiled by Mr. Alfred Bove of the U. S. Geological Survey and Mrs. Ruth R. King, Bibliographer of the U. S. Geological Survey. These lists were checked and the maps plotted on our index map sheets.

• Mining Geologist, California Division of Mines.

Scope. This Special Report is an index to areal geologic mapping and in this respect differs somewhat from the earlier index map of the U. S. Geological Survey which included selected references to underground mine maps, some structure contour maps, and offshore maps. Neither the earlier map nor this index lists maps of a scale smaller than 1:2,500,000. Approximately 265 entries have been added to Miss Boardman's report, making this present index a guide to 760 separate geologic maps.

Index Map Sheets. For the sake of convenience, the state index has been divided into 30 distinct areas which correspond to the areas covered by the Army Map Service 1:250,000 scale topographic sheets. In general, these sheets cover an area bounded by 2 degrees of longitude and 1 degree of latitude. An outline map of the state, on a following page, shows the name and location of each of these sheets. The order of the separate index map sheets in the text follows in the alphabetical sequence of the names assigned by the Army Map Service.

For any one area covered by an A.M.S. sheet, this report contains from one to five geologic index map sheets. This has been done to promote clarity where otherwise the boundaries of many geologic maps would



overlap. This system also permits the segregation of earlier and later work. To insure obtaining all references for a particular area, it may be necessary to refer to

more than one index map sheet.

Numbering System. The numbering system serves as a code for identifying individual reports. It was devised to convey readily the year in which the work first appeared (with the exception of some reports pertaining to remapped areas). The number assigned to a particular work consists of two parts, the first being a contraction of the year of publication and the second part an identifying number for that particular year. For example, a number such as 52-5 would refer to the 5th report in 1952. Letter designations, a, b, c, etc., may follow the digits and refer to different map plates published in the same report.

Bibliography and Author Index. The bibliographic references are listed in chronological order on the pages facing the index map sheets. The author named is the one who wrote the published text and may not be the

same as the author of the geologic map. This system was used to simplify library research.

At the end of the text is a list of author citations arranged in alphabetical order. The map sheet or sheets on which the area of the author's map appears is indicated in abbreviated form.


### GEOLOGIC MAPS OF ENTIRE STATE


The following three bibliographic entries describe all previous geologic maps of the state now out of print. In asmuch as they show the geology of all the areas in this index, the references to them are not given on each individual sheet.

Irelan, Wm., Jr., 1891, Preliminary mineralogical and geological map of State of California, scale 1''=12 mi. California Min. Bur. (Drawn by J. C. Henkenius.)

Smith, James Perrin, 1916, Geological map of the State of California, scale 1" = 12 mi. California Min. Bur.


Jenkins, Olaf P., 1938, Geologic map of California, scale 1:500,000. California Div. Mines.






≽
I
APHY
Z
뜼
90
$\simeq$
_
0
8
_


Anderson, F. M., 1938, Lower Cretaceous deposits in California and Oregon: Geol. Soc. America Spec. Paper 16, 339 p. P.1 84, 11, 1000,000.	Angerson, C. A., and Russell, R. D., 1957, Tertiary formations of northern Sacramento Valley, California: California Jour. Mines and Geology, v. 35, no. 3	Anderson, C. A., 1941, Volcanoes of the Medicine Lake highland, California: California Univ. Dept. Geol. Sci. Bull., v.25, no. 7, p. 347-422. Figs. 5 and 7,	1: 250,000 and map p. 408, 1: 125,000.  Chesterman, C.W., 1955, Age of the obsidian flow at Glass Mountain, Siskivou County, California: Am. Jour. Science, v. 253,no. 7, p. 418-424. Fig.1, 1: 48,000.	California Div. of Mines 1951, Obsidian: California Div. Mines Mineral Information Service, v. 4, no. 10, p. 1-4. Fig.4, 1; 31,680.	Chesterman, C.W., 1956, Pumice, pumicite and volcanic cinders in California: California Div. Mines Bull. 174, 119 p. (a) Pl. 2, 1:125,000; (d) fig. 3, 1:33,000; (e) fig. 4, 1:14,000.
38-7	5-65	41-7	55-18		56-25
Russell, R.J., 1928, Basin Range structure and stratigraphy of the Warner Range, northeastern California: California Univ. Dept. Geol. Sci. Bull., v. 17, no.11,	p. 387-496. Map p. 496, 1: 130,000. Peacock, M. A., 1931, The Modoc lava field, northern California: Geog. Re- view, v. 21, no. 2, p. 259-275. Fig. 2,	1: 750,000. Powers, H. A., 1932, The lavas of the Modoc Lava Bed quadrangle, California: Am. Mineralogist, v. 17, no. 7, p. 253-24. pl 1: 500,000.	Anderson, C. A., 1933, Tuscan formation of northern California with a discussion concerning the origin of volcanic breccias: California Univ. Dept. Geol. Sci. Bull., v. 23, no. 7, p. 215-276. (a) Fig.l. 1.000.000.	Anderson, C.A., 1933, Volcanic history of Glass Mountain, northern Calif.: Am. Jour. Sci. 5th ser., v. 26, no. 155,	
28-7	31-10		33-10	33-11	
King, C., 1876, United States geological exploration of the 40th parallel, Geological and topographic atlas. Map 5, 1: 250,000.	Russell, 1. C., 1855, Geological history of Lake Lahontan, a Quaternary lake of northwestern Nevada: U. S. Geol. Survey Mon. 11, 288 p. Pl.46, 1;760,000.	Fairbanks, H.W., 1893, Geology and mineralogy of Shasta County: California Min. Bur. 11th Ann. Rept., p. 24-53. Map, 1: 300,000.	hill, v. Mr., 1713, Some limining and north-western California and north-western Nevada: U.S.Bull. 594, 200 p. Pl. 5, 1: 36,000. Averill, C.V., 1936, Mineral resources of Moodoc County: California Jour. Mines and Geology, v. 32, no. 4, p. 445-	457. Fig. 1, 1: 48,000. Diller, J.S., 1915, Mount Shasta, some of its geological aspects: Mazama, v. 4, p. 11-16. Fig. 6, 1: 250,000.	
1876-1	85-1	93-1	7-61	15-8	
	King, C., 1876, United States geological 28-7 Russell, R.J., 1928, Basin Range structure 38-7 exploration of the 40th parallel, Geological and topographic atlas. Map 5, Univ. Dept. Geol. Sci. Bull., v. 17, no.11,	King, C., 1876, United States geological exploration of the 40th parallel, Geological and topographic atlas. Map 5, 1250,000.  Russell, I. C., 1855, Geological history of Lake Lahonntan, a Quaternary lake of northwestern Newdaci U. S. Geol. Survey Mon. 11, 288 p. Pl.46, 1?760,000.	King, C., 1876, United States geological exploration of the 40th parallel, Geological and topographic atlas. Map 5, 1: 250,000.  Russell, I. C., 1855, Geological history of Lake Lahontan, a Quaternary lake of northwestern Nevada: U. S. Geol. Survey Mon. 11, 288 p. Pl.46, 1: 760,000.  Fairbanks, H.W., 1893, Geology and mineralogy of Shasta County: California Carlogy and mineralogy of Shasta County: California Modoc Lava Bed quadrangle, California: Am. Min. Bur. 11th Ann. Rept., p. 24-53.  Map, I. 300,000.  Russell, R.J., 1928, Bassin Range structure 38-7  and stratigraphy of the Warner Range, northeaver Range, northea	King, C., 1876, United States geological exploration of the 40th parallel, Geological and topographic atlas. Map 5, 1: 250,000.  Russell, I. C., 1855, Geological history of northwestern Nevada: U. S. Geol. Sci. Bull., v. 17, no.11, 19. Reaccek, M. A., 1931, The Modoc lava field, northern California: Geog. Review, v. 21, no. 2, p. 259-275. Fig. 2, 1. To., 1893, Geology and mineralogy of Shasta County: California Min. Bur. 11th Ann. Rept., p. 24-53.  Map, I: 300,000. Hill, J. M., 1915, Some mining districts in northeastern California and northwestern California and northwestern California Jour.  Averill, C.V., 1936, Mineral resources of Modoc County: California Jour.  Mines and topographic atlas, Map 5, 1000, 100	King, C., 1876, United States geological exploration of the 40th parallel, Geological and topographic atlas, Map 5, ogical and topographic atlas. Map 6, ogical and topographic atlas. Map 7, ogical and topographic atlas. Map 8, ogical and topographic atlas. Map 9, ogical and topographic atlas and topog



			פופרוספועאו זון		
1857-1	Blake, W.P., 1857, Geological report	17-6	Waring, C.A., 1917, Geological map of	33-8	Gester. G. C., and Galloway, J.,1933, Geology of Kettlemen Hills oil
	(Williamson's recommander California) U.S. Pacific railroad		Min. Bur. Map, 1:250,000.		field, Calif.: Am, Assoc, Petro-
	exploration: U.S. 33rd Cong., 2d	20-1	Pack, R.W., 1920, The Sunset-Midway		neum Geologists Bull., V. 17, no.10, p. 1161-1193, Fig. 2, 1: 400,000.
	sess., S. Ex Doc. /8 and n. Ex Doc.		and oil resources: U.S. Geol. Survey	33-14	Tucker W. B., and Sampson, R. J.,
	1:625,000.		Prof. Paper 116, 179 p. Pl.2, 1:125,000.		1933, Gold resources of Kern
02-2	Hershey, O.H., 1902, The Quaternary	21-2	English, W.A.,1921, Ceology and performing resources of northwestern Kern County,		and Geology, v. 29, nos. 3-4, p.271-
	Univ. Dept. Geol. Sci. Bull., v. 3,		California: U.S. Geol. Survey Bull.		339. (b) Fig. 6, 1: 7,200.
	p. 1-29. Pl. 1, 1:1,125,000.	23.1	721, 48 p. Pl. 1, 1:125,000.	2-66	Mount Diablo and Coalinga areas,
03-3	Spurr, J.E., 1903, Descriptive georgy	I= 77	tact-metamorphic tungsten deposits		middle Coast Ranges of Calif .:
	lel and adjacent portions of California:		of the United States: U.S. Geol.		Geol. Soc. America Bull., v. 46,
	U.S. Geol. Survey Bull. 208, 229 p.		Survey Bull. 725, p. 245-309, Fig.		no. 7, p. 1025-1078. (b) F1. 87.
	Pl. 1, 1:937.500.	26-5	Sy. 1:1,200. Cunningham, G.M., 1926, The Wheeler		Clark, B.L., 1929, Tectonics of the Valley
10-1	Geology and oil resources of the		Ridge oil field: Am. Assoc. Pet-		Grande of California: Am. Assoc.
	Coalinga district, California: U.S.		roleum Geologists Bull., v. 10,		Petroleum Geologists Bull., v. 13,
	Geol. Survey Bull. 398, 354 p. (a) Pl. 1,	29-1	Thompson.D.G1929, The Mohave De-	36-2	Reed. R. D., and Hollister, J. S., 1936,
	1:125,000.	``	sert region, California; a geographic,	)	Structural Evolution of southern
	Arnold K., and Anderson, 10., 7,20,		geologic and hydrologic reconnais-		California: Am. Assoc. Petroleum
	oil district, Fresno and King Coun-		sance: U.S. Geol. Survey water-		Geologists Bull. V. 20, no. 12, p.1327- 1402 (k) D1 1 1. 500,000
	ties, California: U.S. Geol. Survey		1: 500,000.	38-9	Henny, G., 1938, Eocene in the San
	Bull. 357, 142 p. (a) F1. 1, 1:123 000.	29-3	Fox, L.S., 1929, Structural features		Emigdio-Sunset area south of
	shale at type locality, Fresno County,		of the east side of the San Joaquin		San Joaquin Valley, Kern County:
	California: Am. Assoc. Petroleum		Valley, California: Am. Assoc.		California Oil World, v. 31. no. 11,
	Geologists Bull., v. 14, no. 10, p.		no 2 n 101-108. Fig.1. 1: 325.000,	30_4	Faton T. E., 1939, Geology and oil
	1321-1336. (a) Fig. 1, 1:375,000.	30-4	Hoots, H.W., 1930, Geology and oil	1110	possibilities of Caliente Range,
10-2	Arnold, R., and Johnson, H.K., 1715, Draliminary report on the McKittrick-		resources along the southern border		Cuyama Valley, and Carrizo Plain,
	Sunset oil region, Kern and San		of San Joaquin Valley, California:		Calif.: California Jour. Mines and
	Luis Obispo Counties, California:		U.S.Geol, Survey Bull, 812, p. 243-332 (a) D1 31 1.62 500:(b) D1 41		Geology, v. 35, no. 3. p. 255-274.
	U.S. Geol. Survey Bull. 406, 225 p.		1: 250.000.		Eaton J. E., Grant, U. S., IV, and Allen,
:	Pl. I, 1:125,000.	31-9	Miller, W.J., 1931, Geologic sections		H. B., 1941, Miocene of Caliente
11-4	Canozoic history of the Mojave Desert		across the southern Sierra Nevada		Range and environs, Calif .: Am.
	region in southeastern California:		of California: California Univ.		Assoc. Petroleum Geologists Bull.
	California Univ. Dept. Geol. Sci.		Dept. Geol. Sci. Buil., v. 20, no. 9,		v. 25, no. 2, p. 193-202. (a) £1g.3,
	Bull, v.6,p.333-383. Pl.34,l:/50,000.	32-2	Woodring, W.P., Roundy, P. V. and		Eaton J. E., 1943, Caliente Range,
1-21	Anderson, K., 1912, Fleimmary - Free the coolean and not sible oil resources		Farnsworth, H.R., 1932, Geology		Cuyama Valley, and Carrizo Plain:
	of the south end of the San Joaquin		and oil resources of the Elk Hills,		California Div. Mines Bull. 118,
	Valley, California: U.S. Geol. Survey		825 82 n Pl 1: 1: 31.680.		p. 453-455. (a) f 1g. 100, 1:101,500.
	Bull. 471, p. 106-136, Pl. 10, 1:500,000.	33-7	Taff, J. A., 1933, Geology of McKit-		
1-61	1915, Petroleum industry of California:		trick oil field and vicinity, Kern		
	California Min. Bur. Bull. 69, 519 p.		County, California: Am. Assoc. Petroleum Geologists Bull., v. 17,		
	(c) Pls. 4 and 5, 1:125,000.		no. 1. p. 1-15. (a) Fig. 1, 1:625,000;		
1-91	English, W.A., 1713, Cology, California:		(b)fig. 1 inset, 1: 250,000.		
	U.S. Geol. Survey Bull. 621, p. 191-215.		Clark, B. L., 1929, lectonics of the Valle Grande of California: Am.		
	Pl. 19, 1:125,000.		Assoc. Petroleum Geologists Bull.,		
4-71	of the McKittrick district, a typical		v. 13, no. 3, p. 199-238. (a) Fig.3,		
	example of the West Side San Joaquin		I: 625.000. English, W. A., 1929, Notes on the		
	Valley oil fields, and a correlation of		McKittrick, California oil field:		
	California Acad. Sci. Proc., 4th ser.,		Am. Assoc. Petroleum Geologists,		
	v. 7, p. 207-227. Pl. 32, 1:62.5uu.		fields, v. 1, p. 18-22. (b) Fig. 1,		
			1: 84,480,		




54-30 Hewett, D. F. 1954, A fault map of the Mojave desert, California:	California Div. Mines Bull. 170, chpt. 1V, contr. 2. Pl.1, 1:630,000. Hewett, D. F., 1955. Structural features of the Mojave Desert region Geol. Soc. America Spec. Paper 62, Crust of the Earth, p. 377-390.	54-41 Schwade 1. T., 1954, Geology of Cuyama Valley and adjacent ranges, San Luis Obispo, Santa Barbara. Kern. and Ventura Counties: California Div. Mines Bull. 170. Map Sheet no. 1,	1: 187.500. Dibblee T. W., Jr., and Schwade J. T., 1952. Guidebook. field trip routes, oil fields geology: Am. Assoc. Petroleum Geologists Bull., Soc. From Paleo, and Min. and SEPM	ioint annual meeting Los Angeles, California, 1952. Map 1; 338,000. 54-4? Harris, P. B., 1954. Geologyuof the Tunis-Pastoria Creek area, Kern County. California Div. Mines	54-54 Noble, J. A. 1954, Geology of the Rosamond Hills, Kern County, Californa Div. Mines, Bull, 170, Map Shet no.	54-79 Wright, L. A., and Troxel, B.W., 1954, Gedogc guide no.l, western Majave Desert and Death Valley region: Calfornia Dr. Mines Bull, 170, Guidebook no.l, 50 p. (b) Fig. 2,	1: 260.0(C) 193.3.1: 200,000.  55-6 Savage. D. Z 1955. Nonmarine lower Pliocene seaments in California—A geochronologic-stratigraphic classification: Univ. of Calif. Pubs.		1: 48,000. 1: 48,000. 1: 48,000. 55-25 Dibblee. T. W. Jr., 1955, Geology of the southeastern margin of the San Joaquin Valley, California in "Earthquakes in Kern County, Cali-	fornia Div. Mines Bull. 171. p.23-34. Pl. 1. 1: 380.000. 55-26 Schlocker. J. and Radbruch, D. H., 1955 Arvin-Tehachapi earthquake-Structural damage as related to geology in "Earthquakes in Kern County. Ca:ifornia during 1952"; California Div. Mines Bull.	#55-3. Kundert, C. J., 1955, Geologic map of California Bakersfield sheet: California Div. Mines. Map 1:250,000. 56-35 Smith. H. P., 1956, Forsaminifera from	the Wagonwheelformation, Devils Den district, Calli. California Univ. Geol. Sci. Bull., v. 32, no.2, p. 65-126. Fig. 1, 1: 12,500. *Geologic map covers the entire area of the index map sheet.
Mayo. E. B., 1947, Structure plan of the southern Sierra Nevada, Calif.;	Geol. Soc. America Bull., v. 28, no.o., p. 495-504. Pl. 1, l: 500.000. Balley, E. H., and Swinney, C. M. 1947, Walibu quicksilver mine, Kern County, Calif.: California Jour. Mines and Geology, v. 43, no. 1, p. 9.14. Pl. 1: 12000.	May, J. C., and Hewitt, R. L., 1948, The basement complex in well samples from the Sacramento and San Joaquin Valleys, Calif.; Cali- fornia Jour. Mines and Geology, v. 44, no. 2, p. 129-158. Pl. 10,	Filtenny, J. E., 1948, Geology and exploranty, J. E., 1948, Geology and exploration for oil in Salimas Valley, Calif.: Am. Assoc. Petroleum Geologists Bull. v. 32, no. 12. p. 2254-2268. Fig. 1, 1: 500,000.	Upson, J. E., and Worth. G. F Jr., 1949, Ground water in the Cuyama Valley: U. S. Geol. Survey. Open File report. Pl. 806. ll. 31.680. Heikkila, H. H. and MacLeod, G. M.,	1951, Geology of the Bitterwater Creek area, Kern County, California: Div. Mines special Rept. 6. Pl. 1, 1: 31,680. Am. Assoc. Petroleum Geologists, 1922,	AAFU SELM, JOLG, Butter Obs., 121.  trip routes, geology, oil fields; joint cmual meeting, Los Angeles, Californ., Mar. 1/52. (e) Map. p. 270, 1: 125, 000.  Kasline, F. E., 1953, Tejon Hills Oil Field: California Oil Fields, v. 39.	no. 1, p. 3-10. F1. II, ii br.yvv. Jenuings C. W., 1953. Mines and mineral resources of Kings County, California: California Jour. Mres and Geol., v. 4°, no. 3, p.273-296.	Krauskopf, K. D., 1953, Tungsten deposits of Madera, Fresno and Tuiarr. Counties California: C.ätfornia Div. Mines Special Rep. 135, 83 p. (1) Fig. 45, 1: 720; (m) fig. 49,	Dibbles. T. W. Jr., and Chesterman, C. W. 1953. Geology of the Breckerridge Mountain quadrangle, California: California Dis. Mines Bull. 168, 56, p. Pl. 1.1: 62,500.	Nelson. H. E., and Hiller, K. L., 1954. Preliminary report on the uranium occurrence of the Silver Lady claim, Jaw Bone mining dis- trict. Gross Mountain quauringle, Kern County, California: U. S. Atomic Energy Goinm. RME-2012. Pl. 11: 1680.	Но	
47-2	47-5	48-19	48-38	49-15	52-2	53-1	53-14	53-24	5.5.27	* 54-12	:- 2-+;0	5.4.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.
Woodring. W. P., Stewart, R., and Richards, R. W., 1940, Geology of	the Kettleman Hills oil field, Calif.: U. S. Geol. Survey Prof. Paper 195, 110 p. Pl. 3, l. 31,680. Locke. A. Billingsley. P. R., and Mayo, E. B., 1940, Sierra Nevada tectonic patterns: Geol. Soc. America Bull.	v. 51. no. 4, p. 513-559, F.1. 1, 11. 1000.000. (tectonic map) Miller, W. J., and Webb, R. W., 1940, Descriptive geology of the Kernville quadrangle, Calif.: California Jour. Mines and Geology, v. 36. no. 4. p. 343-378	Prout J. W. Jr., 1940. Geology of the Big Blue group of mines, Kernville, Calif.: California Jour. Mines and Geology. v. 36. no. 4 p. 379-421.	Forbes, H., 1941 Geology of the San Joaquin Valley as related to the source and the occurrence of the ground-water supply: Am. Geophys. Union Trans. (22d Ann. Mtg.) Pt.1-A, p. 8-18. Fig. 2. 1: 625 000.	Simonson, R. R. and Krueger, M. L., 1942, Crocker Flat landslide area, Temblor Range, Califf. Am. 850c. Petroleum Geologists Bull., v. 26. no. 10, p. 1669-1651. Fig. 8, 1:42,000.	Thrust faulting and coarse clastics in Temblor Range, Calif.: Am. Assoc. Petroleum Coologists Bull., v. 25, no. 7, p. 13.7-1342. Fig. 2, 150,000. M. and Wanger, 15 G. 1443.	The Tungstore mine and vicinity. Tulare County, Calif.: U. S. Geol. Survey Strategic Minerals Investigations Prelim. Map. Fig. 2,	Woollard, G. P., 1943, Transcontinenal gravitational and magnetic profile of North America and its relation to geologic structure: Geol. Soc. America Bull v. 54, no. 6, p. 747-789, Pl. 3, 1; 2,187,500.	Curran, J. F., 1943, Eocene stratgraply of Chico Martinez Creek area, Korn County, Calif.: Am. Assoc. Petroleum Geologists Bull v. 27. no.10, p. 1361-1386, Fig. 2, 1: 36,000. Also	Var	Fig. 224, 1: 36.000.  Keen, A., M., 1943, New mollusks from the Round Mountain silt (Temblor) Miocene of Calif.: San Diego Soc. Nat. History Trans., V. 10. no. 2.	
1940-2	40-9	40-20	40-21	41-14	42-13	ç	6 + 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0	43-8	43-19	43-32	43-46	7-24




	<ul> <li>14-5 Ferguson, H. G., 1914, Lode deposits of the Alleghany district, Calif.: U.S. Geol. Survey Bull. 580, p. 153-182.</li> <li>Fig. 48, 1: 140,000.</li> <li>Lee, W. T., et al., 1915, Guidebook of</li> </ul>	the western United States; Part B, The Overland route, with a side trip to Yellowstone Park: U.S. Geol. Survey Bull. 612, 244 p. (a) Sheets 22-25, 1: 500.000.	15-5 Diller, J. S., and others, 1915, Guidebook of the western United States; Part D, The Shasta route and coast line: U. S. Geol. Survey Bull. 614, 142 p. Map, 1: 500,000. 17-2 Moody, C. L., 1917, The breccias of the	of Colfax, Califf.: California Univ. of Colfax, Califf.: California Univ. Dept. Geol. Sci. Bull., v. 10, p. 383-420. Pl. 28, l. 40,000.  23-1 Bryan, K., 1923, Geology and groundwater resources of Sacramento Valley, California: U.S. Geol. Survey Water-Supply Paper 495, 285 p.	Pl. 3, 1: 1,250,000.  25-3 Logan, C. A., 1925, Ancient channels of the Duncan Canyon region, Placer County: Mining in California, v. 21, no. 3, p. 275-280. Map, p. 276, 1: 24,000.	Geol. Sci. Bull., v. 18, no. 14, p.347-448. (d) Fig. 5, 1. 125,000. Anderson, C. A., 1933, Tuscan formation of northern Calif., with a discussion concerning the origin of volcanic breecias: California Univ. Dept. Geol. Sci. Bull., v. 23, no. 7, p. 215-	29-7 Williams, H., 1929, Geology of the Marysville Buttes, Calif. California Univ. Dept. Geol. Sci. Bull., v. 18, no. 5, p.103-220. (a) Map p. 220, 1: 62,500, (b) fig. 13, 1: 21,600.
BIBLIOGRAPHY	Turner, H. W., and Lindgren, W., 1895, Description of the Marysville sheet: U. S. Geol. Survey Geol. Folio 17, 2 p. Map 1: 125,000. Lindgren, W., and Turner, H. W., 1895,	Description of the gold belt; description of the Smartsville sheet: U. S. Geol. Survey Geol. Folio 18, 6 p. Map. 1: 125,000. Lindgren, W., 1896, Description of the	(Nevada City, Calli,) special maps: (N.S. Geol. Survey Geol. Folio 29, 7 p. Map, 1: 14,400. Lindgren, W., 1896, The gold-quartz veins of Nevada City and Grass Valley districts, Callf.: U.S. Geol. Survey Ann. Rept. 17, pt. 2, p.1-262.	Lindgren, W., 1896, The gold-quartz Lindgren, W., 1896, The gold-quartz veins of Nevada City and Grass Valley districts, Calif.: U. S. Geol. Survey Ann. R. pt. 17, pt. 2, p.1-262.  (a) Pl. 1, 1: 375,000, (b) pl. 21,1:6,000, (c) fig. 20, 1: 24,000.  Turner, H. W., 1897, Description of the	gold belt; description of the Downieville quadrangle: U.S. Geol. Survey Geol. Folio 37, 8 p. Map, 1: 125,000. Lindgren, W. 1897. Description of the gold belt; description of the Truckee quadrangle: U.S. Geol. Survey Geol.	Turner H. W., 1898, Description of the gold belt; description of the Bidwell Bar quadrangle: U. S. Geol. Survey Geol. Folio 43, 6 p. Map.l: 125,000. Lindgren, W., 1900, Description of the Colfax quadrangle: U. S. Geol.Survey Geol. Folio 66, 10 p. Map.	Lindgren, W., 1911, The Tertiary graves of the Sierra Nevada of Calif.: U.S. Geol. Survey Prof. Paper 73, 226 P. *(a) Pl. 1, 1: 750,000. (b) pl. 15, 1: 125,000.
	95-1	96-1		96-3	97-2	98-1	*11-2
	Guillemin-Tarayre, E., 1871, Description des anciennes possessions mexicaines du nord: Mission Scientifique au Mexique et dans 1'Amerique Centrale, Geologie pt. 2, 216, p.(a)	Fi. 10, 1: 1,000,000. King, C., 1876. United States geological exploration of the 40th parallel, Geological and topographic atlas. Map 5, 1: 250,000.	Whitney, J. D., 1880, The auriferous gravels of the Sierra Nevada of California: (Harvard) Museum of s omparative Zoology Mem.; Contributions to American Geology, v. 1, 569 p. (a) Pocket map, 1:62,500 and pl. B., 1:155,000, (b) pocket	map, I: 16,000, (e) p1, M, I: 7,000, (f) p1, R. 1: 125,000, p1, U, 1:42,24v; (g) p1, T, I: 14,400. Russell, I. C., 1885, Geological history of Lake Lahontan, a Quaternary lake of northwestern Nevada: U.S. Geol. Survey Mon. II, 288 p. P1.46, 1: 760,000.	Hobson. J. B., 1890. Nevada County (p. 364-98), Placer County (p.410- 434): California Min. Bur. 10th Ann. Rept. p. 364-434. (a) Maps p. 364 and 410, 1: 375,000, (b) map p. 418, 1: 18,000, (c) maps p. 434.	Mills. J. E., 1894, Straugraphy and succession of the rocks of the Sierra Nevada of Calif.: Geol. Soc. America Bull., v. 3, p. 413-444. Pl. 13. Is 375,000. Lindgren, W., 1892, The gold deposit at Pine Hill, Calif.: Am. Jour. Sci., 3rd ser., v. 44, p. 92-96. Map 1,	Turner, H. W., 1892, Mohawk lake beds: Philos. Soc. Wash. Bull., v. 11, p.385- 409. Pl. 4, 1: 125,000.  Turner. H. W., 1894. The rocks of the Siorra Novada: U. S. Geol. Survey Ann. Rept. 14, pt. 2, p. 435-495. (b) Pls. 55 and 57, 1: 62,500.
	71-1	76-1	80-1	85-1	90-1	92-1	92-3


\*Geologic map covers the entire area of the index map sheet.



BIBLIOGRAPHY	. R., and Mayo, 52-14 Davada tectonic America Bull., Pl. 1, mapl.	53-18 Ry	bull., v. f, no. 12, p. 23f-270. Fig.1,  1. 125,000.  1. 125,000.  1. 125,000.  1. 600.  1. 600.  1. 600.  1. 600.  255-4  200. America Bull., v. 55, no. 3,  255-272. Fig. 2. 1; 46,000.  255-272. Fig. 2. 1; 46,000.	. 55-37 Lo	.∵æ';	53-53  inc	56-11 Cai	Hietanen, Anna, 1951, Metamorphic and igneous rocks of the Merrimac area, plumas National Forest, California: Plumas National Forest, California: Plumas National Forest, California: Geol. Soc. America Bull., v. 62, no. 6, p. 56-21 Clark, W. B., and Carlson, D. W., 1956, Mines and mineral resources of El Dorado County, California: California: Geol. Soc. America Bull., v. 62, no. 8, p. 931-952. Pl.1, 1:62, 500.
BIBFI	469 Locke, A., Bil E. B., 1940 patterns: ( v. 51, no. 4 1: 1.000,000 43-38 Johnson, H. R	(Sutter But Div. Mines Fig. 270, I. Dickerson, R. Eocene at I California	Dui	Š .	й Н	48-24 Bowen, O.E., Jr., 1948, C along High Mines Bull 1-10, 1: 125 48-27 Heyl, G.R., 1'	belt of the California p. 11-30. F 9-11-30. F of the Big of the Big Califi. Ca	51-11 Hietaner, Ann igneous ro Plumas Na Geol. Soc. p. 565-608 51-21 Hudson, F. S. Castle Pea California. v. 62, no. 8
	Ferguson, H. G., and Gannett, R. W., 1932, Gold quartz veins of the Alleghany district, Calif.: U. S. Geol. Survey Prof. Paper 172, 139 p. (a) Pl. 1, 12,000, (B) pl. 3, respect 175,000, Also maps of mine areas.	Jenkins, O. P., 1932, Report accompanying geologic map of northern Sierra Nevada: Mining in California, v. 28, nos. 3 and 4, p. 279-298. Pocket map, 1: 500,000. Forbes, H., 1933, Geologic reports on	dam sites in Sacramento River Basin: Calif. Dept. Pub. Works, Water Resources Div. Bull. 26, p. 479-514. (b) Pl. E-1, 1: 160,000, (c) pl. E-2, 1: 62,500, (d) pl. E-3, 1: 3,000, (e) pl. E-4, 1: 62,500.	Anderson, C. A., 1933, Tuscan formation of northern Calif., with a discussion concerning the origin of volcanic breccias: California Univ. Dept. Geol. Sci. Bull., v. 23, no. 7, p. 215-276. (a) Fig. 1, 1: 1,000,000.	Averill, C. V., 1937, Mineral resources of Plumas County: California Jour. Mines and Geology, v. 33, no. 2, p. 79-143. Pl. 2, 1: 220,000.	Clark, B. L., and Anderson, C. A., 1938, Wheatland formation and its relation to early Tertiary andesites in the Sierra Nevada: Geol. Soc. America Bull., v. 49, no. 6, p. 931-955. Fig 2,	Anderson, F. M., 1938, Lower Cretaceous deposits in California and Oregon; Geol. Soc. America Spec. Paper 16, 339 p. Pl. 84, 11,1,000,000. Anderson, C. A., and Russell, R. D., 1939, Tertiary formations of northern	Jour. Mines and Geology, v. 35, no.3, p. 219-253. Pl. 3, 1: 600,000. Johnston, W. D., Jr., 1940, The gold quartz veins of Grass Valley, Calif.: U. S. Geol. Survey Prof. Paper 194, 101 p. Pl. 1, 1: 14,400. Taff, J. A., Hanna, G. D., and Cross, C. M., 1940, Type locality of the Cretaceous Chico formation: Geol.
	932-3	32-7		33-10	37-5	38-3	38-7	40-5




54-51 Bateman, P. C., and Merriam, C. W.,		Div. Mines Bull. 170. Map sheet no. 11, 1: 250,000.	54-52 Gay, T. E., Jr., and Wright, L. A., 1954. Geology of the Tale Gity area,	hyo County: Calliornia Div. Milles Bull. 170. Map sheet no. 12, 1:24 \(\partial 0.0\).  And Troyel R W 1954.		Guidebook no. 1, 50 p. (e) Fig. 5, 1; 260,000; (f) fig. 6, 1; 260,000; (i) fig. 6, 1; 260,000; (ii) fig. 6, 1; 260,000; (iii) fig. 6, 1; 260,000; (iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	(g) fig. f, i: Zeu, you, (ii) fig. e, i: Zeo, 000; (j) fig. 9, i: Zeo, 000; (j) 55-3 McAllister, J. F., 1955, Geology of minoral donneite in the Uhababa	Peak quadrangle, Inyo County, California: California Div. Mines Special Peat 42, 63 n (a) Fig. 2.	1: 125.000, (b) p1. 1, 1: 2400, (c) p1.2, 1: 3600, fig. 15. 1: 1200, (d) p1. 3, 1: 1200, (e) fig. 19, 1: 1200, (f) fig. 25, 1: 4500	McAllister, J. F., 1956, Geology of the Ubehebe Peak quadrangle, California: U. S. Geol. Survey Geologic quadrangle map, GQ 95. (a) Map,	1: 62.500. McAllister, J. F., 1949, Geology of the Lippincott lead area, lnyo County,	file report, 10 p. (c) Pl. 1, 1: 2,400.  MacKevett, E. M., 1949, The Sally Ann copper area 'Ubehebe Peak quad-		<ul> <li>*55-30 Kundert, C. J., 1955, Geologic map of California Death Valley sheet: California Div. Mines. Map 1: 250,000.</li> <li>55-38 Hetland, D. L., 1955, Preliminary report on the uranium occurrence of</li> </ul>	the Green Velvet claims, Inyo Cour.y, Calif.: U.S. Atomic Energy Cou.m. R.M.E2045, 17 p. Fig, 2,1:2,700. 56-25 Chesterman, C. W., 1956, Pumice, mumicite and volcanic cinders in	California: California Div. Mines Bull. 174, II9 p. (b) Pl. 3, 1: 36,000, (j) fig. 10, 1: 12,000, (k), fig. 11, 1: 16,800, (1) fig. 12, 1: 12,000, 57-4 Smith, G. U., and Pratt, W. P., 1957,		*Geologic map covers the entire area of the index map sheet.
4																		
D C D C 1943	Koss, C. F., and lates, K. G., 1745, T.P. Coso quicksilver district, lnyo	Bull 336-Q, p. 395-416. Pl. 60,	Ross, C. P. and Yates, R. G., 1943, The Coso quicksilver district, lnyo	County, Calif.: U.S. Geol. Survey Bull. 936-Q, p. 395-416. Pl. 59,	1: 160,000. Also mine map. Woollard, G. P., 1943, Transcontinental gravitational and magnetic profile	of North America and its relation to geologic structure; Geol. Soc. America Bull., v. 54, no. 6, p.747-	789. Pl. 3, 1: 2,187,500. Wilson, L. K., 1943, Tungsten deposits of the Darwin Hills, Inyo County,	Calif.: Econ. Geology, v. 38, no.', p. 543-560. Fig. 2, 1: 62,500, fig.6, 1: 3,200, fig. 7, 1: 3,200.	Kelley, V. C., 1937, Origin of the Dar- win silver-lead deposits: Econ. Geology, v. 32, no. 8, p. 987-1008. Fig. 3, 1: 62,500.	Hopper, R. H., 1947, Geologic section from the Sierra Nevada to Death Valley, Calif.: Geol. Soc. America Bull., v. 58, no. 5, p. 393-432. Pl.l.	Ma	Fage, B. M., 1951. Talc deposits of steatile grade. Inyo County, Cali-	fornia: (a) Pl. 1, 1: 1200, pl. 4, 1: 1200, pl. 10, 1: 600, pl. 10, 1: 600, fig. 5,1: 14,400. (b) pl. 6, 1: 1200, pl. 9, 1: 1200; (c)	pl. ii. 1: 1200. McAllister, J. F., 1952, Rocks and structure of the Ouartz Spring area, northern Panamint Range, California Div. Mines Special Rept. 25, 38 p. Pl. I. i. 31,680.	McAllister, J. P., 1951, Rocks and structure of the Quartz Spring area, northern Panamint Range, Californa: U. S. Geol. Survey open file report.	Markevett, E. M., 1953, Geology of the Santa Rosa lead n ine, Inyo County, California: California Div. Mines Special Rept. 34, 9 p. Pl. 2, 1:2400, Noble of E. and Wright, L.A., 1954.	Cology of the central and southern Death Valley region, California: California Div. Mines Bull. 170, chpt. 11, contr. 10. Pl.7,1:250,000.	Curry, H. D., 1994, I uriticacks in incentral Black Mountains, Death Valley, California: California Div. Mines Bull. 170, chpt. IV, contr. 7. Fig. 3, 1: 48,000.
43.0	y-24		43-1		43-8		43-12			47-1	47-2	61-16		52-18		53-8	4	46-46-46-46-46-46-46-46-46-46-46-46-46-4
	Spurr. J. E., 1903, Descriptive geology of Nevada south of the fortieth para-	U. S. Geol. Survey Bull. 208, 229 p.	Pl. 1, 1: 937,500. Ball. S. H., 1907, A geologic reconnais-	eastern California: U. S. Geol. Survey Bull. 308, 218 p. Pl. 1,1:250,000	Waring, C. A., 1917, Geological map of Inyo County, California: California Min. Bur. Map. 1: 250,000.	Knopf, A., 1918, A geologic reconnais- sance of the lnyo Range and the	Nevada, Calif.: U.S. Geol. Survey Prof. Paper 110, 130 p. Pls. 1 and 2 1: 125,000.	Murphy, F. M., 1930, Geology of the Panamint silver district, Calif.: Econ. Geology, v. 25, no. 4, p. 305-	325. Map p. 308, 1: 12,000. Noble, L. F., 1931. Nitrate deposits in southeastern Calif with notes on deposits in southeastern Ariz. and	southwestern New Mexico: U.S. Geol. Survey Bull. 820, 108 p. Fig.3, 1: 48,000. fig, 4.1: 48,000. Murphy, F. M., 1932. Geology of a part	of the Panamint Kanges, Cault Mining in California, v. 28, nos. 3 and 4, p. 329-356. Map p. 330, 1. 125,000.	Stock, C., and Bode, F. D., 1935, Ocurrence of lower Oligocene manmal-bearing beds near Death Valley, California, National Acad. Sci. Pro-	ceedings, v. 21, p. 571-579. Pl. 1, 1: 528.000 Kellev, V. C., 1938. Geology and ore	deposits of the Darwin silver-lead mining district, lnyo Co., Calif.: California Jour. Mines and Geology, v. 34. no. 4, p. 503-562. (a) Pl. 5, l. 5,000, (b) pl. 6, l. 5,000, (c) pl.7,	Wilson, L. K., 1943, Tungsten deposits of the Darwin Hillis, lnyo County, Calif.: Econ. Geology, v. 38, no.7, p. 543-560. (b) Figs. 6 and 7,1:3,200.	White, D. E., 1940, Antimony deposits of the Wildrose Canyon area, lnyo Country, Calif.: U. S. Geol. Survey Bull. 922-K, p. 307-325. (a) Pl.45, l. 7,200. (b) pl. 46. l. 7,200.	្នំ	× > 4 % 0
	1903-3		07-1		* 17-6	18-1		30-3	31-1	32-9		35-5	بر ا م			40-6	* 40-9	




Tarbet, L.A., 1951, Imperial Valley: Am. Assoc. Petroleum Geologists Bull., v. 35, no. 2, p. 260-263. Fig. 40, 1:750,000.	California Div. of Water Resources, 1954, Ground water occurrence and quality, Colorado River basin region:	Quality of Water Investigations, Report No. 4. Pl. 2, 1:515,000. Dibblee, T.W., Jr., 1954, Geology of	the Imperial Valley region, California: California Div. Mines Bull. 170, chpt. II, contr. 2, Pl. 2, 1:375,000.	Jahns, R.H., 1954, Geology of the Peninsular Range province, southern California and Baja,	California: California Div. Mines Bull. 170, chpt. II, contr. 3. Pl. 3, 1:375,000.	Geologic map covers the entire area of the index map sheet.
51-2	54-10	54-21		54-23		*
Tucker, W.B., 1926, Imperial County: Mining in California, v. 22, no. 2, p. 248-285. Map p. 276, 1:31,680.	Darton, N.H., 1933, Guidebook of the western United States, Part F, the Southern Pacific Lines New Orleans to Los Angeles: U.S.	Geol. Survey Bull. 845, 304 p. Sheets 26, 27, 28 and 29, 1:500,000.	Miller, W.J., 1935, A geologic section across the southern Penin- sular Range of California: California Jour. Mines and	Geology, v. 31, no. 2, p. 115-142. P1. 2, 1:168,960.	Henshaw, P.C., 1942, Geology and mineral deposits of the Cargo Muchacho Mountains, Imperial County, California: California Jour. Mines and Geology, v. 38, no. 2, p. 147-196. Pl. 2, 1:48,000.	Beal, C.H., 1948, Reconnaissance of the geology and oil possibilities of Baja California, Mexico: Geol. Soc. America Mem. 31, 138 p. Pl. 1, 1:1,000,000.
26-4	33-2		35-7		42-8	48-22
Blake, W.P., 1857, Geological report (Williamson's reconnaissance in California) U.S. Pacific railroad	sess. S. Ex Doc. 78 and H. Ex Doc. 91, v. 5, pt. 2, 370 p. (b) map 4, 1:1,500,000.	Hanks, H.G., 1886, San Diego County: California Min. Bur. 6th Ann. Rept. pt. 1, p. 80-90. Map, 1:375,000.	Fairbanks, H.W., 1893, Geology of San Diego County; also of portions of Orange and San Bernardino Counties: California Min. Bur.	llth Ann. Rept., p. 76-120. Map, 1:375,000.	Kew, W.S.W., 1914, Tertiary echinoids of the Carrizo Creek region in the Colorado Desert: California Univ. Dept. Geol. Sci. Bull., v. 8 p. 39-60. Map p. 41, 1:1,000,000.	Brown, J.S., 1923, The Salton Searegion, California; a geographic, geologic, and hydrologic reconnaissance, with a guide to desert watering places: U.S. Geol. Survey, Water-Supply Paper 497, 292 p. Pl. 12, 1:500,000.
1857-1		*86-1	93-3		14-8	*23-2

Brown, J.S., 1922, Fault features of Salton Basin, California: Jour. Geology, v. 30, no. 3, p. 217-226. Pl. 1, 1:875,000.







MAP OUTLINES SMALL AREAS

DIVISION OF MINES X

U.S. G. S. X

OTHERS X

46-13

Hoots, H.W., 1928, Oil and gas exploration in southwestern Humboldt County, California: U.S. Dept. of the Interior, Memo. for the Press, March 5, 1928,

Hershey, O.H., 1911, Del Norte County, geology: Min. and Sci. Press, v. 102, p. 468. Map, 1:437,500.

1911-6

9 p. Map 1:375,000. Reprinted in Oil Bulletin, v. 14, April 1928, p. 376.

Logan, C.A., 1919, Platinum and allied metals in California: California Min. Bur. Bull. 85, 120 p. (a) Pl. 3, 1:187,500.

Maxson, J.H., 1933, Economic geology of portions of Del Norte and Siskiyou Counties, northwestern-most California: California Jour. Mines nad Geology, v. 29, nos. 1 and 2, p. 123-160. Pl. 4, 1:187,500.

33-5

California: U. S. Dept. Interior, Pacific Southwest Field Committee. Pl.1, 1: 782,000.

Natural Resources of Northwestern and mineral industry, Appendix to:

fornia" in Geology, mineral resources "Geologic map of northwestern Cali-

Irwin, W. P., and Tatlock, D. B., 1955,

\*56-24

California: California Div. Mines Bull. 164, 128 p. Pl. 1, 1:62,500.

Ogle, B.A., 1953, Geology of Eel River Valley area, Humboldt County,

53-26

Gester, G.C. 1951, Northern Coast Ranges: Am. Assoc. Petroleum Geologists Bull., v. 35, no. 2, p. 200-208. (a) Fig. 16, 1:875,000.


51-3

\*Geologic map covers the entire area of the index map sheet.

>	•
1	
Δ.	
d	r
	:
,,	;
≍	(
_	_
	1
a	1
=	=
α	)

Anderson, F.M., 1938, Lower Cretaceous	deposits in California and Oregon:	Geol. Soc. America Spec. Paper 16,	339 p. Pl. 84, 1:1,000,000.

Wells, F.G., Cater F.W. Jr., and Rynearson, G.A., 1946, Chromite deposits of Del Norte County, California: California Div. Mines Bull. 134, pt. 1, chap. 1, p. 1-76 (a) Pl. 1, 1:125,000 (Peridotite) (b) Pl. 8, 1:24,000.




FORT BRAGG SHEET INDEX MAP 1 OF 2 PUBLISHED BEFORE 1941

U. S. G. S. OTHERS

, and Russell, R.D.,

39-3 A str	40-10 C	o. 40-22 R	p.	Everhart, D.L., 1943, Sulphur Bank quicksilver mine, Lake County, California: U.S. Geol. Survey Prelim. map. (d) Map 1:2,400. Forstner, W., 1903, The quicksilver resources of California: California.	́ы́
28-1 Hoots, H.W., 1928, Oil and gas exploration in southwestern Humboldt County, California: Dept. of the Interior, Memo. for the Press, March 5, 1928, 9 p. Map	1:375,000. Reprinted in Oil Bull., v. 14, April 1928, p. 376. 32-8 Anderson, F.M., 1932, Jurassic and Cretaceous divisions in the Knox- ville-Shasta succession of California:	Mining in California, v. 28, nos. 3 and 4, p. 311-328. Fig. 2, 1:148,000. 33-10 Anderson, C.A., 1933, Tuscan formation of northern California, with a discussion concerning the origin of volcanic breccias: California	Univ. Dept. Geol. Sci. Bull., v. 23, no. 7, p. 215-276. (a) Fig. 1, 1: 1,000,000 33-13 Anderson, F.M., 1933, Type area of Jurassic Knoxville series of Gal-	107nia: Fan-Am. Geologist, v. cv., no. 3, p. 175-188. Pls. 10-11, 1:937,500.  36-4 Anderson, C.A., 1936, Volcanic history of the Clear Lake area: Geol. Soc. America Bull., v. 47, no. 5, p. 629-	*38-7 Anderson, F.M., 1938, Lower Cretaceous deposits in California and Oregon: Geol. Soc. America Spec. Paper 16, 339 p. Pl. 84, 1:1,000,000
	Becker, G.F., 1888, Geology of the quicksilver deposits of the Pacific slope, with an atlas: U.S. Geol. Survey Mon. 13, 486 p. (a) Sheet 3, 1:100,000; (b)	13, The quicksilver lifornia: California 27, 273 p. (a) Maps nd p. 38, 1:125,000; 62,500.		11	
871-1	88-1	03-1	15-5	21-4	23-1

\*Geologic map covers the entire area of the index map sheet.



FORT BRAGG SHEET INDEX MAP 2 OF 2 PUBLISHED AFTER 1940

SMALL AREAS

MAP OUTLINES


DIVISION OF MINES

U. S. G. S. OTHERS


50

0

1000 E	Upson, J. E., and Kunkel, F., 1753, groun water of the Lower Lake-Middletown area, Lake County, California: U.S. Geol. Survey Water Supply Paper 1297,	Lorens, P. J., and Thronson, R.E., 1955, Geology of the fine-grained alluvial deposits in Sacramento	valley and their relationship to seepage. Appendix to: Report to the Water Project Authority	of the State of California on seepage conditions in Sacramento Valley: California Div. Water	Kesources Report, p. 127. F1. 8, 1:63,360.	Irwin, W. P., and Tatlock, D. B., 1955, "Geologic map of northwestern Cali-	and mineral industry, Appendix to: Natural Resources of Northwestern	California: U. S. Dept. interior, Fact. fic Southwest Field Committee. Pl. 1, 1: 782,000.		
2	61-66	55-37				56-24				
	Wilson, I.F., and Crittenden, M.D. Jr., 1945, Map of Thomas mine: U.S. Geol. Survey Open file map. (d) Map, 1:2,640.	Creasey, S.C., and Simons, F.S., 1945, Map of Harms prospect: U.S. Geol. Survey Open file map.	Trask, P.D., et al., 1950, Geologic description of the manganese de-	posits of California: California Div. Mines Bull. 152, 378 p. (d) Pl. 3, 1:1,600; (e) fig. 3, 1:300.	Trask, P.D., et al., 1950, Geologic description of the manganese	deposits of California: California Div. Mines, Bull. 152, 378 p. (a)	Fig. 2, 1:960. Jennings, C.W., 1954, Capay Valley-Wilbur Springs, west side Sacra-	mento Valley, California: No. Cal. Geol. Soc., Am. Assoc. Pet-	trip, Map 1:125,000.	
	45-12				9-09		54-9			
	Kirby, J.M., 1943, Upper Cretaceous stratigraphy of the west side of Sacramento Valley south of Wil- lows, Glenn County, California:	Am. Assoc. Petroleum Geologists Bull., v. 27, no. 3, p. 279-305. (c) Fig. 4, 1:30,000; (d) fig. 5, 1:30,000; (e) fig. 6, 1:30,000.	Kirby, J.M., 1943, Rumsey Hills area: Calif. Div. Mines Bull. 118, p.601-605. Fig. 265, 1:250.000.	Kirby, J.M., 1943, Sites region: California Div. Mines Bull. 118, p. 606-608, Fig. 267, 1:375,000.	Rist, R.L., and Harrington, W.C., 1943, Paskenta region: California	Div. Mines Bull. 118, p. 619-620. Fig. 274, 1:125,000.	Weaver, C.E., 1943, Point Arena- Fort Ross region: California Div. Mines Bull. 118, p. 628-632. Fig.	Rynearson, G.A., and Wells, F.G.,	1944, Georogy of the Orey Lagran and some nearby chromite deposits in County, California:	U.S. Geol. Survey Bull. 945-A, p. 1-22. Pl. 1, 1:9,600.
	43-16		43-36	43-37	43-40		43-43	44-5		




Durrell, C., 1940, Metamorphism in the	Visalia, California: California Univ. Dept. Geol. Sci. Bull., v. 25, no. 1, p. 1-117. Map 1, 1:125,000.	Jones, G.H., 1940, Hydrology of valey areas adjacent to the upper San Joaquin River: Am. Geophys. Union Trans.	1940. Pt. 1. p. 57-78. Fig. 27, 1:500,000. Mayo, E.B., 1941, Deformation in the intermediate of the property o	California: Geol. Soc. America Bull., v. 52, no. 7, p. 1001-1084.	map and volcanism). Mayo, E.B., 1937, Sierra Nevada pluton and crustal movement: Jour.	Geology, v. 45, no. 2, p. 169–192. Fig. 2, 1:750,000 and fig. 6, 1:875,000, (tectonic map).	MacDonald, G.A., 1941, Geology of the western Sierra Nevada between	California: California Univ. Dept. Geol. Sci. Bull., v. 26, no. 2, p.	Ascoonald, G.A., 192, 300. MacDonald, G.A., 1941, Progressive metasomatism of serpentine in the	Sierra Nevada of California: Am. Mineralogist, 27, 26, no. 4, p. 276-287, Map, p. 277, 1:100,000.	ground-water supply: Am. Geophys.	Union Trans. (22nd Ann. Mtg.) Pt. 1-A, p. 8-18. Fig. 2, 1:625,000.	
40-14	:	40-15	41-6				41-8		41-9	2	+1 <b>-</b> 1+		
Knopf. A., 1918, A geologic reconnais-	sance of the Inyo kange and the eastern slope of the southern Sierra Nevada, California: U.S. Geol. Survey Prof. Paper 110, 130 p. Pls. 1 and 2, 1:125,000.	Forbes, H., 1931, Geological reports on dam sites in San Joaquin River Basin; California Div. Water Resources Bull.	29, Appendix C. (e) Pl. C-9, 1:62,500; (f) pl. C-ll, 1:125,000.	Gester, G.C., and Galloway, J., 1953, Geology of Kettleman Hills oil field, California: Am. Assoc. Petroleum	Geologists Bull., v. 17. no. 10, p. 1161-1193. Fig. 2, 1.400,000. Clark, B.L., 1935, Tectonics of the Mount Dishlo and Coalinga areas.	middle Goast Ranges of California: Geol. Soc. America Bull., v. 46,	Clark, B.L., 1929, Tectonics of the Valle Grande of California: Am, Assoc.	Petroleum Geologists Bull., v. 13, no. 3, p. 199–238. (b) Fig. 4, 1:625,000. Reed, R.D. and Hollister, J.S., 1936,	Structural Evolution of southern California: Am. Assoc. Petroleum	Geologists Bull., v. 20, no. 12, p. 1529-1692, (b) Pl. 1, 1:500,000. Woodring, W.P., Stewart, R., and Richards, R.W., 1940, Geology of the	Kettleman Hills oil field, California: U.S. Geol. Survey Prof. Paper 195, 170 p. Pl. 3, 1:31,680.	Mayo, E. B., 1940, Sterra Nevada tectonic patterns: Geol. Soc. Am-	erica Bull., v. 51, no. 4, p. 513-539. Pl. 1, 1: 1,000,000. (tectonic map).
18-1		31-14		33-8	35-2			36-2		40-2	0	Ť	
Spurr, J.E., 1903, Descriptive geology	of Nevada south of the fortieth parallel and adjacent portions of California: U.S. Gool. Survey Bull. 208, 229 p. Pl. 1. 1:937,500.	Knopf, A., and Thelen, P., 1905, Sketch of the geology of Mineral King,	Geol. Sci. Bull. 4, p. 227-262. Pl. 30, 1: 125,000.	Hess, F.L. 1908, The magnesite deposits of California: U.S. Geol. Survey Bull. 355, 67 p. Fig. 2, 1:20,000.	Arnold, R., and Anderson, R., 1910, Geology and oil resources of the Coalinga district. California: U.S. Geol. Survey	bull, 376, 334 p. (a) F1. 1, 1123, 000.  Von Estorff, F.E., 1930, Kreyenhagen shale at type locality, Fresno County.	California: Am. Assoc. Petroleum Geologists Bull., v. 14. no. 10, p. 1321– 1336. (a) Fig. 1, 1;375,000.	Arnold, R., and Anderson, R., 1908, Preliminary report on the Coalinga oil district. Fresno and King Counties,	California: U.S. Geol. Survey Bull. 357. 142 p. (a) Pl. 1.1125.000.	Trowbridge, A.C., 1911, The terrestrial deposits of Owens Valley, California: Jour. Geology, v. 19, p. 706-747. Pl.	. 1912, Preliminary report 3y and possible oil re- ie south end of the San	Joaquin Valley, Cauttornia: U.S. Geol. Survey Bull. 471, p. 106-136. Pl. 10. 1:500,000.	Waring, C.A., 1917, Geological map of Inyo County, California: California Min. Bur. Map, 1:250,000.
1903-3		05-2		08-2	10-1					11-5	12-1		17-6



≥
Ŧ
OGRAPHY
8
IBLIC
ā

щ	1954. Geology of the Owens Valley region. Inyo County: California Div. Mines Bull. 170. Map sheet no. 11, 1:250,000 Langenheim, R. L., Jr., et al., 1956, Marial.	rocks of Independence quadrangle, rocks of Independence quadrangle, California: Am. Assoc. Petroleum Geologist Bull., v. 40, no. 9, p.2081-97. Fig. 1, 1: 75,000.	San Joaquin Valley, water quality investigation: California Div. Water Resources Planning, Water Quality Investigations. Pl. B. 1:250,000.	Core logs from Owens, China, Searles, and Panamint Basins, California: U.S. Geol. Survey Bull. 1045A, 62 p. Fig. 1, 12, 300,000.	(Kualeinai) takes Only, unee aleas).
54-27	56-18	56-32	7 7 7	5	
2 " - " - "	Counties, California: California Div. Mines Bull. 134, pt. 3, chap. 3, p. 61-104. (a) Pl. 6, 1:62,500; (b) pl. 7, 1:31,680. Heyl. G.R., 1948, Foothill copper-zinc	Delf of the Sierra Nevada, California: California Div. Mines Bull. 144, p. 11- 30. Pl. 1, 1:1,500,000. Webb, R.W., 1950, Volcanic geology of Toowa Valley, southern Sierra Nevada, California: Geol. Soc. Am.	Bull., v. 61, no. 4, p. 349-357. Pl. 1, 1:60,000. Jennings, C.W., 1953, Mines and mineral resources of Kings County, California, California, Intr. Mines	₩ ₩	Div. Mines Special Rept. 35, 83 p. (a) Pl. 1, 1:125,000; (c) pl. 4, 1:720; (e) fig. 8, 1:400; (i) fig. 32, 1:1,200.
47-2	48-27	50-11	53-14	53-24	
Woollard, G.P., 1943, Transcontinental gravitational and magnetic profile of North America and its relation to geologic'structure: Geol. Soc. America Bull., v. 54, no. 6, p. 747-789. Pl. 3, 1.2.187 500.	Durrell, C., 1943, Geology of the Sierra Durrell, C., 1943, Geology of the Sierra Nevada northeast of Visalia, Tulare County, California: California Jour. Mines and Geology, v. 39, no. 2, p. 153-168 Pl. 3, 1:125,000.	Jenkins, W.O., 1943, Tungsten deposits northeast of Visalia, California: California Jour. Mines and Geology, v. 39, no. 2, p. 169-183. (a) Fig. 1, 1: 4,500; (b) fig. 2, 1: 600; (c) fig. 3, 1: 1,200.	posits of Madera, Fresno and Tulare Counties, California: California Div. Mines Special Rept. 35, 83 p. (a) Fig. 11, 1: 600; (b) fig. 12, 1: 600.	Webb, R.W., 1946, Geomorphology of the middle Kern River Basin, southern Sierra Nevada, California: Geol. Soc. America Bull., v. 57, no. 4, p. 355-382. Pl. 7, 1:125,000.	Hopper, R. H., 1947, Geologic section from the Sierra Nevada to Death Valley, California; Geol. Soc. America Bull., v.58,no.5,p.393-432. Pl.1, l: 220,000.
1943-8	43-9	43-10		46-6	47-1



gravitational and magnetic profile of North America and its relation to geologic structure: Geol. Soc. America Bull., v. 54, no. 6, p. 747-789. Pl. 3, 1:2,187,500.

Woollard, G.P., 1943, Transcontinental

43-8

(tectonic map)

Locke, A., Billingsley, P.R., and Mayo, E.B., 1940, Sierra Nevada tectonic patterns: Geol. Soc. America Bull., v. 51, no. 4, p. 513-539. Pl. 1, 1:1,000,000.

\*40-9

### 8

Waring, C.A., 1917, Geological map of Inyo County, California: California Min. Bur. Map, 1:250.000.	
17-6 Warin of 1 Cal	

28-2

Lynton, E.D., 1938, Sulphur deposits of Inyo County, California: California Jour. Mines and Geology, v. 34, no. 4, p. 563-590. Fig. 4, 1:16,000. 38-6

\*Geologic map covers the entire area of the index map sheet.

_	
<del>-</del>	
굽	
₹	
œ	
ਹ	
Ō	
7	
BLIOGRAPHY	

Waring, C.A., 1917, Geological map of Inyo County, California:	1:250,000.
17-6	

Spurr, J.E., 1903, Descriptive geology of Nevada south of the fortieth parallel and adjacent portions of California: U.S. Geol. Survey Bull. 208, 229 p. Pl. 1, 1: 937,500.

\*1903-3


Spurr, J.E., 1906, Ore deposits of the Silver Peak quadrangle, Nevada: U.S. Geol. Survey Prof. Paper 55, 174 p. Pl. 1, 1:125,000.

06-2

Ball, S.H., 1907, A geologic reconnaissance in southwestern Nevada and eastern California: U.S. Geol. Survey Bull. 308, 218 p. Pl. 1, 1:250,000.

07-1


Miller, W.J., 1928, Geology of Deep Spring Valley, California: Jour. Geology, v. 36, no. 6, p. 510-525. Fig. 1, 1:200,000.



nardino County, California: U. S.Geol. Survey, Open file map. Map, 1:120,000.

#### RIBI IOGRAPHY

\* Geologic map covers the entire area of the index map sheet.



McLaughlin, R.P., and Waring, C.A., 1915, Petroleum industry of California Min. Bur. Bull. 69, 519 p. (a) Pl. 2,1: 125,000. 15-1

Guillemin-Tarayre, E., 1871, Description du nord: Mission Scientifique au Mex-

\*1871-1

des anciennes possissions mexicaines

ique et dans l'Amerique Centrale,

Geologie, pt. 2, 216 p. (b) Pl. 15, 1:1,000,000.

D, The Shasta route and coast line: U.S. Geol. Survey Bull. 614, 142 p. of the western United States; Part Diller, J.S., et al, 1915, Guidebook Sheets, 1:500,000. 15-5

Acad. Sci. Proc., 3rd ser. v. 1, p. 1-71.

(a) Pl. 1, 1:200,000.

Smith, W.S.T., 1897, The geology of Santa Catalina Island: California

97-4

metamorphic facies of the Franciscan

Woodford, A.O., 1924, The Catalina

series: California Univ. Dept. Geol.

Sci. Bull., v. 15, no. 3, p. 49-68.

(b) Fig. 1, 1:1,500,000.

Woodford, A.O., 1925, The San Onofre

breccia; its nature and origin:

California Univ, Dept. Geol. Sci. Bulletin, v. 15, no. 7, p. 159-280. (b) Fig. 2, 1:1,500,000.

English, W.A., 1926, Geology and oil resources of the Puente Hill region, southern California: U.S. Geol. Survey Bull. 768, 110 p. Pl. 1, 1:62,500. 9-97

Kew, W.S.W., 1927, Geologic sketch of Santa Rosa Island, Santa Barbara County, Calif .: Geol. Soc. p. 645-653. Fig. 1, 1:100,000. America Bull., v. 38, no. 4, 27-1

eastern part of the Santa Monica Mountains, Los Angeles County, Hoots, H.W., 1931, Geology of the California: U.S. Geol. Survey Prof. Paper 165-C, p. 83-134. Pl. 16, 1:24,000. 31-2

Smith, W.S.T., 1898, A geological sketch

98-4

of San Clemente Island: U.S. Geol. Survey Ann. Rept. 18, pt. 2, p. 459-

496. Pl. 84, 1:200,000

Bremner, C. St.J., 1932, Geology of Santa Cruz Island, Santa Barbara County, California: Sta. Barbara Mus. Nat. History Occ. Papers 1, 33 p. (a) Pl. 4, 1:62,500; (b) pl. 5, :24,000. 32-5

Min. Bur. Bull. 19, 236 p. Fig. A, 1:160,000, fig. B, 1:62,500, and fig. F,

1:187,500.

Hills, and Los Angeles oil districts,

southern Calif .: U.S. Geol. Survey

Bull. 309, 266 p. (b) Pl. 10,

Eldridge, G.H., and Arnold, R., 1907,

07-2

The Santa Clara Velley, Puente

Watts, W.L., 1901, Oil and gas yielding formations of California.

01-1

California, v. 27, no. 2, p. 214-219. (a) Map p. 218, 1:62,500. County, California: Mining in and, W.W., 1931, Preliminary report of the geology of Santa Cruz Island, Santa Barbara

\*Geologic map covers the entire area of the index map sheet.

Gale, H.S., 1932, Guidebook 15: Ex-	cursion C-1, Southern California:	International Geological Congress	XVI Session, 68 p. (b) Pl. 6,	1:500,000.
32-14				

Geologists Bull., v. 10. no. 8, p. 753the geology of Los Angeles Basin, California: Am. Assoc. Petroleum Eaton, J.E., 1926, A contribution to 767. (b) Fig. 1, 1:625,000. Reprinted in Oil Bulletin, v. 12, p. 970-977, (1926).


Gale, H.S., 1934, Geology of Huntington Beach oil field, California: Am. Assoc. Petroleum Geologists Bull., v. 18, no. 3, p. 327-342. (b) Darton, N.H., 1933, Guidebook of the western United States, Part 304 p. Sheets 26, 27, 28 and 29 F, the Southern Pacific Lines New Orleans to Los Angeles: U.S. Geol. Survey Bull. 845, Fig. 1, 1:500,000. 33-2

vestigation; Geology and ground water Eckis, R., 1934, South Coastal Basın infornia Div. Water Resources Bull. 45, storage capacity of valley fill: Cali-279 p. Pls. A, B, and C. 1: 142,560. 34-5


1:500,000.

California: Am. Assoc. Petroleum Reed, R.D. and Hollister, J.S., 1936, Geologists Bull. v. 20, no. 12, p. Structural evolution of southern 1529-1692. (b) Pl. 1, 1:500,000. \*36-2

California: Am. Assoc. Petroleum Geologists Bull., v. 24, p. 649-671. Whittier conglomerates, southern Bellemin, G.J., 1940, Petrology of Fig. 2, 1:42,240. 40-12




	54-26 Bailey, T.L., and Jahns, R.H., 1954, Geology of the Transverse Range province, southern California: California Div. Mines Bull.170, chpt. 11, contr. 6, pl. 4, 1:375,000.	54-44 Bailey, T.L., 1954, Geology of the western Ventura basin. Santa Bar-	bara, Ventura, and Los Angeles counties: California Div. Mines Bull. 170. Map sheet no. 4, 1:375,000.	O .	54-74 Daney, E.H., 1754, Road log 101 Santa Catalina Island: Geol. Soc. America field trip. Map, 1: 82,000.	54-80 Troxel, B.W., 1954, Geologic guide no. 3, Los Angeles Basin: Calif- ornia Div. Mines Bull. 170, Guidebook no. 3, 46 p. Maps 1-11, 1:92,000.	*55-34 Kundert, C.J., 1955, Geologic map of California, Long Beach Sheet: California Div. Mines. Map 1:250,000.	and Israelsky, M.C., 1956, Preliminary report on the geology of San Nicolas Island, California: U.S. Geol. Survey Open file report. Map 1:12,000.  56-29 Olmsted, F. H., 1956, Geologic reconnaissance of San Clemente	Island, California: U.S. Geol. Survey (Ground Water) Open file report, 30 p. Pl. 2, 1:48,000.  57-1 McCulloh, T.H., 1957, Simple Bouguer gravity and generalized geologic map of the northwestern part of the Los Angeles basin, California: U.S. Geol. Survey Geophysical Investigation GP 149. Map,	1:48,000. (Map indicates faults and major time-rock units).
BIBLIOGRAPHI	*51-20 Schoellhamer, J.E., and Woodford, A.O., 1951, The floor of the Los Angeles Basin, Los Angeles, Orange, and San Bernardino Counties, California: U.S. Geol.	Survey Oil and Gas Investigation Map 117. Map, 1:125,000.	51-35 Emery, K.O., 1951, Continental shelf-southern California: Am. Assoc. Petroleum Geologists Bull., v. 35, no. 2, p. 249-252. Fig. 37, 11, 750,000.	52-1 Crowell, J.C., 1952, Submarine canyons bordering central and southern California: Jour. Geology, v. 60, no. 1, p. 58-83. Fig. 6, 1:88,500.	52-4 Kundert, C.J., 1952, Geology of the Whittier-La Habra area, Los Angeles County, California:	Rept, 18, 22 p. Pl. 1, 1:24,000.  54-1 Menard, H.W., et al, 1954, Underwater mapping by diving geologists:  Am. Assoc. Petroleum Geologists	Fig. 11, 1:54,000.  -14 Gay, T.E., Jr., and Hoffman, S.R., 1954,  Mines and mineral deposits of Los Angeles County, California: California Tour Mines, and Geology, v. 50,	i,	<ul> <li>Woodford, A.O., et al., 1954, Geology of the Los Angeles Basin: California Div. Mines Bull. 170, chpt. 11 contr.</li> <li>Pl. 1, 1:96,000.</li> </ul>	*Geologic map covers the entire area of the index map sheet.
	1945-11 Poland, J.F., et al., 1945, Geologic *51- features in the coastal zone of the Long Beach-Santa Ana area, with particular respect to ground-water conditions. 11 S. Geol. Survey Open	File report. Pl. 704, 1:48,000.	Poland, J.F., et al., 1950, Ground-water geology of the coastal zone, Long Beach-Santa Ana area, California: U.S. Geol. Survey Water Supply Paper 1109, 162 p.	Bramlette, M.N., and, Geology and paleon-Verdes Hills, Calif-		10s	Bandy, O.L. and Emery, K.O., 1954, Geologic guide no. 4, southwestern part of the Los Angeles Basin: California Div. Mines Bull, 170, Guidebook No. 4, 14 p. Fig. 3, 1:62,500.	47-7 Sinnott, A., 1947, Geology, hydro- logy, and chemical character of the ground waters in the Torrance- Santa Monica area, Los Angeles County, California: U.S. Geol. Survey Open file report, Pl. 302, 1:48,000.	49-5 Daviess, S.N., and Woodford, A.O., 1949, Geology of the northwestern Puente Hills, Los Angeles County, California: U.S. Geol. Survey Oil and Gas Prelim. Map 83. Map 1:12,000.	<u>*</u> *




Eaton, J.E., 1929, The by-passing and discontinuous deposition of sedimentary materials: Am. Assoc. Petroleum Geologists Bull., v.13, no. 7, p.713-761. Map p. 748, l: 148,000.


			230%				
	Clark, B.L., 1921, The stratigraphic and faunal relationships of the Meganos group, middle Eocene of California: Jour. Geology, v. 29, no. 2, p. 125-165. (b) Fig. 7, 1:220,000. Wagner, C.M., and Schilling, K.H., 1923, The San Lorenzo group of the San Emigdio region, California: California Univ. Dent. Geol. Sci. Bull., v. 14.	no. 6, p. 235-276. Pl. 43, 1:93,750. Kew, W.S.W., 1924, Geology and oil resources of a part of Los Angeles and Ventura counties, California: U.S. Geol. Survey Bull. 753, 202 p. Pl. 1, 1:62,500.	Nelson, R.N., 1925, Geology of the hydrographic basin of the upper Santa Ynez River, California: California Univ. Dept. Geol. Sci. Bull., v. 15, no. 10, p. 327-396. Map p. 396, 1:125,000.	Nelson, R.N., 1925, A contribution to the paleontology of the Martinez Eo- cene of California: California Univ. Dept. Geol. Sci. Bull., v. 15, no. 11, p. 397-466. Pl. 61, 1:48,000. Anderson, F. M. and Hanna, G. D., 1925,			3, p. 235-269. (a) Fig. 2, 1:312,500; (b) fig. 5, 1:142,560 (Pliocene). Thompson, D.G., 1929, The Mohave Desert region, Calif.; a geographic, geologic, and hydrologic reconnaissance: U. S. Geol. Survey Water-Supply Paper 578, 759 p. Pl. 8, 1: 500,000.  Eaton, J. E., 1929, The by-passing and
	23-3	24-2	25-5	25-6	26-5	28 - 4 - 6	29-1
BIBLIOGRAPHI	Anderson, R., 1912, Preliminary report on the geology and possible oil resources of the south end of the San Joaquin Valley, California: U.S. Geol. Survey Bull. 471, p. 106-136. Pl. 10, 1:500,000. Gale, H.S., 1914, Borate deposits in Ventura County, California: U.S.	Geol. Survey Bull. 540, p. 434-456. Pl. 9, 1:16,000. McLaughlin, R.P. and Waring, C.A., 1915, Petroleum industry of California: California Min. Bur. Bull. 69, 519 p. (a) Pl. 2, 1:125,000; (b) pl. 3, 1:62,500;	(c) pls. 4 and 5, 1125,000. Diller, J.S., et al., 1915, Guidebook of the western United States; Part D, The Shasta route and coastline: U.S. Geol. Survey Bull, 614, 142 p. Sheets 1:500,000. Dartton, N.H., et al., 1915, Guidebook	of the western United States, Part C, The Santa Fe route, with a side trip to the Grand Canyon of the Colorado: U.S. Geol. Survey Bull. 613, 194 p. Sheets 21-24, 15500,000.	prospects of Cuyama Valley, Calif- ornia: U.S. Geol. Survey Bull. 621, p. 191-215. Pl. 19, 1:125,000. Waring, C.A., 1917, Stratigraphic and faunal relations of the Martinez to the Chico and Tejon of southern California: California Acad. Sci. Proc., 4th ser., v. 7, p. 41-124. Fig. 3, 1:187,500.	Kew, W.S.W., 1919, Structure and oil resources of the Simi Valley, southern California: U.S. Geol. Survey Bull.691, p. 323-347, Pl. 41, 1:62,500. Kew, W.S.W., 1919, Geology of a part of the Santa Ynez River District, Santa Barbara County, California:	California Univ. Dept. Geol. Sci. Bull., v. 12, no. 1, p. 1-21. Pl. 1, 1:84,480. Pack, R.W., 1920, The Sunset-Midway oil field, California; Part I, Geol. ogy and oil resources: U.S. Geol. Survey Prof. Paper 116, 179 p. Pl. 2, 1:125,000.
	12-1	15-1	15-5		17-3	19-3	20-1
	Blake, W.P., 1857, Geological report (Williamson's recomaissance in California) U.S. Pacific railroad exploration: U.S. 33rd Cong., 2d sess., S. Ex Doc. 78 and H. Ex Doc. 91, v. 5, pt. 2, 370 p. (a) Map 3, 1:625,000. Guillemin-Tarayre, E., 1871, Descrip-	tion des anciennes possessions mexicaines du nord: Mission Scientifique au Mexique et dans l'Amerique Centrale, Geologie pt. 2, 216 p. (b) Pl. 15, 12,100,000. Hershey, O.H., 1902, The Quaternary	of southern California: California Univ. Dept. Geol. Sci. Bull., v. 3, p. 1-29. Pl. 1, 1:1,125,000. Eldridge, G.H. and Arnold, R., 1907, The Santa Clara Valley, Puente Hills, and Los Angeles oil districts,	southern Cannorms: 0.0. 0.00. Survey Bull. 399, 266 p. (a) Pl. 1, 1:62,500; (b) pl. 10, 1:62,500; (c) pl. 18, 1:62,500. Arnold, R., 1907, Geology and oil resources of the Summerland	district, Santa Barbara County, California: U.S. Geol. Survey Bull. 321, 93 p. Pl. 1, 1:62,500. Batason, C.E.W., 1907, The Mojave mining district of California: Am. Inst. Min. Eng. Trans., v. 37, p. 160-177. Fig. 3, 1:40,000. Printed in the Am. Inst. Min. Eng. Bull., v. 7, no. 1, p. 65-82, (1906). Fig. 3, 1:40,000.	Arnold, R., and Johnson, H.R., 1910, Preliminary report on the McKit- trick-Sunset oil region, Kern and San Luis Obispo Counties, California: U.S. Geol. Survey Bull. 406, 225 p. Pl. 1, 1:125,000. Baker, C.L., 1911, Notes on the later	Cenozoic instory of the wolave Desert region in southeastern California: California Univ. Dept. Geol. Sci. Bull., v. 6, p. 333-383. Pl. 34, 1:750,000.
	1857-1	02-2	07-2	07-3	07-5	10-2	



::				1.7	OS ANGELLES	OHBET 1				
Eaton, J.E., 1939, Ridge Basin, California: Am. Assoc. Petroleum Geologists Bull., v. 23, no. 4, p. 517-558. Fig. 2,	1:175,000. Bellemin, G.J., 1940, Petrology of Whittier conglomerates, southern California: Am. Assoc. Petroleum Geologists Bull., v. 24, p. 649-671. Fig. 2, 1:42,240. Wosk, D., 1940, Future oil possibilities	of Newhall-Castaic district: Oil and Gas Jour., v. 39, no. 23, p. 24-26. Fig. 1, 1:125,000. Dolman, S.G., 1941, Mesa oil field: California Oil Fields, v. 24, no. 2,	p. 5-14. Pl. 2, 1:24,000. Putnam, W.C., 1942, Geomorphology of the Ventura region, California: Geol. Soc. America Bull., v. 53, no. 5,	p. 691-794. P.1. I. i.110,000. Woollard, G.P., 1943. Transcontinental gravitational and magnetic profile of North America and its relation to geologic structure: Geol. Soc. America Bull., v. 54, no. 6, p. 747-789. Pl. 3, 12, 187-500	Soper, E.K., 1943, Los Angeles city oil field: California Div. Mines Bull. 118, p. 282-283. Fig. 116, 1:48,000.  Vickery, F.P., 1943, Goleta oil field: California Div. Mines Bull. 118, p. 377-379. Fig. 155, 1:100,000.	California Div. Mines Bull. 118, p. 400-403. Fig. 163, 1:93,750, and fig. 166, 1:160,000. Stipp, T.F., 1943, Simi oil field: California Div. Mines Bull. 118, p.417-423. Fig. 172, 1:31,680.	Marks, J.G., 1943, Type locality of the Tejon formation: California Div. Mines Bull. 118, p. 534-538. Fig. 232,1:02,50. Miller, J.C., and Lebow, R., 1944, Geology of the Del Valle oil field, Los Angeles, County, California: U.S. Geol. Survey Open file report. Pl.4, 1: 24,000.	7 Bailey, W.C. 1944, South Mountain oil field: California Oil Fields, v. 29, no. 2 p. 12-16. Pl. 1, 11:125,000. Wiese, J.H. and Page, L.R., 1946, Tin deposits of the Gorman district, Kern County, California: California Jour. Mines and Geology, v. 42, no. 1, p. 31-52. Pl. 5 1:20.000; also larger scale maps.		
39-7	40-12	41-11	42-5	43-8	43-25	43-26	43-34	44-17		
Conkling, H., et al., 1933, Ventura County investigation: California Div. Water investigation: A. 2017. Div. Fileral	Kesources Bull. 40, 244 p. Fig. 51 and 52, 1: 100,000. Simpson, E.C., 1934, Geology and mineral deposits of the Elizabeth Lake quadrangle, California: California Jour. Mines and Geology, v. 30, no. 4, p. 371-415, pl. 5, 1: 125,000.	Eckis, R., 1934, South Coastal basin investigation, Geology and ground-water storage capacity of valley fill: California Div. Water Resources Bull. 45, 279 p. Pls. A, B, and C, 1: 142,560.	Z " O Y		Geologists Bull. v. 20, no. 12, p. 1529-1692. (b) Pl. 1, 1:500,000.  Oakeshott, G.B., 1937, Geology and mineral deposits of the western San Gabriel Mountains, Los Angeles County: California Jour. Mines and Geology, v. 33, no. 3, p. 215-249.	Pl. 3, 1:60,000. 7 Clements, T., 1937, Structure of southeastern part of Tejon quadrangle, California: Am. Assoc. Petroleum Geologists Bull., v. 21, no. 2, p. 222-232. Fig. 1, 1:120,000.	4 Soper, E.K., 1938, Geology of the central Santa Monica Mountains, Los Angeles County: California Jour. Mines and Geology, v. 34, no. 2, p. 131-180. Pl. 1, 1:36,000.  9 Henny, G., 1938, Eocene in the San Emigdio-Sunset area south of San Joaquin Valley, Kern County; Cal-		Caljana Div. Mines Bull. 118, p. 453-455. (a) Fig. 188, 1:187,500. Eaton, J.E., Grant, U.S. IV, and Allen, H.B 1941, Miocene of Caliente Range and environs, California: Am. Assoc. Petroleum Geologists Bull., v. 25, no. 2, p. 193-262. (a) Fig. 3, 1:148,000; (b) fig. 13, 1:12,000.	4
33-15	4-4	34-5	34-7	36-2	37-6	37-7	38-4	39-4		
- Jt	nin Valley, California: U.S. vey Bull. 812, p. 243-332.(a) 2,560; (b) pl.41, l. 250,000. dountains rorth of Los Argeles, a: California Univ. Dept. Geol. v.19, no. 6, p.137-170. Pl.15,	۲ ۱	134. Pl. 16, 1: 24,000. Miller, W.J., 1931, Anorthosite in Los Angeles County, California: Jour.Geo- logy, v. 39, no. 4, p. 331-344. Fig. 1, 1: 250,000.	Bremner, C. St. J., 1932, Geology of Santa Gruz Island, Santa Barbara County, California: Santa Barbara Mus. Nat. History Occ. Papers 1, 33 p. (a) Pl. 4, 1: 62,500; (b) pl. 5, 1: 24,000, Rand, W.W., 1931, Preliminary report	of the geology of Santa Cruz Island, Santa Barbara County, California: Mining in California, v. 27, no.2, p.214- 219. (a) Map p. 218, 1: 62,500. Soper, E.K., and Grant, U.S. IV, 1932, Geology and paleontology of a portion of Los Angeles, California: Geol. Soc.	щ		beach oil Held, California: Ann. Assoc. Petroleum Geologists Bull., v.18, no.3, p. 327-342. (b) Fig. 1, 1: 500,000. Eaton, J. E., 1926, A contribution to the geology of Los Angeles Bassin, California: Am. Assoc. Petroleum Geologists Bull., v. 10, no. 8, p. 753-767. (b) Fig. 1, 1: 625,000. Reprinted in Oil Bulletin, v. 12, p. 970-977.	д н о	p. 199-238. (a) Fig. 3, 1: 625,000.
930-4	30-7	31-2	31-3	32-5	32-6	32-10	32-14		33-2	



Los Angeles—Sheet No. 3	64
Moxham, R.M., 1952, Airborne radioactivity surveys in the Mojave Desert region, Kern, Riverside and San Bernardino counties, California: U.S. Atomic Energy Comm. TEM 360.  (b) Fig. 5, 1:93,750.  Crowell, J.C., 1952, Geology of the Leber quadrangle, California: California: California: California: California Div. Mines Special Rept. 24, 23 p. Pl. 1, 1:31,680.  Ver Planck, W.E., 1952, Gypsum in California: California: California Div. Mines Special Rept. 26, Il p. Pl. 1, 1:31,680.  Martin, L., 1952, Geology of the southern Ridge Basin, Los Angeles County, California: California: Cushman Andeles Special Rept. 26, Il p. Pl. 1, 1:31,680.  Martin, L., 1952, Some Pliocene foramilitera from a portion of the Los Angeles Basin, California: California: Cushman Found Foram. Research Contr., v. 3, pts. 34, p. 107-141.Fig. 2, 1:12,000.  Martin, L., 1952, Some Pliocene foramilitera from a portion of the Los Angeles Basin, California: Pacific Section Ansoc. Petroleum Geologists, Index Assoc. Petroleum Geologists, Index map, 1:48,000.  Kasline, F.E., 1953, Tejon Hills Oil Field, California Oiv, Mines Special Rept. 30, 18 p. Pl. 1, 1:24,000.  Jennings, C.W., 1953, Geology of the character, history, and tectonic significance of their displacements: Geol. Soc. America Bull., v. 64, no. 4, p. 443-458. Pl. 4, 1:312,500.  Noble, L.F., 1953, Rosamond uranium prospect, Kern County, California: Using Prospect, Kern County, California Div. Mines Special Rept. 37, 8 p. Fig. 2, 1:1,200.  Neuerburg, G.J., 1953, Geology of the Griffith Park area, Los Angeles County, California Div. Mines Special Rept. 31, 29 p. Pl. 1, 1:20,000.	
52-6 52-9 52-11 52-20 52-22 53-1 53-1 53-17 53-22	
Upson. J.E. and Worth, G.F. Jr., 1949, Ground water in the Cuyama Valley: U.S. Geol. Survey Open file report. Pl. 806 1:31,680.  806 1:31,680.  817 5. 3. Pl. I. 1162.500.  California: California Div. Mines Bull. 153, 53 p. Pl. I. 1162.500.  Oakeshoft, G.B., 1950. Geology and mineral resources of the Neenach quadrangle. California: California Jour. Mines and Geology. v. 40. no. 1, p. 43-79. Pl. 14. 11:44 000.  Everhart, D. L., 1950. Quicksilver deposits of the Gachuma district, Santa Barbara County, California Jour. Mines and Geology, v.46, no. 4, p. 509-532. Pl. 74, 1: 24,000.  Everhart, D. L., 1950, Quicksilver deposits of the Gachuma district, Santa Barbara County, California: California: Amises and Geology, v.46, no. 4, p. 509-532. Pl. 74, 1: 24,000.  Spe. Pl. 74, 1: 24,000.  Spe. Pl. 74, 1: 24,000.  Walley area, southern California: Am. Assoc. Petroleum Geologists Bull., v. 34, no. 8, p. 1647-1650.  Crowell, J.C., 1950, Geology of Hungry Valley area, southern California: Am. Assoc. Petroleum Geologists Bull., v. 35, no. 8, p. 172, 180, 160, 1000.  Geologists Bull., v. 34, no. 8, p. 1647-1658. Fig. 2. 1160, 1000.  Geologists Bull., v. 35, no. 8, p. 1647-1658. Fig. 2. 1160, 1000.  Geologists Bull., v. 35, no. 8, p. 172, 180, 181, 180, 180, 180, 180, 180, 180	(f) map p. 39, 1: 12,000.
50-1 50-1 50-15 50-22 50-23 51-20 51-35 51-35	
Mayo, E.B., 1947, Structure plan of the southern Sierra Nevada, California: Geol. Soc. America Bull., v. 58, no. 6, p. 495–504. Pl. 1, 1:500,000. Baddley, E.R., 1947, Oak Ridge oil fields. Santa Clara Valley, Ventura County, California: Am. Assoc. Petroleum Geologists Guide Book Field Trip Mar. 24–27, p. 46–49. Fig. 13, 1:187,500. Baitey, T. L., 1947, Origin and migration of oil into Sespe red beds, California: Am. Assoc. Petroleum Geologists Bull., v. 31, no. 11, p. 1913–1935. Map p. 1915, il: 750,000, (Sespe outcrops). Simott, A. 1947, Geology, hydrology, and chemical character of the ground waters in the Torrance-Santa Monica and chemical characters of the ground waters in the Torrance-Santa Monica U.S. Geol. Survey Open file report. Pl. 302. 1:48,000. Upson. J.E., 1947, Geology and groundwater resources of the south coast basins of Santa Barbara County, California: U.S. Geol. Survey Water Supply Paper 1108, 144 p. Pl. 1. 131.680: pl. 2, 1:31,680. Upson. J.E., and Thomasson, H.G. Jr., 1947 Geology and water resources of the South coast basins of Santa Marer Resources of the South California: U.S. Geol. Survey Water Supply Paper 1108, 144 p. Pl. 1. 1945 Geology and water resources of Barbara County, California: U.S. Geol. Survey Water Supply Paper 1107, 1947 Geology and water resources of the Santa Warez River Basin, Santa Barbara County, California: U.S. Geol. Survey Open file report. Pls. 600. Upson. J.E., 148,000. Upson. J.E., and Thomasson, H.G. Jr., 1951, Geology and water resources of the Santa Warez River Basin, Santa Barbara County, California: U.S. Geol. Survey Open file report. Pls. 600. Upson. J.E., and Thomasson, H.G. Jr., 1951, Geology and water resources of the Santa Warez River Basin, Santa Barbara County, California: U.S. Geology of the northwestern Puente Hills, Los Angeles County, Galifornia: California Div. Mallace. R.E., 1949, Structure of a portion of the San Andreas rift in southern California: Geology of the northwestern Puenter Rollonia: Geology of the Ordy Scruckey Mallace. R.E., 1949	
47-4 47-4 47-8 47-9 47-9 49-5	



LOS ANGELES SHEET INDEX MAP 4ª OF 4

PUBLISHED AFTER 1952

20

0

0

MAP OUTLINES SMALL AREAS

DIVISION OF MINES 


U.S.G.S. 

OTHERS 

X

54-68 Fine, S.F., 1954, Geology and occurrence of oil in the Ojai-Santa Paula area, Ventura County: California Div. Mines Bull. 170. Map sheet no. 28. 1:62.500.	54-78 Jennings, C.W. and Troxel, B.W., 1954, Geologic guide no. 2, Ventura Basin: California Div. Mines Bull. 170, Guidebook no. 2, 63 p. Maps 1-25,	54-80 Troxel. B.W. 1954, Geologic guide no. 3. Los Angeles Basin: California Div. Mines Bull. 170, Guidebook no. 3. 46 p. Maps 1-11, 1:92,000.	54-81 Jahns, R.H., 1954, Geologic guide no.D., northern part of the Peninsular Range province: California Div. Mines Bull. 170, Guidebook no. 5, 59 p. Maps 1-7, 1: 96,000; maps	1-7, 1: 96,000; maps 8 and 10, 1: 203,000. (2 areas). 55-24 Hudson, F.S., 1955, Folding of unmeta- morphosed strata superjacent to	massive basement rocks: Am. Assoc. Petroleum Geologists Bull., v. 39, no. 10, p. 2038–2052. Fig. 3, 1:72,400.	*55-33 Kundert, C.J., 1955, Geologic map of California, Los Angeles sheet: California Div. Mines. Scale:
Jahns, R.H., and Muehlberger, W.R., 1954. Geology of the Soledad basin, Los Angeles County: California Div. Mines Bull, 170. Map sheet	Crowell, T.C., 1954, Geology of the Ridge basin area, Los Angeles and Ventura Counties: California Div. Mines Bull. 170. Map sheet no. 7,	1:93.750.  Oakeshott, G.B., 1954, Geology of the Oakeshott and Cabriel Mountains, Los Angeles County: California Div. Mines Bull. 170. Map sheet no. 9,	1:125.000. Oakeshott. G.B., (adapted from), 1956, Titanium; California Div. Mines Mineral Information Service, v. 9, no. 3, pp. 1-6. Map 1:140,000.	Howell, B. Jr., 1954, Geology of the Little Tujunga area, Los Angeles County: California Div. Mines Bull, 170. Map sheet no. 10, 1:31,680.	Noble, J.A., 1954, Geology of the Kosa- mond Hills, Kern County: California Div. Mines Bull, 170. Map Sheet no. 14, 1: 125,000.	Paschall, R.H., 1954, Geology of the Rincon oil field, Ventura County: California Div. Mines Bull. 170.
54-46	54-47	54-49		54-50	54-54	54-66
Jahns, R.H., 1954, Geology of the Peninsular Range province, southern California and Baja, California: California Div. Mines Bull. 170, chpt.	11, confr. 3. P.1.3, 1.375,000. Woodford, A.O., et al., 1954, Geology of the Los Angeles Basin: California Div. Mines Bull. 170, chpt. 11, confr. 5. P1, 1. 1:96,000.	Bailey T.L. and Jahns, R.H., 1954, Geology of the Transverse Range province, southern California: California Div. Mines Bull. 170,	Hoots, H.W., et al., 1954, Geological summary of the San Joaquin Valley, California: California Div. Mines Bull. 170. chpt. II. contr. 8. Pl. 5, 1:250,000	Buwalda, J.P., 1954, Geology of the Tehachapi Mountains, California: California Div. Mines Bull, 170, chpt. Il, contr., 9. Fig. 1, 1;360,000.	Thomas. R.G., et al., 1954, Geology and hydrology of Ventura County: California Div. Mines Bull. 170, chpt.	California State Water Resources Board, 1953, Ventura County Investi- gation, Bull, #12, P110, 1: 425,000
1954-23	54-25	54-26	54-27	54-28	54-37	

\* Geologic map covers the entire area of the index map sheet.



LOS ANGELES SHEET INDEX MAP 4b OF 4

20

9

0

MAP OUTLINES SMALL AREAS


DIVISION OF MINES X

U.S.G.S. X

OTHERS X

>
_
I
₫
•
~
$\bar{\mathbf{o}}$
$\overline{}$
_10GR/
ĭ
BE
펼

Haines, R.B., and Minshall, F.E., 1954, Geology of the San Miguelito oil field, Ventura County: California Div. Mines Bull. 170. Map sheet no. 27, 1:11,400. Baddley, E.R., 1954, Geology of the	H. O	βÖ	<b>≽</b>	fic Section Am. Assoc. Petroleum Geologists. Map, 1:48,000. McCulloh, T.H., 1957, Simple Bouguer gravity and generalized geologic map of the northwestern part of the Los Angeles Basin, California: U.S. Geol. Survey Geophysical Investigation GP 149. Map, 1:48,000. (Map indicates faults and major time-rock units).
54-67	54-70	54-79	56-1	57-1
••	Did Ha	Me Ba	w W	D <sub>u</sub>
54-41	54-42	54-43	54-45	54-48
Gay, T.E., Jr., and Hoffman, S.R., 1954, Mines and mineral deposits of Los Angeles County, California: California Jour. Mines and Geology, v. 50, no. 3-4, p. 467-709, Pl. 4,	Hewett, D.F., 1954, A fault map of the Mojave desert, California: California Div. Mines Bull. 170, chpt. 1V contr. 2. Pl. 1.1630,000.  Hewett, D.F., 1955, Structural features of the Mojave Desert region: Geol. Soc. America Spec. Paper 62, Crust of the Earth, p. 377-390.	Š ž	C Cr	Ħ
1954-14	54-36	54-32	54-33	54-40



MARIPOSA SHEET INDEX MAP 1 OF 2 PUBLISHED BEFORE 1941

30 MILES

20

0


0

MAP OUTLINES SMALL AREAS

---- DIVISION OF MINES X

---- U.S.G.S. X

Erwin, H. D., 1937, Mesozoic geology of the Ritter region, Sierra Nevada, Calif.: Jour. Geology, v. 45, no. 4, p. 391-413. Fig. 2, 1: 125,000. Anderson, G. H., 1937, Granitization, albitization, and related phenomena in the northern layor Range of Calif.	Jornal Mercada: Geol. Soc., Allier Lea Bull., v. 48, no. 1, p. 1-74. Pl. II, I. 348,480. Balk, R., 1937, Structural behavior of igneous rocks with special reference to interpretations by H. Cloos and collaborators: Geol. Soc. America Mem. 5, 177 p. Pl. I8, I: 50,000.	Futnam, W. C., 1959, Inc Motto Craters, Calif. Geog. Review, v. 28, no. 1, p. 68-82. Fig. 16, 1: 40,000. Kesseli, J. E., 1939, The origin of the valley of June, Gull, and Silver Lakes (Throsophe valley) Moto County.	Calif.: Jour. Geology, v. 47, no. 7, p. 748-758. Fig. 4, 1: 125,000. Chelikowsky, J. R., 1940, Tectonics of	the rhyolite in the Mammoth embayment, Calif.: Jour. Geology, v. 48, no. 4, p. 421-435, Fig. 2, 1: 375,000. Locke, A., Billingsley, P. R, and Mayo, E. B., 1940, Sierra Nevada tectonic natterns: Geol. Soc. America Bull.	v. 51, no. 4, p. 513-539. Pl. 1, v. 51, no. 4, p. 513-539. Pl. 1, 1,000,000.  Jones, G. H., 1940, Hydrology of valley areas adjacent to the upper San Joaquin River: Am. Geophys. Union	Trans., 1940, Pt. 1, p. 57-78. Fig.2?, 1: 500,000. Ransome, A. L., 1940, General geology and ones of the Wlind Suring Hill min-	ing district, Mono County, Calif.: California Jour. Mines and Geology, v. 36, no. 2, p. 159-197. (a) Fig. 2, 1: 125,000, (b) fig. 3, 1: 31,680 (vein system.
37-1	37-4	39-6	40-8	40-9	40-15	40-17	
Blackwelder, E., 1931, Pleistocene glaciation in the Sierra Nevada and Basin Ranges: Geol. Soc. America Bull., v. 42, no. 4, p. 865-922, (a) Fig.16, 1; 200,000, (b) fig. 19, 1; 160,000. Forbes, H., 1931, Geological reports on dam sites in San Joaquin River Basin:	California Div. Water Resources Bull. 29, Appendix C. (e) Pl. C-9, I. 62,500. Cloos. E 1932, Structural survey of the granodiorite south of Mariposa, Calif.: Am. Jow. Sci. 5th ser., v.23, p. 289-304, Fig. 1, 1: 62,500. Tankins, O. P 1933, Guidebook 16;	Excursion C-1, Middle California and Western Nevada: International Geological Congress XVI Session, 1.6 p. Pl. 7, l. 375,000 and fig. 14, 1: 250.000.	Cloos E., 1931, Der Sierra Nevada- Pluton: Geol, Rundschau, Band 22, Heft 6, p. 372-384, Tafel 2,1:250,000.	Erwin, n. D., 1953, Goods of married and real resources of northeastern Madera County, Calif.: California Jour, Mines and Geology, v. 30, no. 1, p. 7-78. Pl. 1, l: 93,750. Mayo, E. B., Geology and mineral de-	posits of Laurel and Convict Basins, southwestern Mono County, California: California Jour. Mines and Geology, v. 30, no. 1,p.79-87. Pl.2,, 1: 50,000.	Logan, C. A., 1934, Monner Loue goud belt of California: California Div. Mines Bull. 108, 240 p. Pls. 2, 3,6, 8, and 10, 1: 62,500.	Benjamin, E. H., ed., 1899, California mines and minerals: California Miners' Assoc., 28an Francisco, 450 p. Map p. 218, 1: 93.750. Fairbanks, H. W., 1910, Geology of the Mother Lode region: California Min. Bur. 10th Ann. Rept., p. 23-90. Map p. 23, 1: 62,500.
31-8	32-11		- 7	34-2	,	34-6	
Guillemin-Tarayre, E., 1871, Description des anciennes possessions mexicanes du nord: Mission Scientifique au Mexique et dans l'Amerique Centrale, Geologie pt. 2, 216 p. (a) Pl. 10, 1. 1,000,000.	of Lake Lahontan, a Quaternary lake of northwestern Nevada: U.S. Geol. Survey Mon. II, 288 p. Pl.46, I; 760,000. Spurr. J. E 1903, Descriptive geology of Nevada south of the fortieth parallel and adjacent portions of Calif.:	Pil. 1: 937,500. Lindgren, W., 1911, The Tertiary gravels of the Sierra Nevada of Calif.: U. S. Geol. Survey Prof. Paper 73, 226 p. (a) Pl. 1, 1: 750,000.	Waring, C. A., 1917, Geological map of Inyo County, California; California Min. Bur. Map, 1: 250,000.	Knopi A., 1918, A geologic reconnais- sance of the Inyo Range and the eastern slope of the southern Sierra Nevada. Calif.: U. S. Geol. Survey Prof. Paper 110, 130 p. Pls. 1 and 2, 1: 125.000.	Eakle, A. S., and McLaughlin, R. P., 1919, Mono County: Californian Min. Bur. State Mineralogist's Rept. 1915-1916, p. 131-176, (a) Pl. 1, 1: 160.000, pl. 2, 1: 220,000.	Miller, W. J. 1928, Geology of Deep Spring Valley, Calif.: Jour. Geology, v. 36, no. 6. p. 510-525. Fig. 1, 1: 200 000.	Matthes, F. E., 1930. Geologic history of the Yosemite Valley: U. S. Geol. Survey Prof. Paper 160, 137 p. (a) Pl. 51. 1: 125,000, (b) pl. 29, 1:24,000 (glacial).
1871-1	03 - 3	11-2	17-6	18-1	19-4	28-2	30-1




MARIPOSA SHEET INDEX MAP 2 OF 2 PUBLISHED AFTER 1940

DIVISION OF MINES

U S.G.S. OTHERS


0

																			LVILZ	1101	10	ЮД		,,,					_																						
Bateman, P. C., 1953, Geology of the	Tungstar and Hanging Valley tungsten	1	Krauskopf, K. B., 1953, Tungsten de-	Counties, California: California	Div. Mines Special Rept. 35, 83 p.	(a) P1. 1, 1 125,000, (d) fig. 7, 1: 480; $(h)$ fig. 13, 1: 1200, (i) fig. 40, 1: 1200	fig. 42, 1; 1200; (k) fig. 44, 1; 720.		gical summary of the San Joaquin	Mines Bull, 170, chpt. 11, contr. 8.	P1. 5, 1: 250,000.	Bir	tion in the upper San Joaquin basin,	Bull, 170, chpt. V, contr. 6. Pl. 1,		D B	region, Inyo County: California Div.	Mines Bull, 170. Map sheet no. 11,	Hamilton, W. B., 1956, Geology of the	Huntington Lake area Fresno County,	Calit : California Div. Mines Spec.	(b) fig. 3, 1: 3,300, (c) fig. 2, 1: 3,300.	Hamilton, W. B., 1956, Variations in	plutons of granitic rocks of the Hunt-	Ington Lake area of the Sterra Nevada, California: Geol. Soc. America Bull.	v. 67, no. 12, p. 1585-1598. (a) Fig.2,	ر		California: California Div. Mines	Bull. 174, 119 p. (h) Fig. (, 1:25,000,	Har	1956. Olivine-sanidine trachybasalt	Irom the Sierra Nevada, California: Am. Mineralogist, v. 41, nos. 11, and	12, p. 851-873. (a) Fig. 2, 1: 19,200,	р	D	California: California Div. Mines	1; 62,500, (b) fig. 16, 1; 9,500, (c)	fig. 25, 1: 18,000, (d) fig. 27,1:18,500,	Also larger scale maps and mine	maps. Dinahart C D and Bose D C 1956	Economic geology of the Casa Dia-	blo Mountain quadrangle, Calif.:	17 p. Pl. 1, 1: 62,500.	Rinehart, C. D., and Ross, D. C., 1957,	tain quadrangle, Calif.: U. S. Geol.	Survey Geol. Quadrangle Map. 1: 62.500.	Sco	investigation: California Div. Water	Resources Flamming, water Quarty Investigations. Pl. B, 1: 250,000.	
53-9			53-24					54-27				54-35				54-51			56-14								26 72	67-0			56-27				30	00-00					2 31	0-01						56-32			
Nickell, F. A., 1942, Development and	use of engineering geology; Am.	v. 26, no. 12, p. 1797–1826. (c) Figs.	13, 1: 4,800 and 14, 1: 600.	tungsten deposits, Madera County,	Calif.; California Jour, Mines and	Geology, v. 38, nos. 3 and 4, p. 291- 294 (a) Pl. 9, 1, 62, 500 (Key map).	(b) pl. 9, 1: 2,400 (prospect map).	Little, J. M., 1942, Ghost Canyon tung-	sten claims, Madera County, Calli	v. 38, nos. 3, and 4, p. 295-302.	Fig. 1, 1: 28,000.	Woollard, G. P. 1943, Transcontinental	North America and its relation to	geologic structure: Geol. Soc. Am-	erica Bull., v. 54, no. 6, p. 747-489.	Kranskopf K. B., 1947, Strawberry	mine, Madera County, Calif.: U.S.	Geol. Survey Open file report. Pl. 1,	Krauskopf, K. B., 1953, Tungsten de-		Counties, California: California Div. Mines Special Rept. 35, 83 p. Pl. 2,	1; 18,000, pl. 3, 1; 720, fig. 18, 1:720.		Minarets magnetite deposits of Iron	California Div. Mines Bull, 129, p.117-		Bowen, O. E., Jr., and Crippen, R. A.,		Mines Bull. 141, p. 35-86. Maps 1-10,	7 Hevl. G. R., 1948, Foothill copper-zinc	belt of the Sierra Nevada, Calif .:	California Div. Mines Bull. 144, p.	7 Cox, M. W., and Wyant, D. G., 1948, The	Jesse Belle copper mine, Madera		Putnam, W. C., 1949, Quaternary geo-	logy of the June Lake district, Calii.: Geol. Soc. America Bull., v. 60,no.8,	p. 1281–1302. Pl. 1, 1: 62,500.	Bateman, F. C., Erickson, M. F., and Proctor, P. D., 1950, Geology and	tungsten deposits of the Tungsten		p. 23-42. Pl. 7, l: 24,000.		California: Geol. Soc. Am. Bull.,	1: 24,000 (moraines).	Ва	mines: U. S. Geol. Survey Open file				
42-14			47-15	21.7				42-16				43-8				47-3							48-12				48-24			48-27			48-37			49-12			20-00			-	20-10			51-34					
	in the Tungsten Hills, Inyo County,	Calit.: U.S. Geol. Survey Dull. 922-Q, p. 497-514. (a) Pl. 73, 1:6,000,		Chapman, R. W., 1937, The contact-	metamorphic deposit of round var- ley, Calif.: Jour, Geology, v. 45,	no. 8, p. 859-871. (b) Fig. 1, 1: 9,000.	Hess, F. L., and Larsen, E. S., 1920,		Geol. Survey Bull. 725, p. 245-309.	(a)Fig. 40, 1:1,500, (b) fig. 41, 1:9000.			922-S, p. 581-593. Pl. 88, 1: 2,400.	Gilbert, C. M., 1941. Late Tertiary	Galif.: Geol. Soc. America Bull.,		1: 625,000, (b) fig. 3, 1: 400,000,(c)	Ing. 5, 1; 125,000. Gilbert, C. M., 1938, Welded tuff in	eastern Calif.: Geol. Soc. America	Bull., v. 49, no. 12, p. 1829-1862.	Mayo, E.B., 1941, Deformation in the	interval Mt. Lyell-Mt. Whitney,		v. 32, no. 7, p. 1001-1084. Fir. 1 and pl. 3, 1; 500.000 (tectonic map	and volcanism).		ı	1: 750,000 and fig. 6, 1: 875,000,	(tectonic map).			ground-water supply; Am. Geophys. Union Trans. (22d. Ann. Mtg.) Pt.	1-A, p, 8-18. Fig. 2, 1: 625,000.	Lemmon, D. M., 1941, Tungsten deposits in the Sierra Nevada near Bishop.	Calif., a preliminary report: U.S.		(c) fig. 7, 1: 7,200, (d) fig. 8,1:7,200,	(e) fig. 9, 1: 840. Bateman, P. C., 1945. Pine Creek and		County, Calif.: California Jour Mines and Geology, v. 41, no. 4.	p. 231-249. (a) Pl. 36, 1,600.	Hess, F. L., and Larsen, E. S., 1920.		Geol, Survey Bull, 725, p. 245-309.	Chesterman, C. W., 1942, Contact meta-		fornia Jour, Mines and Geology,	v. 50, nos. 3 and 4, p. 243=201. Fi., , 1: 12,000. Also larger scale map.			
1 1701	1-1-1										41-3			41-4							41-6								41-14	:			:	41-15											42-10						
-	4																																																		




Moxham, R.M., 1952, Airborne radio-activity surveys in the Mojave Desert region, Kern, Riverside and San Bernardino counties, California: U.S. Atomic Energy Comm. TEM 360. (c)Fig. 7, 1:62,500.

			BIBLIOGRAPHY		
1886-1	Hanks, H.G., 1886, San Diego County: California Min. Bur. 6th Ann. Rept. pt. 1, p. 80-90. Map, 1:375,000.	38-2	Miller, W.J., 1938, Pre-Gambrian and associated rocks near Twentynine Palms, California: Geol. Soc. America, v. 49, no. 3,	53-15	Durrell, C., and Daley, A. C., 1953, Geological investigations of strontium deposits in southern California: California Div. Mines
.09-2	S	44-13	p. 417-446. Fig. 1, 1: 187,680. Miller, W.J., 1944, Geology of the	54=10	Special Rept. 32, 48 p. (g) Fig. b, 1:9600.
	Monave County, Ariz.: U.S. Geol. Survey Bull. 397, 226 p. Pl. 1, 1:250,000.		naction County, California: California Jour. Mines and Geology, v. 40, no. 1, p. 113-		1954, Ground water occurrence and quality, Golorado River basin region: Quality of Water Investi-
10-3	Ha		129. Pl. 7, 1:187,500.		gations, Report No. 4. Pl. 2, 1:515,000.
	Dale, San Bernardino County, California: U.S. Geol. survey Bull. 430, p. 228-239. Pl. 2, 1:3,600.	45-4	Vitaliano, C.J., and Bodenlos, A.J., 1945, Needles magnesite deposit, San Bernardino County: U.S. Geol. Survey Prelim. Map.	54-30	Hewett, D.F., 1954, A fault map of the Mojave desert, California: California Div. Mines Bull. 170,
11-1	Bancroft, H., 1911, Reconnaissance of the ore deposits in northern Yuma		Map, 1:2,400.		Pl. 1, 1:630,000.
	County, Ariz.: U.S. Geol. Survey Bull. 451, 130 p. Pl. 1, 1:250,000.	48-9	Lamey, C.A., 1948, Vulcan ironore deposit, San Bernardino County, Calif.: California Div.		Hewett, D.F., 1955, Structural features of the Mojave Desert region, Geol, Soc. America Spec. Paper
15-9	Darton, N.H., et al., 1915, Guidebook of the western United States, Part C, The Santa Fe route, with a side		Mines Bull. 129, p. 87-95. Pl. 9, 1-6.000.		62, Grust of the Earth, p. 377-390, Pl. 1, 1:630,000.
	trip to the Grand Canyon of the Colorado: U.S. Geol. Survey Bull. 613, 194 p. Sheets 21-24,1:500,000.	48-10	Lamey, C.A., 1948, Iron Hat (Ironclad) iron-ore deposits, San Bernardino County, California: California Div.	54-31	Hazzard, J.C., 1954, Rocks and structure of the northern Providence Mountains, San Bernardino dence Mountains, San Ernardino dence Mountains
29-1	Th	:	Mines Dur. 127, p. 71-107. F. 1. 10, 1:6,000.		Div. Mines Bull. 170, chpt. IV, contr. 4. Pls. 2 and 4, 1:31,680.
	graphic, geologic, and nydrologic reconnaissance: U.S. Geol. Survey Water-Supply Paper 578, 759 p. Pl. 8, 1:500,000.	48-11	Lamey, C.A., 1948, Ship Mountains iron-ore deposit, San Bernardino County, California: California Div Mines Bull. 129, p. 111-116. Pl. 11,	54-64	Rogers, J.J.W., 1954, Geology of a portion of Joshua Tree National Monument, Riverside County.
33-9	Ha	51-28	O		Map sheet no. 24, 1:84,000.
	Mohave Desert, California: California Univ. Dept. Geol. Sci. Bull., v. 23, no. 2, p. 57-70. Map 1, 1:187,500.		deposits, Bristol Dry Lake, San Bernardino County, California: California Div. Mines Special Rept. 13, 21 p. Pl. 1, 1:62,500.	56-26	Kupfer, D.H., and Bassett, A.M., 1956, Preliminary geologic map of part of the southeastern Mojave Desert, San Bernardino
		52-6	Moxham, R.M., 1952, Airborne radio- activity surveys in the Mojave Desert region. Kern, Riverside and		Survey open file map, Map, 1: 120,000.




Fryan. K., 1923. Geology and ground-water resources of Sacramento Valley, California: U. S. Geol. Survey Water-Supply Paper 495, 285 p. Pl. 3, 1. 1.250,000. Laizure, C. McK., 1925, Humbolli. County: Mining in California, v. 21, no. 3, p. 295-324. Map p. 306, 11. 24,000. Hoots, H. W., 1928, Oil and gas exploration in southwestern Hu. oldt County, Calif.: (U. S.) Dept. of the Interior, Memo. for the Press, March 5, 1928, 9 p. Map. 1, 375,000.	Rej And Ma	Div. Bull. 26, p. 465-471. (a) Pl. C-1, 1: 40,000.
23-1	32-8	
Ferguson, H. G., 1914, Gold lodes of the Weaverville quadrangle, Calif.: U. S. Geol. Survey Bull. 540, p.22-79. Pl. 2, 1: 250,000. Boyle, A. C., Jr., 1914, The geology and ore deposits of the Bully Hill mining district, Calif.: Am. Inst. Min. Eng. Bull. 85, p. 57-105. Fig.1, 1: 31,680. Reprinted in Am. Inst. Min. Eng. Trans. v. 48, p. 67-117 (1915). Reprinted as Columbia Univ. Geol. Dept. Contr., v. 26, no. 2, p. 57-105 (1914). Diller J. S., and others, 1915, Guide-	book of the western United States; Part D. The Shasta route and coast line: U. S. Geol. Survey Bull. 614, 142 p. Map. II: 500,000. Ferguson, H. G. 1915, Pocket deposits of the Klamath Mountains, Calif.: Econ. Geology, v. 10, p. 241-261. (a) Fig. 32, I: 900. (b) fig. 36, I: 18,000 and fig. 37, I: 480. Hamlin, H., 1921, Report on geological	examination of Iron Canyon dam and reservoir site. In Report on Iron Canyon Project, Calif.: U. S. Reclamation Service, p. 41-59. Pl. 2, 1:40,000.  Aderson, C. A., 1935, Tuscan formation of northern Calif., with a discussion concerning the origin of volcanic brecciss: California Univ. Dept. Geol. Sci. Bull., v. 23, no. 7, p. 215-276. Fig. 12, 1: 50,000.  Louderback, G. D., and Ransome, F. L., 1931, Geologic report on Kennett, Iron Canyon and Table Mountain dam sites on Sacramento River: California Div. Water Resources Bull. 26, p. 431-454. Pl. A-4, 1: 42,240.
14-1	15-7	
Diller, J. S 1890, Sandstone dikes: Geol. Soc. America Bull., v. l, p. 411-442. Fig. 2, l. 316,800. Fairbanks H. W., 1893, Geology and mineralogy of Shasta County: Cali- fornia Min. Bur., 11th Ann. Rept., p. 24-53. Map: l. 300,000. Aubury. L. E., 1902, The copper re- sources of California California Min. Bur. Bull. 23, 282 p. (a) p.56, l. 100,000, (b) p. 64, l. 12,000. Aubury. L. E., 1908, The copper re- sources of California. California Min. Bur. Bull. 23, 282 p. (a) p.56, l. 100,000, (b) p. 64, l. 12,000. Aubury. L. E., 1908, The copper re- sources of California.	p. 67. I: 24.000. Diller. J. S. 1906, Description of the Redding quadrangle: U. S. Geol. Survey Geol. Folio 138, 14 p. Map, I: 125.000. Aubury L. E., 1906, The structural and industrial materials of Calif.: California Min. Bur. Bull. 38, p:13-378. (a) Illustration 67, I: 84,000; (b) illustration 130, 1: 50,000.	Prescott, B., 1908, The occurrence and genesis of the magnetite ores of Shasta County Econ. Geology, v. 3. p. 465-480. Fig. 40, 1: 75,000. Kramm, H. E., 1912, Geology of Harrison Gulch, in Shasta County, Califf. Am. Inst. Ming. Eng. Bull., v. 67, p. 709-715. Fig. 2, 1: 16,000. Reprinted in, 1913, Am. Inst. Min. Eng. Trans. v. 43, p. 233-239, Fig. 2, 1: 16,000.
93-1	06-2	08-4



		28, 15 p. Pl. 2, 1: 4800. Kinkel, A.R. Jr., Hall, W.E., and Albers, J.P., 1956, Geology and base-metal deposits of	West Shasta copper-zinc district, Shasta County, California: U.S. Geol. Survey Prof.	∢,	of the Afterthought Mine, Shasta County, Callfornia. California Div. Mines Special Rept.		∢	California: U.S. Geol. Survey Open file map.	X	1954, Geologic maps of the Shasta copper-	Geol. Survey Open file map. Map, 1: 24,000.	Kinkel, A.R., Jr., and Hall, W.E., 1951, Geo-	California, California Div. Mines Special	Rept. 16, 11 p. Fig. 1, 1: 200,000.	of Mammoth Mine, Shasta County, California:	California Div. Mines Special Rept. 28, 15 p.	Fig. 1, 1: 200,000. Kinkel, A.R., Jr., and Albers, J.P., 1951, Geo-	logy of the massive sulfide deposits at Iron	Mountain, Shasta County, California: Cali-	Fig. 1, 1: 200,000.	Kinkel, A.R., Jr., 1955, Structural and strati-	Shasta copper-zinc District, California:	Trans. AlMME, v. 202 Mining Engineering,		logy of the fine-grained alluvial deposits in	Sacramento Valley and their relationship to	Project Authority of the State of California	on seepage conditions in Sacramento Valley:	p. 129. Pl. 8, 1: 63,360.		Assoc, Petroleum Geologists Bull., v. 40,		1	mineral resources and mineral industry,	western California: U.S. Dept. Interior,	Pacific Southwest Field Committee. Fl. 1, 1; 782,000.	2		West Shasta copper-zinc district, Shasta County, Calif.: U. S. Geol. Survey Prof.	Paper 285, 156 p. (a) Pl. 1, 1: 24,000, pl.4, l: 48,000, pl. 3, 1: 48,000, fig. 2, 1: 281,600,	(index), fig. 27, 1: 316,800 (mineral belt,	structure, intrusives), (b) iig. 49, 1: 4,400.
	52-21			53-2			53-21		54-4															55-37	1					56-19		56-24	200				56-33					
BIBLIOGRAPHY	Simons, F.S., and Crittenden, M.D., Jr., 1945, Map of Charles Mountain mine: U.S. Geol.	Survey Open file map. (a) Map, 1: 2,100. Simons, F.S., and Crittenden, M.D., Jr.,1945, Map of Fort Baker mine: U.S. Geol. Survey	Open file map. (b) Map, 1: 2,640. Trask, P.D., and others, 1950, Geologic des-	cription of the manganese deposits of Call-fornia: California Div. Mines Bull, 152,	378 p. (a) Pl. 1, 1: 1,600, (b) pl.2, 1: 1,600. Creasey, S.C., and Simons, F.S., 1945, Map	of Spider claim: U.S. Geol. Survey Open	lile map. (1) Map, 1: 1,200. Simons, F.S., and Crittenden, M.D., Jr.,1945,	Map of Blue Jay mine; U.S. Geol. Survey	Creasey, S.C., and Shride, A.F., 1945, Map	of Bonanza and Bonanza No. 1 mines: U.S.	Pierce, W.G., 1945, Map of Hale Creek mine:	U.S. Geol. Survey Open file map.(j) Map,	Creasey, S.C., and others, 1945, Map of Man-	ganese Queen mine: U.S. Geol. Survey Open	tile map. (k) Map, 1: 1,200. Dierce W.G. 1945, Map of Gool claims: U.S.	Geol. Survey Open file map. (m) Map, 1:2,400.	Rynearson, G.A., 1946, Chromite deposits of	California: U.S. Geol. Survey Bull. 945-G,	p. iv., 191-210. Pl. 66, 1: 7,200. Also mine	maps. (Freliminary maps published in 1944). Lamev, C.A., 1948, Hirz Mountain iron-ore	deposits, Shasta County, California: Cali-	fornia Div. Mines Bull. 129, p. 129-136. Pl. 14. 1: 4.800.	Lamey, C.A., 1948, Shasta and California iron-	ore deposits, Shasta County, California: California Div. Mines Bull. 129, p. 137-164. Pl.17,	1: 4,800.	Manning, G.A., and Ogle, B.A., 1950, Geology	California Div. Mines Bull. 148, 36 p. Pl. 1,	1: 62,500. Gester G.C. 1951, Northern Coast Banges:	Am. Assoc. Petroleum Geologists Bull.,	v. 35, no. 2, p. 200-208. (a) Fig. 16, 1. 875,000	Kinkel, A.R., Jr., and Albers, J.P., 1951, Geo-	logy of the massive sulfide deposits at Iron	fornia Div. Mines Special Rept. 14, 19 p.	Pl. 1, 1; 6000.	1956, Geology and base -me tal deposits of	West Shasta copper-zinc district, Shasta County, California: U. S. Geol. Survey Prof.	Paper 285, 156 p. Pl. 9, 1: 6,000.	Linkel, A. K., Jr., and Hall, W.E., 1901, George logy of the Shasta King mine, Shasta County,	California: California Div. Mines Special Rent. 16, 11 p. Pl. 1, 1, 200.	Are provided in 1952, Pre-liminary geologic map of the Bully Hill and Rising Star mines,	Shasta County, California: U.S. Geological	Survey Open file maps. Pl. 1, 1: 1200.
	45-12																46-1			48-13	2		48-14			20-2		51-3	,		51-30							16-16		52-3		
	Averill, C. V., 1933, Gold deposits of the Redino and Weaverville quadrangles: California	Jour. Mines and Geology, v. 29, no. 1, p3-73. (a) p1. 3, 1: 250,000, (b) p1. 1, 1: 6,000. Aubury, L.E., 1902, The copper resources of	Califórnia: California Min.Bur. Bull. 23, 282 p. (b) Map p. 62, 1: 16,000.	Aubury, L.E., 1908, The copper resources of California: California Min. Bur. Bull.50,	366 p. Map p. 66, 1: 24,000.	tain: Mining and Sci. Press, v. 111, p. 633-	638. (b) Map p. 636-637, 1: 6,000. Hinds N F A 1934. The Jurassic age of the	last grant toid intrusives in the Klamath	Mountains and Sierra Nevada, California:	p. 182-192. (a) Pl. 1, 1: 750,000.	Hinds, N.E.A., 1935, Mesozoic and Cenozoic eruptive rocks of the southern Klamath	Mountains, California: California Univ.	Dept. Geol. Sci. Bull., v. 23, no. 11, p. 313- 380. (a) Map 1, 1:*250,000.	Anderson, C.A.,1933, Tuscan formation of	northern California with a discussion con-	California Univ. Dept. Geol. Sci. Bull., v.23,	no. 7, p. 215-276. (a) Fig. 1, 1: 1,000,000,	(b) 11g. 11, 1: 27,000. Louderback, G.D., and Ransome, F.L.,1931,	Geologic report on Kennett, Iron Canyon	and Table Mountain dam sites on Sacra- mento River: California Div, Water Re-	sources Bull. 26, p. 431-454. (b) Pl. A-6,	1: 24,000.	Knoxville series of California: Pan-Am.	Geologist, v. 60, no. 3, p. 1/5-188. Pis.iu-	Anderson, F. M., 1938, Lower Cretaceous de-	posits in California and Oregon: Geol. Soc.	1: 1,000,000.	Anderson, C.A., and Russell, R.D., 1939, Tertiary formations of northern Sacramento	Valley, California: California Jour. Mines	and Geology, v. 35, no. 3, p. 219-253. Pl.3,	Nickell, F.A., 1942, Development and use of	engineering geology: Am. Assoc. Petroleum	(a) Fig. 9, 1: 300,000, (b) fig. 10, 1: 8,400.	Popenoe, W.P., 1943, Cretaceous, east side	California: Am. Assoc. Petroleum Geolo-	gists Bull., v. 27, no. 3, p. 306-312. F1g. 1, 1: 187,500.	MacGinitie, H.D., 1943, Central and southern	Humboldt County; Cathornia Div. Mines. Bull, 118, p. 633-635. Fig. 282, 1: 187,500.	Page, B.M., and Wright, L. A., 1943, Talc in the Ganim mine Shasta County: U.S. Geol.	Survey Prelim. Map. 1: 1,200.		
	1933-4													33-10								33_13			*38-7			39-3			42-14			43-17			43-44		43-47			

\*Geologic map covers the entire area of the index map sheet.



## BIBLIOGRAPHY

\*1871-1

80-1


Ransome, F. L., 1898, Some lava flows of the western slope of the Sierra Nevada, Calif.: U. S. Geol. Survey Bull. 89, 74 p. Pl. 2, 1: 125,600, (latites and associated volcanic rocks).	Aubury L. E., Winston, W. D., and Janin, C., 1910, Gold dredging in Calif.: California Min. Bur. Bull. 57, 305 p. Map p. 176, 1: 125,000. Lindgren, W., 1911, The Tertiary pravels of the Sierra Nevads. I	Calif.: U.S. Geol. Survey Prof. Paper 73, 226 p. (a) Pl. 1,1:750,000. Lee, W. T., and others, 1915, Guidebook of the western United States; Part B. The Overland route, with a side trip to Yellowstone Park:	Diller, J. S., and others, 1915, Guidebook of the western United States: Part D. The Shasta route and coast line: U.S. Gool, Survey Bull. 614,	Bryan, K., 1923, Geology and ground-water resources of Sacramento Valley, California: U.S. Geol. Survey Water-Supply Paper 495, 285 p. Pl. 3, 1: 1,250,000.
98-3	10-4	15-4	15-5	23-1
Turner, H. W., 1894, Description of the gold belt; description of the Jackson sheet, U. S. Geol, Survey Geol, Folio 11, 6 p. Map, 1: 125,000. Lindgren, W., 1894, The gold-silver veins of Ophir, Calif.: U. S., Geol.	Survey 14th Ann. Rept., pt. 2, p.245- Survey 14th Ann. Rept., pt. 2, p.245- Hobson, J. B., 1890, Placer County: California Min. Bur. 10th Ann. Rept., p. 364-344, Map p. 428, 1. 25,000.	Sierra Nevada: U. S. Geol. Survey Sierra Nevada: U. S. Geol. Survey Ann. Rept. 14 pt. 2, p. 435-495.(a) Pl. 49, 1: 62,500, (c) pl. 58,1:62,500. Lindgren, W., 1896, Description of the gold belt; description of the Pyra- mid Peak quadrangle: U. S. Geol.	Folio 31, 8 p. Map, 1: L2, 300. Crawford, J. J., 1896, Gad, El Dorado County: California Min. Bur. 13th Rept., p. 131-165. Map p. 131, 1: 100.000. Turner, H. W., and Ransome, F. L.,	1898, Description of the gold belt; Description of the Big Trees quadrangle: U.S. Geol. Survey Geol. Folio 51, 8 p. Map, 1: 125,000.
94-3	r.	96-2	96-4	
Guillemin-Tarayre, E., 1871, Description des anciennes possessions mexicaines du nord: Mission Scientifique au Mexique et dans 1'Amerique Centrale, Geologie pt. 2, 216 p.	Whitney, J. D., 1880, The auriferous gravels of the Sierra Nevada of California: (Harvard) Museum of Comparative Zoology Mem., Contributions to American Geology,	v. 1, 569 p. (c) Pl. C, 1: 48,000, (d) pl. D, 1: 125,000.  Hobson, J. B., 1890. Nevada County (p. 364-98), Placer County (p. 441): California Min. Bur. 10th Ann, Rept. p. 364-434. (a) Maps p. 364 and 410, 1: 375,000, (c)maps	p. 434. Lindgren, W., and Turner, H. W.,1894, Description of the gold belt; description of the Placerville sheet: U.S. Geol. Survey Geol. Folio 3, 3 p. Map. 1: 125,000.	Lindgren. W., 1894, Description of the gold belt; description of the Sacramento sheet: U.S. Geol. Survey Geol. Folio 5. 3 p. Map, 1:125,000.

94-2

94-1

90-1

\*Geologic map covers the entire area of the index map sheet.



Min. Bur. 10th Ann. Rept., p. 23-90.
Map p. 23. 1: 62.500
Benjamin, E. H.. ed., 1899, California mines and minerals: Californ.a Miners Assoc., San Francisco, 450 p. Map p. 318, 1: 93,750.

31-12


30-9

### BIBLIOGRAPHY


1929-2

		59-1 Fiper. A. M., and others, 1959, Geology and groundwater hydrology of the Mokelumne area, Calif.: U.S. Geol. Survey Water-Supply Paper 780, 230 p. (a) Pl. 1, 1: 63,360, (b) pls.	4 and 5, 1: 500,000.  39-3 Anderson, C. A., and Russell, R. D., 1939/Tertiary formations of northern Sacramento Valley, Calif. California Jour. Mines and Geology, v. 35, no.3,	p. 219-253. Pl. 3, 1: 600,000. 40-9 Locke, A., Billingsley, P. R., and Mayo, E. B., 1940, Sierra Nevada tectonic patterns: Geol. Soc. America Bull., v. 51, no. 4, 2, 513-539. Pl. 1, l: 1.000,000. (tectonic map)	40-23 Wells. F. G., Page, L. R., and James, H. L., 1940. Chromite deposits of the Pilliken area, El Dorado County, Calíf.: U.S. Geol. Survey Bull. 922-0, p. 417-460. Pl. 66, l. 7,200.
Forbes, H., 1931, Geological reports on dam sites in San Joaquin River Basin: California Div. Water Re- sources Bull. 29, Appendix C. (a) Pl. C-1, 1: 125,000, (c) pl. C-3,	1: 62,500. Jenkins, O. P., 1932, Report accompany- ang geologic map of northern Sierra Nevada: Mining in California, v. 28,	nos. 3 and 4, p. 279-298. Pocket map, 1: 500,000. Forbes, H., 1933, Geologic reports on dam sites in Sacramento River Basin: Calif. Dept. Pub. Works.	Water Resources Div. Bull. 26, p. 479-514. (f) Pl. E-6, l: 160,000. Jenkins, O. P., 1933, Guidebook 16: Excursion C-1, Middle Califormia and western Nevada: International	Geological Congress XVI Session, 116 p. Pl. 3, 1: 500,000. Eckel, E. C., 1933, Limestone deposits of the San Francisco region: California Jour. Mines and Geology, v. 29 nos 3 and 4 p. 348-361	Map p. 348, 1: 500,000. Logan, C. A., 1934, Mother Lode gold belt of California: California Div. Mines Bull. 108, 240 p. Pls. 2, 3, 6 8 and 10, 1: 62,500. Fairbanks, H. W., 1910, Geology of the Mother Lode region: California Min Ply Int 10th Ann Rent in 23-90
31-14	32-7	33-1	33-6		34-6
9:9-2 Knopf, A., 1929, The Mother Lode system of California: U.S. Geol. Survey Prof. Paper 157, 88 p. (a) Pl. 2, 1: 63,360, (b) pl. 9, 1:8000.	Ransome, F. L., 1900, Description of the Mother Lode district: U.S. Geol. Survey Geol. Folio 63, 11 p. (a) Map. 1: 63,360.	Allen, V. T., 1929, The Ione formation of California: California Univ. Dept. Geol. Sci. Bull., v. 18, no. 14, p.347-448. (a) Fig. 2, 1: 200.000.	Steaffis, H. 1., Kobinson, I. W. Jf., and Taylor, G. H., 1930, Geology and water resources of the Mokelumne area, Calif.: U. S. Geol. Survey Water-Supply Paper 619, 402 p. Pl. 2, 1: 250,000.	Bailey, T. L., 1930, The geology of the Potrero Hills and Vacaville region, Solano County, Calif.: California Univ., Dept. Geol. Sci. Bull., v. 19, no. 15, p. 321-323, Pl. 39, 1: 93,750.	San Francisco Bay region with Spar Francisco Bay region with special reference to a salt water barrier below confluence of Sacramento and San Joaquin Rivers: California Div. Water Resources Bull. 28. Appendix D, p. 309-359. Pl.D-9, 1: 80,000.
929-5		6 - 5	n I	6-0	71

30-5




			ŊA.	OLAMEN 10	—phier	110. 0			
Carlson, D.W., 1955, Mines and mineral reresources of Sacramento County, California: California Jour. Mines and Geol., v. 51,no.2, p. 117-199. Pl. 2, 1: 250,000. Geol. Soc. America, 1955, Geologic guide to	the Sonoma-Petaluma area with special reference to the Tertiary volcanic rocks and the glaucophane schists, Trip I; Geologic guide to a strip between Oakland and MtDiablo with special reference to the Tertiary nonmarine stratigraphy Trip 2: Geol. Soc. America Coddilleran Sec. Annual meeting,	Electrecty, (up, Mapp. 1. 20), vov Kiersch, G.A., and Treasher, R.C., 1955, Investigations, areal and engineering geology-Folsom Dam project, central California: Econ. Geology, v. 50, no. 3, p. 271-310. Fig. 2, 193, 000	California Div. of Water Resources, 1955, Geology Appendix H of: Report to the Water Project Authority on feasibility of construction of barriers in the San Francisco Bay system. Pl. 2, 1: 125,000.	Lorens, P.G., and Thronson, R.E., 1955, Geology of the fine-grained alluvial deposits in Sacramento Valley and their relationship to seepage. Appendix to: Report to the Water Project Authority of the State of California on seepage conditions in Sacramento Valley:	p. 129. Pl. 8, 1: 63,360. California Div. of Water Resources, 1956, Investigation of the Sacramento-San Joaquin Delta: Report #1: Ground Water Geology.	Inomasson, H.C., T., Ourseld, F. T., Leroux, E.F., 1956, Geology and ground-water resources of the Putah and Suisun-Fairfield areas, Solano County, California U.S.G.S. Open file report. (a) Pl. 7, 1: 72,500; (b) pl. 9, 1: 24,000. Resources Board, 1955, Elif, State Water Resources Board, 1955,	Water Resources Board Bull. 10. Pl. B-1, 1. 156,680. California Div. Mines, 1956, The mineral resources of the lone formation: California Div. Mines Mineral Information Service, v. 9, no. 8, p. 1-5. Map, 1. 155,000. Clark W. R. and Carlson, D. W. 1956, Mines	and mineral resources of El Dorado County, California: California Div. Mines Jour. Mines and Geology, v. 52, no. 4, p. 369-591.  (a) Pl. 9, 1: 250,000, (b) fig. 7, 1: 27,000.  Chesterman, C. W., 1956, Pumice, pumicite and volcanic cinders in California. California Div. Mines Bull. 174, 119 p. (g) fig.6, 1: 48,000.	Scott, D.P., 1956, Interim report Lower San Joaquin Valley, water quality investigation: California Div. Water Resources Planning, Water Quality Investigations. Pl.B.1:250,000.
55-8		55-11	55-13	55-37	9-99	56-10	56-15	56-25	56-32
Cater, F.W., Jr., Rynearson, G.A., and Dow, D.H., 1951, Chromite deposits of ElDorado County, California: in California Div. Mines Bull. 134, Part III, chbt. 4, p. 107–167, "Chromis in California" (9) DI 0 1-12 nd (14)	mile in Camponia . (a) Fr. 7, in Livov, (b) pin 10, in 1200, pl. II, i. 720, (c) fig. 2,ir. 720, (d) fig. 6, 1: 720.  Bowen, O.E., Jr., and Crippen, R.A., Jr., 1951, Geologic map of the San Francisco Bay region: in California Div. Div. Mines Bull.154: Geologic Guidebook of the San Francisco Bay Counties: Part II, Chpt. 4, p. 161-174, Fig. 1,	1: 437,500. Paask, J.A., and Turner, M.D., 1952, Geology and ceramic properties of the lone forma- tion, Buena Vista area, Amador County, Cali- fornia: California Div. Mines Special Rept.	19, 39 p. Pt. I. I. 12, 100. Davis, G.H., and Olmsted, F. H., 1952, Sutter- Yuba Counties Investigation: in Geologic Features and groundwater storage capacity of the Sutter-Yuba Area, Appendix B, Cali- forms State Water Res. Roard Bull no. 6	p. 99-106, Pl. B-1, 1: 205,000. Rynearson, G.A., 1953, Chromite deposits in the northern Sierra Nevada, California (Placer, Nevada, Sierra, Yuba, Butte, and Plumas Counties) in Chromite in California: California Div, Mines Bull. 134, pt.lll, Chpt.5, p.171-321.	(b) Fig. 4, 1: 720. Carlson, D.W., and Clark, W.B., 1954, Mines and mineral resources of Amador County, California: California Jour. Mines and Geology, v. 50, no. 1, p. 149-285. Pl.1, 1: 187,500. Jennings, C.W., 1954, Capay Valley-Wilbur	Springs, west side Sacramento Valley, California: No. Cal. Geol. Soc., Am. Assoc. Perroleum Golesists spring field trip. Map, 1: 125,000. Clark, W.B., 1954, The Cool-Cave Valley lime-stone deposits, El Dorado and Placer Counties, California: California Jour. Mines and Geo-	logy, v. 50, nos. 3-4, p. 439-466. (a) P1.3, 1.155,000, (b) fig. 7, 1: 40,000. Clark, L.D., 1954, Geology and mineral deposits of the Calaveritas quadrangle, Calaveras County, California: California Div. Mines Special Rept.40, 23 p. (a) P1. 1, 1:24 p00, (b) fig. 7, 1: 3,000.	Clark, W.B., 1955, Mines and mineral resources of San Joaquin County, California: California: Jour. of Mines and Geology, v.Bl, no.1, p.21-95. Pl. 1, 1: 250,000. Eric, J.H., Stromquist, A.A., and Swinney, C.M., 1955, Geology and mineral deposits of the Angels Camp and Sonora quadrangles, Calaveras and Tuolume counties, California: Calaveras and Tuolume counties, California: California Chilomas Canacial Rep. 4, 155	california Div. (c) fig. 9. 1: 7800. California Div. of Water Resources, 1955, Quality of ground water in the Stockton area, San Joaquin County: Quality of Water Investigations, Rept. 7. Pl. 3, 1: 84,500.
51-27	51-29	52-5	52 - 14	53-18	54-2	54-13	54-76	55-1 55-2	55-7
l N	L2,JUU. ingsten deposits of the listrict, Tuolumne Courty, and Jour. Mines and Geond 4, p. 283-290. Pl. 8, ller scale map. otrero Hills gas field: otrero Hills gas field: es Bull. 118, p. 595-598.	· · ·	Geologic maps and notes along Highway 49: California Div. Mirres Bull. 141, p. 35-86. Maps 1-10, 1: 125,000. Heyl, G.R., 1948, Foothill copper-zinc belt of the Sierra Nevada, California: California		inty, Californa: 1. 144, p. 49-60.  Sric, J.H., 1948, alaveras County, . Mines Bull, 144,	. 4.5			
1941-14	43-35	45-6	48-27	48-29	48-31	48-32	48-39	49-14	



≥
I
Ф
RA
$\alpha$
9
0
$\exists$
面
<u>8</u>


Hoppin, R.A., 1954, Geology of the Palen Mountains gypsum deposits, Riverside, Calif- ornia: California Div. Mines Special Rept. 36, 25 p. Pl. 1, 1:9600.	C	Report No. 4. Pl. 2, 1:515,000.  Dibblee, T.W., Jr., 1954, Geology of the Imperial Valley region, California: California Div. Mines Bull. 170, chpt.	Ja	Ro	Ϋ́	ž	logic and geologic reconnaissance of Pinto Basin, Joshua Tree National Monument, Riverside County, California: U.S. Geol. Survey Open file re- port, 35 p. Pl. 1, 1:95,000.
54-3	*54-10	54-21	54-23	54-64	56-26	56-36	
Darton, N.H., 1933, Guidebook of the western United States, Part F., the Southern Pacific Lines New Orleans to Los Angeles: U.S. Geol. Survey Bull. 845, 304 p. Sheets 26, 27, 28 and 29, 1:500,000.	Miller, W.J., 1938, Pre-Cambrian and associated rocks near Twenty-nine Palms, California: Geol. Soc. America, v. 49, no. 3, p. 417-446.	王 · · · · · ·	Miller, W.J., 1944, Geology of Palm Springs-Blythe Strip, Riverside County, Calif.: California Jour. Mines and Geology, v. 40, no. 1, p. 11-72. Pls. 1-4, 1:187,500.	Hadley, J.B., 1948, Iron ore deposits in the eastern part of the Eagle Mountains, Riverside County; California Div. Mines Bull, 129, p. 3-24. Pls. 2 and 3, 1:2,400 (Freliminary maps issued by U.S.G.S. in 1942).	Tarbet, L.A., 1951, Imperial Valley: Am. Assoc. Petroleum Geologists Bull., v. 35, no. 2, p. 260-263. Fig. 40, 1:750,000.	Moxham, R.M., 1952, Airborne radio- activity surveys in the Mojave Desert region, Kern, Riverside and San Bernardino Counties, California: U.S. Atomic Energy Comm. TEM 360. (c) Fig. 7,	1:02,200.  Ver Planck, W.E., 1952, Gypsum in California: California Div. Mines Bull. 163, 149 p. (a) Pl. 2, 1:12,000; (b) fig. 2, 1:1800.
33-2	38-2	42-2	44-11	4-84	51-2	52-6	52-11
Blake, W.P., 1857, Geological report (Williamson's reconnaissance in California). U.S. Pacific railroad exploration: U.S. 33rd Cong., 2d sess., S. Ex. Doc. 78 and H. Ex.	4, 1:1,500,000. Hanks, H.G., 1886, San Diego County: California Min. Bur. 6th Ann. Rept. pt. 1, p. 80-90. Map, 1:375,000.	Fairbanks, H.W., 1893, Geology of San Diego County; also of portions of Orange and San Bernardino Coun- ties: California Min. Bur. 11th Ann. Rept., p. 76-120. Map,	Harder, E.C., 1912, Iron-ore deposits of the Eagle Mountains, California: U.S. Geol. Survey Bull. 503, 81 p. Pl. 1, 1:12,000, (also more detailed maps.)	Kew, W.S.W., 1914, Tertiary echinoids of the Carrizo Creek region in the Colorado Desert: California Univ. Dept. Geol. Sci. Bull., v. 8, p. 39+60. Map p. 41, 1:1,000,000.	Brown, J.S., 1923, The Salton Sea region, California; a geographic, geologic, and hydrologic reconnaissance, with a guide to desert watering places: U.S. Geol.	Survey, Water-Supply Paper 497, 292 p. Pl. 12, 1:500,000.  Brown, J.S., 1922, Fault features of Salton Basin, California: Jour. Geology, v. 30, no. 3, p. 217-226. Pl. 1, 1:875,000.	
1857-1	*86-1	93-3	12-2	14-8	*23-2		

\*Geologic map covers the entire area of the index map sheet.




	Gardner, D.L., 1940, Geology of the Newberry and Ord Mountains, San Bernardino County, California: California Jour. Mines and Geology, v. 36, no. 3, p. 257-292. Pl.2, 1: 250,000, E. areasi.  Erwin, H.D., and Gardner, D.L., 1940, Notes	on the geology of a portion of the Calico Mountains, San Bernardino County, California: California Jour. Mines and Geology, v. 36, no. 3, p. 293-304. Pl. 3, l: 62,500. Woodford, A.O., Shellon, J.S., and Moran, T.C., 9144. Geology and oil possibilities of Puente	and San Jose Hills, California: U.S. Geol. Survey Oil and Gas Prelim. Map 23. Map 1: 62,500. Woodford, A.O., Moran, T.G., and Shelton, J.S., 946, Miocene conglomerates of Puente and San Jose Hills, California: Am. Assoc.Pet-	4	Callornia: Callornia 1941. (a) Pl. 5,1:93,750, (b) pl. 6,1:93,750. Shelton, J.S.,1946, Geologic map of northeast margin of San Gabriel Basin, Los Angeles	County, California: U.S. Coots, survey Claimand Gas Prelim. Map 63. Map, I: 24 000. Dennis, P.E., 1947, Geology of San Antonio Canyon in relation to ground-water storage: U.S. Geol. Survey Open file report. Fig. 1, 1: 25,000.	Alf, R.M., 1948, A mylonite belt in the southeastern San Gabriel Mountains, California: Gool. Soc. America Bull., v. 59, p. 1101-1120. Fig. 2, 1: 190,000.	Lamey, C.A., 1948, Iron Mountain tron-ore deposits, Lava Bed district, San Bernardino, California. California Div. Mines Bull. 129, 25-38. (3)Pl.4, 1: 6,000, (b) fig.15, 1:25,000. Wiebelt, F. J., 1947, Bessemer iron project, San Bernardino County, California: U.S.Bur.	O	M . U	₹ 0	and Geology, v. 40, no.2, p. 171-222. 11.27, 1.24,000.
	40-18	44-3		44-12	46-7	47-10	48-1	4 8 <del>-</del> 5	48-40	49-5	49-8	
BIBLIOGRAPH	Post, W.S.,1928, Santa Ana investigation, flood control and conservation: California Div. Engr. and and conservation: California Div. Angr. 41, 1250,000. Thompson, D.G., 1929, The Mohave Desert region, California: a georaphic, geologic,	and hydrologic reconnaissance: Ü.S. Geol. Survey Water-Supply Paper 578, p. Pl. 8, 1: 500,000. Gale, H.S., 1932, Guidebook 15: Excursion C4, Southern California: International Geologi-	cal Congress XVI Session, oo p. (4) Ft. 9, 1: 200,000, (b) pl. 6, 1: 500,000. Eaton, J. E., 1926, A contribution to the geology of Los Angeles Basin, California: Am. Assoc. Petroleum Geologist Bull., v. 10, no. 8, p. 753-767, (b) Fig. 1, 1: 62,500. Dominised in Cil Bulletin v. 12, n. 970-977.	(1926). (Gale, H.S., 1934, Geology of Huntington Beach oil field, California: Am. Assoc. Petroleum Geologists Bull., v. 18, no. 3, p. 327-342.	(b) Fig. 1, 1: 500,000. Darton, N. H., 1933, Guidebook of the western United States, Part F the Southern Pacific Lines New Orleans to Los Angeles: U. S. Geol. Survey Bull. 845, 304 p. Sheets 26, 27,	28, and 29, 1: 500,000. Eckis, R., 1934, South Coastal Basin investigation; Geology and groundwater storage capacity of valley fill: California Div. Water Resources Bull. 45, 279 p. Pls. A,B, and C,	1: 44-,304. Miller, W. J., 1934, Geology of the western San Gabriel Mountains of California: Cali- fornia Univ. Pub. Math. Phys. Sci., v. 1,no.1, p. 1-114. Pocket map. 1: 84.480.	Daly, J.W., 1935, Paragenesis of the mineral assemblage at Crestmore, Riverside County, California. Am. Mineralogist, v. 20, no. 9, p. 638-659. Map p. 640-641, l. 3,600.	U.S. Geol. Survey Buil. 871 (b) Fig. 48, 1: 12,000 (also mine maps). Moore, B.N., 1935, Some strontium deposits of southeastern California and western Ari- zona: Am. Inst. Min. Met. Eng. Tech. Pub. 599 and also Am. Inst. Min. Met. Eng. Trans.,	W. 115, p. 596-37. (b) the structural Reed, R.D., and Hollister, J.S., 1936 Structural evolution of southern California: Am. Assoc. Petroleum Geologists Bull. v. 20, no. 12, p. 1529-1692. (b) Pl. 1, 1; 500,000. Fosher, W.F., and Woodford, A.O., 1936, Ben-	tonitic magnesian clay mineral from Calif.: Am. Mineralogist, v. 2l, no. 4.p. 238-244. (a) Fig. 1, 1: 125,000, (b) fig. 2, 1: 1,500. Miller, W. J., 1938, Pre-Cambrian and associated rocks near Twenty-nine Palms, California: Geol. Soc. America, v. 49, no. 3, p. 417-446. Fig. 1, 1: 187,680.	
	28-8	32-14			33-2	34-5	34-7	35-9		36-2	38-2	
	Blake, W.P., 1857, Geological report (Williamson's reconnaissance in California). U.S.Pacific railroad exploration: U.S., 374 Cong., 2d sess., S. Ex. Doc. 78 and H. Ex. Doc. 91, v.5, pt. 2, 370 p., (a) Map 3, 1: 625,000,(b)	map 4. i. 1,500,000. Guillemin-Tarayre, E., 1871, Descriptions des anciennes possessions mexicaines du nord: MissionScientifique au Mexique et dans I'Amerique Centrale, Geologie pt.2, 216 p. (b) P., 15, 1, 1,000,000.		-2 Eldridge, G.H., and Arnold, K., 1907, The Santa Clara Valley, Puente Hills, and Los Angeles oil districts, southern California: U.S. Geol. Survey Bull. 309, 266 p. (b)P110, 1: 65.500.	Baker, C.L., 1911, Notes on the later Ceno- zoic history of the Mojave Desert region in southeastern California.: California Univ. Dept. Geol. Sci. Bull., v. 6, p. 333-383.	Pack, R.W., 1914, Reconnaissance of the Barstow-Kramer region, California: U.S.Geol. Survey Bull, 541, p. 141-154. Pl. 7, 1, 1250,000. Dickerson, R.E., 1914, The Martinez Eocene and associated formations at Rock Greek on	the western border of the Mohave Desert area: California Univ. Dept. Geol. Sci. Bull., v. 8, p. 289-298. Fig. 1, 1: 62,500. McLaughlin, R.P. and Warnin, C.A., 1915.	Min. Bur. Bull. 69, 519 p. (a) P1.2.1:125,000. Min. Bur. Bull. 69, 519 p. (a) P1.2.1:125,000. Darton, N.H., and others, 1915, Guidebook of the western United States, Part C, The Santa Fe route, with a side trip to the Grand Canyon of the Colorado: U.S. Geol. Survey	> 4			
	1857-1	71-1	87-1	07-2	11-4	14-4	15-1	15-9	22-4	26-6	7 - 8 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 -	

\* Geologic map covers the entire area of the index map sheet.



Allen, C. R., 1954, Geology of the north side of San Gorgonio Pass, Riverside County: California Div. Mines Bull. 170. Map sheet no. 20, 1: 62,500. Rogers, J. J. W., 1954, Geology of a portion of Joshua Tree National Monument, Riverside County: California Div. Mines Bull. 170. Map sheet no. 24, 1: 84,000. Wright, L. A., and Troxel, B. W., 1954, Geologic guide no. 1, western Mojave Desert and Death Valley region: California Div. Mines Bull. 170, Guidebook no. 1, 50 p. (m)Fig. 11, 1: 260,000, (n) fig. 12, 1: 260,000, (p) fig. 13,	i; 260,000. Troxel, B. W., 1954, Geologic guide no.3, Los Angeles Basin: California Div. Mines Bull. 170, Guidebook no. 3, 46 p. Maps 1-11, 1: 92,000. Jahns, R. H., 1954, Geologic guide no.5, northern part of the Peninsular Range province: California Div. Mines Bull. 170, Guidebook no. 5, 59 p. Maps 1-7, 1: 96,000; maps 8 and 10, 1: 203,000.	Shelton, J. S., 1955, Glendora volcanic rocks, Los Angeles Basin, California: Geol. Soc. America Bull., v. 66, no.1, p. 45-89. Pl. 1, 1: 24,000.  Moxham, R. M., Walker, G. W., and Baumgardner, L. H., 1955, Geologic and airborne radioactivity studies in the Rock Corral area, San Bernardino County, California: U.S.G.S. Bull. 1021-C. Pl. 15, 16, 1: 12,000.	Hsu, K. J. 1935, Cranuttes and interestion about Cucamonga and San Antonio Canyons, San Gabriel Mountains, California: Univ. of California Publs. in Geol. Sci., v. 30, no. 4, p. 223-352. Map J. I. 24,000. Kunkel, F., 1956, Data on water wells in Cuddeback, Superior and Harper Valleys, San Bernardino County, California: U. S. Geol. Survey Open file report. Pl. 1, 125,000. Riley, F. S., 1956, Data on water wells in Lucerne, Johnson, Fry and Means.	valley, San Bernardino Coulty, Carrefornia: U.S. Geol. Survey Open file rept. Pl. 1. 1: 94,000.  Kupfer, D. H., and Bassett, A. M., 1956. Preliminary geologic map of part of the southeastern Mojave Desert. San Bernardino County, California: U.S. Geol. Survey Open file map. Map.1: 120,000.  Allen, C. R., 1957, San Andreas fault zone in San Gorgonio Pass, southern California: Geol. Soc. America Bull. v. 68, no. 3, p. 315-350. (a) Pl. 1, 1: 63,36v.
54-60	54-80	55-5	56-8	56-26
California Div. of Water Resources, 1954, Ground water occurrence and quality, Colorado River basin region: Quality of Water Investigations, Report No. 4. Pl. 2. 1: 515,000. Gay. T. E., Jr., and Hoffman, S. R., 1954, Mines and mineral deposits of Los Angeles County, California: California Jour. Mines and Geology, v. 50. no. 3-4, p. 467-709. Pl. 4, 1: 375,000. Weiss. L. E., 1954, A study of tectonic style-structural investigation of a marble quartizite complex in southern California: Univ. of Calif. Pubs. in Geol. Scies., v. 30, no. 1, p. 1-102.	Map 2, 1: 5400. Jahns. R. H., 1954, Geology of the Peninsular Range province, southern (California and Baja, California: California and Baja, California. California Div. Mines Bull. 170, chpt. II. contr. 3. Pl. 3, 1: 375,000. Woodford, A. O., and others, 1954, Geology of the Los Angeles Basin: California Div. Mines Bull. 170, chpt.11, contr. 5, Pl. 1, 1; 26,000.		Modyave usert, controlling formia Div. Mines Bull. 170. contr. 2. Pl. 1, 1: 630,000. Noble, L. F., 1954, Geology of yerno quadrangle and vicin formia: U. S. Geological Su logic Quadrangle Map GQ 5 1: 250,000. Noble, L. F., 1954, The San An Rault zone from Soledad Pas Cajon Pass, California: Ca Div. Mines Bull. 170, chpt. S. P. P. 5, 1: 110,000.	
54-14	54-23	54-30	54-32	54-55
MacKevett, E. M., 1951, Geology of the Jurupa Mountains, San Bernardino and Riverside Counties, Calif.: California Div. Mines Special Rept.5, 14 p. (a) Pl. 1, 1: 16,000 (b) fig. 14, 1: 1600.  Schoellhamer, J. E., and Woodford, A. O., 1951, The floor of the Los Angeles Basin, Los Angeles, Orange, and San Bernardino counties, California: U. S. Geol. Survey Oil and Gas Investigations Map 117. Map 1: 125,000. Storey, H. C., 1948, Geology of the Storey, H. C., 1948, Geology of the Storey, A. California.	San Gabrie, Mountains, Carlorina, and its relation to water distribution: Calif. Forest and Range Experiment Sta., U. S. Forest Service. Map 1, 250,000. Moxham, R. M., 1952, Airborne radio- activity surveys in the Mojave De- sert region, Kern, Riverside and San Bernardino counties, California: U. S. Atomic Energy Comm. TEM 360. (c) Fig. 7, 1: 62,500.		Troxell, H. C., and others. 1954, Hydology of the San Bernardino and eastern San Gabriel Mountains, California: U. S. Geol. Survey Hydrologic Atlas HA-1. Pl. 3, 1:250,000.  Bowen. O. E., Jr., 1954, Geology and mineral deposits of Barstwa quadranles, San Bernardino County, California: California Div. Mines Bull. 165, 208 p. (a) Pl. 1, 1:125,000, (b) pl. 4, 1; 4800. (c) pl. 5, 1:33,000, (f) pl. 6, 1:33,000, (g) fig. 43,1:54,000.	
51-20	52-6	53-12	5 + 2 5 + 2 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	54-7



Hertlein, L.G., and Grant, U.S., IV, 1944,

Fig. 152, 1: 40,000.

Hertlein, L.G., and Grant, U.S., 1V, 1943, Southwestern San Diego County: California Div.Mines Bull. 118, p. 367-369. Geology, pt. 1 of The geology and pale-ontology of the marine Pliocene of San Diego, California: San Diego Soc. Nat, History Mem., v. 2, 72 p. Fig. 6, 1: 50.000.

Sci. Bull., v. 15, no. 3, p. 49-68. (b) Fig. 1, 1: 1,500,000.

93-3

86-1

4-16

#### BIBLIOGRAPHY

quadrangle, California: California Univ. Dept. Geol. Sci Bull., v. 16, no. 7, p. 187-246. Map p. 246, 1: 62,500. Tucker, W.B., 1926, Imperial County: Mining in California, v. 22, no. 2, p.248-

Hanna, M.A., 1926, Geology of the La Jolla

2-92

deposits of the Julian district, San Diego

Donnelly, M., 1934, Geology and mineral County, California: California Jour.

34-3

71-1

\*1857-1

26-4

285. Map p. 276, 1: 31,680.

Mines and Geology, v. 30, no. 4, p.331-370. Pl. 4, 1: 62,500.

Miller, W.J., 1935, A geologic section

35-7

across the southern Peninsular Range of California: California Jour. Mines


and Geology, v. 31, no. 2, p. 115-142.

P1. 2, 1: 168,960.

43-23

	Ellis, A. J., and Lee, C.H., 1919, Geology and ground waters of the western part of San Diego County, California: U. S. Geol. Survey Water-Supply Paper 446,	т	щ	Survey Water-Supply Paper 497, 292 p. Pl. 12, 1: 500,000. Brown,J.S.,1922, Fault features of Salton Basin, California: Jour. Geology, v.30, no. 3, p. 217-226. Pl. 1, 1: 875,000.
Blake, W.P., 1857, Geological report (Williamson's recomaissance in California), U.S. Pacific railroad exploration: U.S. Pacific railroad exploration: U.S. 33rd Cong., 2d sess., S.Ex Doc. 78 and H. Ex. Doc. 91, v.5, pt. 2,	Guillemin-Tarayre, E., 1871, Description 19-2 des anciennes possessions mexicaines du nord: Mission Scientifique au Mexique et dans l'Amerique Centrale, Geo-	logie pt. 2, 216 p. (b) Pl. 15,1:1,000,000.  Hanks, H.G. 1886, San Diego County: California Min. Bur. 6th Ann. Rept. pt. 1, p. 80-90. Map, 1: 375,000.  Fairbanks, H.W., 1893, Geology of San Diego County: also portions of Orange	fornia Min. Bur. 11th Ann. Rept., p.76- 120. Map, 1: 375,000. Woodford, A. O., 1925, the San Onofre	orecal, its nature and origin. forming Univ. Dept. Geol. Sci. Bull., v.15, Noodford, A. O. 1924, The Catalina metamorphic facies of the Franciscan series: California Univ. Dept. Geol.

\*Geologic map covers the entire area of the index map sheet.



1944-14


Burnham, W.L., 1954, Data on water wells in Borrego, Ocotillo, San Felipo, and Vallecito Valley areas eastern San Diego County, California: U.S. Geol. Survey open file report. Pl. 1, 1: 125,000.	Dibblee, T.W., Jr., 1954, Geology of the Imperial Valley region, California: California Div. Mines Bull. 170, chpt.ll, contr. 2. Pl. 2, 1: 375,000.	Jahns, R.H., 1954, Geology of the Peninsular Range province, southern California and Baja, California: California Div. Mines Bull.170,chpt.ll, contr. 3. Pl. 3, 1: 375,000.	Hertlein, L. E., and Grant, U.S., IV, 1954, Geology of the Oceanside-San Diego coastal area, southern California: Cali- fornia Div. Mines Bull. 170, chpt. 11, contr. 4. Fig. 1, 1: 250,000.	Brooks, B., and Roberts, E., 1954, Geology of the Jacumba area, San Diego and Imperial counties: California Div. Mines Bull. 170, Map sheet no. 23, 1: 60,000.
54-19	54-21	* 54-23	54-24	54-63
Merriam, R.H., 1951, Groundwater in the bedrock in western San Diego Gounty, California; "Crystalline Rocks of Southwestern California": in California Div. Mines Bull. 159, p.117-128. Pl. 7, 1: 315,000.	Emery, K. O., 1951, Continental shelf-southern California: Am. Assoc. Petroleum Geologists Bull., v. 35, no. 2, n. 249-252. Fig. 37, l. 1.750,000.	Ver Planck, W.E., 1952, Gypsum in California: California Div. Mines Bull.163, 149 p. (c) Pl. 20, 1: 31,680.  Emery, K. O., and others, 1952, Submarine ecology off San Diego, California:	Jour. Geology, v. 60, no. 6, p. 511-548. Fig. 7, 1: 165,000. Olmsted F. H 1953 Geologic features and water resources of Campo, Mesa	servations, San Diego County, California: U. S. Geol. Survey Open file report.  (a) Pl. 1, 1: 24,000. California Div. of Water Resources, 1954, Ground water occurrence and quality, Colorado River basin region: Quality of Water Investigation, Report No. 4. Pl. 2, 1: 515,000.
51-8	51-35	52-11	53-25	54-10
Hertlein, L.G., and Grant, U.S., IV, 1944, Geology, Pt. 1 of Thegeology and paleontology of the marine Pliocene of San Diego, California: San Diego Soc. Nat. History Mem., v. 2, 72 p. (a)	Hertein, L.G., and Grant, U.S., 1V, 1939, Geology and oil possibilities of southwestern San Diego County; California	Jour. Mines and Geology v. 59, no. 1, p. 57-78. (a) Fig. 2, 1: 312,500. Beal, C. H., 1948. Reconnaissance of the geology and oil possibilities of Baja California, Mexico: Geol. Soc. America	Mem.31, 138 p. F1.1, if 1,000,000. Tarbet, L. A., 1951, Imperial Valley: Am. Assoc. Petroleum Geologists Bull., v.35, no. 2, p. 260-263. Fig. 40, 1: 750,000. Everhart, D. L., 1951, Geology of the Cuy-	amaca Peak quadrangle, San Diego County, California; "Crystalline Rocks of Southwestern California"; in Cali- fornia Div. Mines Bull. 159, p.51-115. Pl. 2, 1: 62,500.

51-2


51-7

\*48-22

\* Geologic map covers the entire area of the index map sheet.




Eckel, E. C., 1933, Limestone deposits of the San Francisco region: Cali-	Jornia Jour. Mines and Ceology, v. 29, nos. 3 and 4, p. 348-361.  Map p. 348, 1; 500,000.  Jenkins, O. P., 1933, Guidebook 16:	Excursion C-1, Middle California and western Nevada: International Geological Congress XVI Session, 116 p. Pl. 3, 1: 500,000.	Anderson, F. M., 1938, Lower Cretaceous deposits in California and Oregon: Geol. Soc. America Spec. Paper 16, 339 p. Pl. 84, 1:1,000,000.	Taliaferro, N. L., 1943, Franciscan- Knoxville problem: Am. Assoc. Petroleum Geologists Bull., v. 27, no. 2, p. 109-219. (a) Fig. 4, 1: 24,000.	Douglas, J. M., 1943, Duxbury Point region: California Div. Mines Bull, 118, 621, Fig. 275, 1:42,240. Page, B. M., et al., 1945, Geology of	the bituminous sandstone deposits near Santa Cruz, Santa Cruz Courb, Calif U. S. Geol. Survey Oil and Gas Prelim. Map 27. (b) Fig. 5, 1: 3,600.	California Division of Mines, 1949, An excursion through the San Francisco bay area: California Div.	Mines Mineral information Service, v. 2, no. 2. Map 1: 205,000. Weaver, C. E., 1949, Geology of the Coast Ranges immediately north of the San Francisco Bay region, Calif.: Geol. Soc. America Mem.	W	
33-6			38-7	43-15	43-41		49-1	49-14	50-16	50-21
Lee, W. T., et al, 1915, Guidebook of the western United States; Part B,	The overland route, with a side trip to Yellowstone Park: U.S. Geol. Survey Bull. 612 244 p.(a) Sheets 22-25,1; 500,000.	Diller, J. S., and others, 1915, Guidebook of the western United States; Part D. The Shasta route and coast line; U. S. Geol, Survey Bull, 614,	142 p. Map. 1: 500,000. Dickerson R. E., 1916 Stratigraphy and fauna of the Tejon Eccene of California: California Univ. Dept.	Geol. Sci. Bull., v. 9, p. 363-524. Map p. 370, l. 75,000. Clark, C. W., 1917, The geology and ore deposits of the Leona rhyolite: California Univ. Dept. Geol. Sci.	Bull., v. 10, p. 361-382. Pl. 27, 1: 62-500. Clark. B. L., 1918. The San Lorenzo series of middle Calif.: California	Univ. Dept. Geol. Sci. Bull., v. 11, p. 45-234. (a) Pl. 3, l: 45,000, (b) pl. 4, l: 62,500. Dickerson. R. E., 1922, Tertiary and Quaternary history of the Petaluma,	Point Reyes, and Santa Rosa quadrangles: California Acad. Sci. Proc., 4th ser., v. 11, no. 19, p. 527-601.	Fis. 17 and 18, 1: 100, 200.  Clark, W. O., 1924, Ground water in Santa Clara Valley, Calif.: U. S. Geol. Survey Water-Supply Paper 519, 209 p. Pls. 10, 12, 14, 16, and 18, 1: 125,000.	Fitch, A. A., 1931, The geology of Ben Lomond Mountain: California Univ. Dept. Geol. Sci. Bull., v. 21, no. 1, p. 1-13. Fig. 2, l. 3,600.	San Francisco Bay region with special reference to a salt water barrier below confluence of Sacramorto and San Joaquin Rivers: California Div. Water Resources Bull. 28, Appendix D, p. 309-359, Pl. D-9, 1: 80,000.
15-4		15-5	16 -2	17-1	18-3	22-5		24-1	31-11	
Guillemin-Tarayre, E., 1871, Des- scription des anciennes posses-	sions mexicaines du nord: Mission Scientifique au Mexique et dans l'Amerique Centrale, Geologie	Ransome, F. L., 1893, The cruptive rocks of Point Bonita: Calibraia Univ. Dept. Geol. Sci. Bull., v. 1, p. 71-114. Pl. 6, 1: 7,200.	eology ia Univ. 1, p.193-	ch of the ncisco Per- rvey 15th 5. Pl. 5,		Lawson, A. C., and Palache, C.,1902, The Berkeley Hills. a detail of Coast Range geology: California Univ. Dept. Geol. Sci. Bull., v. 2, n. 349-450, Map D. 450, 1; 12,000.	Newsom, J. F., 1903, Clastic dikes: Geol. Soc. America Bull., v. 14. p. 227-268. (b) Fig. 4, 1: 125,000.	Lawson, A. C., et al, 1908, The California earthquake of April 18,1906. Report of the State Earthquake Investigation Commission:Carnegie Inst. Wash, Pub. 87, v. 1, pt.1, 254	i, J. F., and scription of angle, Calif.:	Lawson, A. C., 1994, Description of the San Francisco district; Tamapais. San Francisco, Concord, San Mateo, and Hayward quadranges. U. S. Geol. Survey Geol. Folio 193, 24 p. Maps. 1: 62,500.  Blake, W. P., 1857, Geological report (Williamson's recomaissance in California). U. S. Pacific railroad exploration: U. S. 33rd. Cong., 2d sess., S. Ex Doc. 78 and H. Ex. Doc., 91, v. 5, pt. 2, 370 p. Map 1, 1: 148,000.
1871-1		93-4	94-7	95-3	99-1	02-1	03-2	08-3	09-1	9-4-




OTHERS

$\succ$
I
Δ.
APH
2
ပ
IOGR
필
æ


ver Planck, W. E., 1955, Mines, mineral resources and mineral industries of Marin County: California Jour. Mines and Geology. v. 51, no. 3, p. 221-289. Pl. 4, 1: 125,000. Davis, F. F., 1955, Mines and mineral resources of San Mateo County.	California: California Jour. Mines and Geology, v. 51, no. 4, p. 401-458. Pl. 5, 1: 123,500. Robinson, G. D., 1956, Geology of the Hayward quadrangle, California:	U. S. Geol. Survey Geologic Quadrangle Map GQ 88. Map 1: 24,000. Robinson, G. D., 1953, The Leona rhyolite, Alameda County, California: The Am. Mineralogist, v. 38, nos. 11-12, p. 1204-1217. Fig. 1, 1: 21,500, fig. 3, 1: 14,400.	Kachadoorian, R., 1956, Engineering geology of the Warford Mesa subdivision, Orinda, California: U.S. Geol. Survey open file report #404,	PP. 1, 1: 2, 400. Rabruch, D. H., 1957, Areal and eng- ineering geology of the Oakland West quadrangle, California: U.S. Geol. Survey Misc. Investigation 1-239. Map 1: 24,000.	
55-17	56-4		56-28	57-3	
Sch	1: 0480. 7 Davis, F.F., and Jennings, C.W., 1954, Mines and mineral resources of Santa Clara County, California: California Jour. Mines and Geology, of 2 2 31-430 (a) Pl. 2.	ğ	and Mt. Diablo with special reference to the Tertiary nonmarine stratigraphy, Trip 2: Geol. Soc. America Cordilleran Sec. annual	Ca	system. Pl. 2. 1: 125,000.  Galif. State Water Resources Board, 1955, Santa Clara Valley Investi- gation: California State Water Resources Board Bull. 7. Pl. C-1, 1: 156,680.
54-73	54-77	55-9		55-13	55-15
Gester, G. C., 1951, Northern Coast Ranges: Am, Assoc. Petroleum Geologists Bull., v. 35, no. 2, p. 200-208. (b) Fig. 18, 1: 75,000. Thomas, R. G., 1951, An example of re-intrusion of serpentine: Am. Geophys, Union Trans., v. 32, no.	Ľ			Weaver, C. E., 1953, Eocene and Paleocene deposits at Martinez, California. Univ. of Washington Pubs. in Geol., v. 7, p. 1-102. (a) Pl. 2, 1: 12,000. (b) pl. 3a. 3b. 3d. 1:4800. Schlocker, J., Radbruch, D. H., and Powill	bedrock-surface map of the San Francisco City area, California: U. S. Geol. Survey open file map. Map 1: 24,000.
1951-3	51-25	51-29	52-12	53-5	




	15-4 Lee, W. T., et al., 1915, Guidebook of the western United States; Part B, The Overland route, with a side trip to Yellowstone Park: U.S. Geol. Survey Bull. 612, 244 p. (a) Sheets 22-25. 1: 500,000.  15-5 Diller, J. S., and others, 1915, Guidebook of the western United States; Part D. The Shasta route and coast line: U.S. Geol. Survey Bull. 614,	Ďį į	21-3 Clark, B. L., 1921, The stratigraphic and faunal relationships of the Meganos group, middle Eocene of Calif.; Jour, Geology, v. 29, no. 2, p. 125-165. (a) Fig. 2, 1: 93,750. 24-1 Clark, W. O., 1924, Ground water in Santa Clara Valley, Calif.: U. S. Geol. Survey Water-Supply Paper 519, 209 p. Pls. 10, 12, 14, 16, and	18, 1: 125,000.  29-2 Knopf, A., 1929, The Mother Lode system of California: U. S. Geol. Survey Prof. Paper 157, 88 p. (a) Pl. 2, 1: 63,360.  Ransome, F. L., 1900, Description of the Mother Lode district: U. S. Geol. Survey Geol. Folio 63, 11 p.	(a) Map, 1: 63,360. 29-5 Allen, V. T., 1929, The lone formation of California: California Univ. Dept. Geol. Sci. Bull., v. 18, no.14, p. 347-448. (b) Fig. 3, 1: 16,000, (c) fig. 4, 1: 93,750.
BIBLIOGRAPHY	Fo Tu	Acpt., p. 39-274. (c) f.1. f.1.170,000.  Lindgren, W. 1911, The Tertiary Sira- vels of the Sierra Nevada of Calif.: U. S. Geol. Survey Prof. Paper 73, 226 p. (a) Pl. 1. if 750,000.  Clark, B. L., 1912, The Neocene section	Bri	Ga	1; 16.000.  Martinez Eocene of Calif.: California Univ. Dept. Geol. Sci. Bull., v. 8, p. 61-189, (a) Fig. 3, 1; 45,000.  Anderson, R., and Pack, R. W., 1915, Goology and oil resources of the west border of the San Joaquin Vallev north of Coalinga, Calif.: U.S. Geol. Survey Bull. 603, 220 p. Pls. 1 and 14, 1; 125,000.
	Gui	(d) Fi. D. 1: 125,000.  88-1 Becker, G. F. 1888, Geology of the quicksilver deposits of the Pacific slope. with an atlas: U. S. Geol.  Survey Mon. 13, 486 p. (d) Sheet 7, 12-3	91-1 Turner, H. W., 1891, The geology of Mount Diablo, Calif.: Geol. Soc. America Bull., v. 2, p. 384-402. Pl. 15, 1: 125,000. 97-3 Turner, H. W., and Ransome, F. L., 1897, Description of Sonora quadrangle: U. S. Geol. Survey Geol. Folio 41, 5 p. Map, 1: 125,000.	98-3 Ransome, F. L., 1898, Some lava flows of the western slope of the Sierra Nevada, Calif.: U. S. Geol. Survey Bull. 89, 74 p. Pl. 2, 1: 125,000, [latites and associated volcanic rocks]. 98-5 Turner H. W., 1898, Notes on some igneous, metamorphic and sedi-	mentary rocks of the Coast Ranges of Calif.: Jour. Geology, v. 6, p. 483-499. Pl. 13, 1: 80,000.
	1871-1	œ	6 6	5 5	




Hawkes, H. E., Jr., Wells, F. G., and Wheeler, D. P., Jr., 1942, Chromite and quicksilver deposits of the Del Puerto area, Stanislaus Gounty, Calif.: U. S. Geol. Survey Bull. 936 -D. p. 79-110. Pl. 10, 1: 12,000. (Also more detailed maps). Clark, B. L., and Campbell, A. S., 1942,	Eocene radiolarian faunas from the Mt. Diablo area, Calif.: Geol. Soc. America Spec. Paper 39, 112 p. Fig. 2, 1: 148.000.  Kanaya, T., 1957, Eocene diatom assemblages from the Kellogg and "Sidney"	shales, Mt. Diablo area, California: Science Reports of the Tohoku University, Sendai, Japan, Second Series (geology), v. 28, p. 27-124. Fig. 2, 1: 145,000.	Simons, F. S., 1943, Manganese deposits of the Black Wonder area, Santa Clara and Stanislaus Counties: U.S. Geol. Survey Prelim. Map. Figs. 3 and 5, 1: 1,200.	Trask, P. D., et al., 1950, Geologic description of the manganese deposits of Calif.: California Div. Mines Bull. 152, 378 p. Pls. 12 and 15, 11,200. Pierce, W. G., and Norbeck, H. P., 1943. Manganese deposits of the Ladd-Buckeye area near Tracy; U. S. Geol. Survey Prelim. Map. Map. 1; 1,800. (4 areas)		Gilbert C. M., 1945, Iertlary Seatments northeast of Morgan Hill, Calif.: Am. Assoc. Petroleum Geologists Bull., v. 27, no. 5, p. 640-646. Fig.2, I. 125,000. Campbell, A. S., and Clark, B. L., 1944, Radiolaria from Upper Cretaceous of middle California: Geol. Soc. America Special Paper 57, 61 p. Fig. 2, I. 60,000. Warren, C. A., 1945, Map of Seagrave mine: U. S. Geol. Survey Open file map. (n) Map, I: 1,200.
42-3 7-54			43 <b>-</b> 3	43-4	43-13	43-18
Cloos, E., 1935, Mother Lode and Sierra Nevada batholiths: Jour. Geology, v. 43, no. 3, p. 225-249. Fig. 3, 1: 76,000. Clark, B. L., 1935, Tectonics of the Mount Diablo and Coalinga areas, maddle Coast Ranges of Calif.:	Taff J. A., 1935. Geology of Mount Diablo and vicinity: Geol. Soc.	Debethune, P., 1937, Elements tectoni- ques ayant determine le cours de 1 Alameda, en California centrale: 50c 5c; Bruxelles Annales, ser. 2, tome 57, fasc. 2, p. 73-109. Fig. 3,	1: 168.000. Anderson, F. M., 1938, Lower Cretaceous deposits in California and Oregon: Geol. Soc. America Spec.Paper 16, 339 p. Pl. 84, 1: 1,000,000.	Ransome, A. L., and Kellogg, J. L., 1939, Quicksilver resources of Calif.: California Jour. Mines and Geology, v. 35, no. 4, p. 353-486. Fig. 20, 1: 93,750. Ross, C. P., 1940, Quicksilver deposits of the Mount Diablo district, Contra Costa County, Calif.: U. S. Geol.	1: 3,000. Locke, A., Billinglsey, P. R., and Mayo, E. B., 1940, Sierra Nevada tectonic patterns: Geol. Soc. America Bull., v. 51, no. 4, p. 513-539. Pl. 1, 1: 1,000,000. (tectonic map) Jones, G. H., 1940, Hydrology of valley areas adjacent to the upper San Joaquin River: Am. Geophys. Union	Trans., 1940, Pt. 1, p. 57-78. Fig.  Z. 1: 500,000.  Forbes, H., 1941, Geology of the San Joaquin Valley as related to the source and the occurrence of the ground-water supply: Am. Geophys. Union Trans. (22d. Ann. Mt.) Pt. IA, p. 8-18. Fig. 2, 1: 625,000.
35-1 35-2	35-3	37-8	38-7	39-5	40-9	41 - 14
Tolman, C. F., 1931, Geology of upper San Francisco Bay region with special reference to a salt water barrier below confluence of Sacra- mento and San Joaquin Rivers: Cali- fornia Div. Water Resources Bull, 28, Appendix D, p. 309-359, Pl.D-9,	in San Joaquin River alifornia Div. Water Re- ull. 29, Appendix C. (b) : 125,000, (d) pl. C-5 (2	ny- ra 8,	uctural survey of, south of Mariposa, . Sci. 5th ser., Fig.1, 1: 62,500.		July P. F.1. 3. 1. 300,000. Jenkins, O. P., 1933, Guidebook 16: Excursion C-1, Middle California and Western Nevada: International Geological Congress XVI Session, 116 p. Pl. 7, 1: 375,000 and fig.14, 1: 250,000. Cloos, E., 1931, Der Sierra Nevada Pluton: Geol. Rundschau, Band 22, Heft 6, n. 372-384, Tafel 2, 1: 250,000.	
31-12	31-14	32-7	32-11		33-12	34-6




Osuje E G and Tourings O W	Davis, F. F., and Jennings, C. W., 1954, Mines and mineral resources of Santa Clara County, California:	California Jour. Mines and Geology, v. 50, no. 2, p. 321-430. (a) Pl. 2, l: 125,000. (c) fig. 14, l: 37,000.	Clark, W. B., 1955, Mines and mineral resources of San Joaquin County,	California: California Jour. Mines and Geology, v. 51, no. 1, p. 21-95. Pl. 1, 1: 250.000.	Swinney, C. M., 1955, Geology and mineral deposits of the Angels Camp and Sonora quadrangles,	Calaveras and Tuolumne Counties, California: California Div. Mines	1: 24.000. Savage, D. E., 1955, Nonmarine lower Pliocene sediments in California	A geochronologic-stratigraphic classification: Univ. of Calif. Pubs.	California Div. of Water Resources,	1955, Quality of ground water in the Stockton area, San Joaquin	County: Quality of Water Investigations, Rept. 7. Pl. 3, 1: 84,500. Geol. Soc. America, 1955, Geologic	guide to the Sonoma-Petaluma area with special reference to the Ter-	t iary volcanic rocks and the glau- cophane schists, Trip 1; Geologic	guide to a strip between Oakland and Mt. Diablo with special refer-	ence to the Tertiary nonmarine strationaphy. Trip 2: Geol. Soc.	America Condilleran Sec. annual	1: 250,000.	Calif. Div. of Water Resources, 1955, Geology Appendix H of: Report to	the Water Project Authority on feasibility of construction of bar-	riers in the San Francisco Bay system. Pl. 2. 1: 125.000.	Calif. State Water Resources Board, 1955, Santa Clara Valley Investi-	gation: California Staté Water Resources Board Bull. 7, Pl. C-1,	1: 156,680. Calif. Div. of Water Resources, 1956,	Investigation of the Sacramento-San Toaquin Delta: Report #1.	Ground Water Geology. Pl. 1,	Scott, D. P., 1956, Interim report	cower San Joaquin Valley water quality investigation: California	Div. Water Resources Planning, Water Quality Investigations, Pl. B, 1: 250,000.
54-77	1-40		55-1	55-2	<b>1</b>		55-6		55-7		55-9						:	55-13			55-15		9-95			56-32		
BIBLIOGRAPHY	Bodenlos, A. J., 1950, Geology of the Red Mountain magnesite district,	Santa Clara and Stanislaus Courties, Calif.: California Jour. Mines and Geology, v. 46, no. 2, p. 223-278.	Pl. 38, 1: 24,000. Trask, P. D., and others, 1950, Geolo-	gic description of the manganese deposits of Calif.: California Div. Mines Bull, 152, 378 p. (b) Pl 4, 1: 24,000.	Reiche, P., 1950, Geology of part of the Delta-Mendota Canal near Tracy, Calif.: California Div. Mines Spec-	<pre>ial Rept. 2, 12 p. (a) Fig. 2,1:60,000, (b) fig. 5, 1: 3,600. Bedford, R. H., and Ricker, S., 1950.</pre>	Investigation of Guadalupe mercury mine, Santa Clara County, Calif.: U. S. Bur. Mines Rept. Investig.	4682, 9 p. Fig. 2, 1: 6,000. Crittenden, M. D., Jr., 1951, Geology	area, California: California Div. Mines Bull. 157, 74 p. (a) Pl. 1,	1: 62,500; (b) fig. 13, 1: 7,500; (c) fig. 14, 1: 20,400.	Payne, M. D., 1951, 1ype Moreno formation, and overlying Eocene strata on the west side of the San Joaquin	Valley, Fresno and Merced counties, California: California Div. Mines	Special Rept. 9, 29 p. (a) Pl. 1, 1: 125,000,	Bowen, O. E., Jr., and Crippen, R. A., Jr., 1951, Geologic map of the San	Francisco Bay region: in California Div. Mines Bull, 154; Geologic	Guidebook of the San Francisco Bay	174. Fig. 1, 1: 437,500.	Davis, F. F., and Carlson, D. W., 1952, Mines and mineral resources of	Merced County: California Jour. Mines and Geology, v. 48, no. 3,	p. 207-251. Pl. 12, 1: 187,500. Walker, G. W., and Grigos, A. B., 1953.	Chromite deposits of the Southern Coast Ranges of California, in	Chromite in California: California Div. Mines Bull. 134, Pt. 11, Chpt.	11, p. 39-88. (b) Pl. 8, 1:24,000. Calif. State Water Resources Board,	1953, Santa CruzMonterey counties	1: 125,000.	Hoots, H. W., et al., 1954, Geological summary of the San Joaquin Valley,	California: California Div. Mines Bull. 170, chpt. 11, contr. 8. Pl. 5,	1: 250,000.
	50-4		9-09		50-17	50-24		51-5		:	51-18			51-29			t c	2-7-		53-16			53-19			54-27		
		Mines Bull, 140, 75 p. Pl. 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	,	1: 125,000.  Cater, F. W., Jr., 1948, Chromite deposits of Tuolumne and Mariposa Counties, Callf.: California Div.	[-32. 00. nc		eposits of Cop- County, Calif.: Bull. 144, p.93-	J(	copperpons, caraveras county, Calif.: Econ. Geology, v. 2, p. 380- 417. Pl. 7, 1: 12,000.	zinc-copper mines a, Calaveras	lines 1,400, 80.	Cox, M. W., and Wyant, D. G., 1948, I.a Victoria conner mine Maringa	County, Calif.: California Div Mires	. 1	Blue Moon area, Mariposa County,	Calif.: California Div. Mines Bull. 144, p. 133-150. Pl. 50, 1; 3,600.	Heyl, G. R., and Wiese, J. H., 1949, Geology of limestone near Sonora,	ia	no. 4, p. 509-513. Pl. 24, 1:15,000.		quadiangre: Camponia Div. Mines Bull. 145 (text unprepared). Pl. 1, 1. 62 500	Am. Assoc. Petroleum Geologists, 1950. North Mount Diablo monocline		Econ. Paleo, and Min. annual spring		1951, Genozoic correlation section from northside Mt. Diablo to east-	side Sacramento Valley, California: Pacific Section Am. Assoc. Petro-	leum Geologists. Index map, 1: 126,720.
	1948-23	48-24		48-25	48-27		48-33			48-34		48-35		48-36			49-10		49=18	2		50-2						



English, W. A., 1921, Geology and petroleum resources of northwestern Kern County, Califr. U. S. Geol. Survey Bull, 721, 48 p. Pl. 1, 1:125,000. Taff., J. A., 1933. Geology of McKittrick oil field and vicinity, Kern County,	Calif.: Am. Assoc. Petroleum Geologists Bull., v. 17, no. 1, p. 1-15. (a) Fig. 1, 1: 625,000. Clark, B. L., 1929, Tectonics of the Valle Grande of Calif.: Am. Assoc. Petroleum Geologists Bull., v. 13, no. 3, p. 199-238. (a) Fig. 3, 1:625000.	Š	Clark, B. L., 1935, Tectonics of the Mount Diablo and Coalinga areas, middle Coast Ranges of Calif.: Geol. Soc. America Bull., v. 46, no. 7, p. 1025-1078. (b) Pl. 89, l. 250,000. Clark, B. L., 1929, Tectonics of the Valle Grande of Calif.: Am. Assoc. Petroleum Geologists Bull., v. 13, no. 3, p. 199-238. (b) Fig. 4, l: 62,500.	
33-7		33 - 8	35-2	
	Ano	Mc Dil		
10-2	14 - 12	15-1	18-2	
Eldridge, G. H., 1901, The asphalt and bituminous rock deposits of the United States: U. S. Geol. Survey Ann, Rept., pt. 1, p. 209-452. (a) Pl. 50, 1: 62,500. Newsom, J. F., 1903, Clastic dikes:	Fairbanks. H. W., 1904, Description of the San Luis quadrangle: U. S. Geol. Survey Geol. Folio 101, 14 p. Map 1: 125,000.	minitera from the Monterey shale. California, with a few species from the Tejon formation: U.S. Geol. Survey Bull. 268, 78 p. Fig. 1, 1: 62,500.	Arnold, R., and Anderson, R., 1910, Geology and oil resources of the Coalinga district, Calif.: U. S. Geol. Survey Bull. 398, 354 p. (a) Pl. 1, I. 125,000. Arnold, R., and Anderson, R., 1908, Preliminary report on the Coalinga oil district, Fresno and Kings Counties. Calif.: U. S. Geol. Survey Bull. 357, 142 p. (a) Pl. 1, 1:125,000. Von Estorff. F. E., 1930, Kreyenhagen shale at type locality, Fresno Courty, Calif.: Am. Assoc. Petroleum Geologists Bull., v. 14, no. 10, p. 1321-	1330. (4/ 18.1, 1.313,000.
1901-2	04-1		10-1	



51-13 Oakeshott, G. B., 1951, Guide to the geology of Pfeiffer-Big Sur State Park, Monterey County, California: California Div. Mines Special Rept. II, 16 p. (a) Fig. I, 1: 500,000.	51-33 Worts, G. F., Jr., 1951, Geology and groundwater resources of the Santa Maria Valley area, Calif.: U. S. Geol. Survey Water Supply Paper	53-14 Jennings, C. W., 1953, Mines and mineral resources of Kings County, California: California Jour. Mines and Geol., v. 49, no. 3,p. 273-296. Pl. 4, 1187,500. 53-16 Walker, G. W., and Griggs, A.B., 1953, Chromite deposits of the Southern	Coast Ranges of California in Chromite in California: California Div. Mines Bull. 134, Pt. 11, Chpt. 11, p. 39-88. (a) Pl. 7, 1: 480, (c)pl.4, 1: 316,800, (d) pl. 3, 1: 316,800. 54-27 Hoots, H. W., et al., 1954, Geological summary of the San Joaquin Valley,	California: California Div. Mines Bull. 170, chpt. II, contr. 8. Pl. 5, 1: 250,000. 54-41 Schwade, I. T., 1954, Geology of Cuyama Valley and adjacent ranges, San Luis Obispo, Santa Barbara, Kern, and Ventura counties: California Div.	Mines Bull. 170. Map sheet no. 1, 1: 187,500. Dibblee, T. W., Jr., and Schwade.l.T., 1952, Guidebook, field trip routes, oil fields geology: Am. Assoc. Petroleum Geologists Bull., Soc. Econ. Paleo. and Min. and SEPM joint annual meeting Los Angeles, California, 1657, Man. 138,000.	55-10 Am. Assoc. Petroleum Geologists, 1955, Devils DenMcLure Valley area: Am. Assoc. Petroleum Geologists Soc. Econ. Paleo. and Min. spring field trip. Pl. 4, 1: 48,000. 55-27 Easton, W. H., and Imlay, R. W., 1955, Upper Jurassic fossil localities in Franciscan and Knoxville formations in southern California: Am. Assoc.	Petroleum Geologists Bull., v. 39, no. 11, p. 2336-2340. Fig. 1, 1:48,000. * 55-29 Kundert, C. J., 1955, Geologic map of California San Luis Obispo Sheet:
Van Pag	of the bituminous sandstone deposits near Edna, San Luis Obispo County, Calif.: U.S. Geol. Survey Oil and Gas Prelim. Map 16. (a) Fig. 1, 1: 24,000. (b) fig. 3, 1: 6,000.		SB				
Reed, R. D., and Hollister, J. S., 1936, Structural evolution of southern California: Am. Assoc. Petroleum Geologists Bull. v. 20, no. 12, p.1529- 1692. (b) Pl. 1, 1: 500,000.	Woodring, W. P., Stewart, R., and Richards, R. W., 1940, Geology of the Kettleman Hills oil field, Calif.: U. S. Geol. Survey Prof. Paper 195, 170 p. Pl. 3. 1; 31,880.	Eckel, F. B., Yates, R. G., and Granger, A. E., 1941, Quicksilver deposits in San Luis Obispo County and south- western Monterey County, Calif.: U.S. Geol, Survey Bull, 922-R, p. 515-580. (a) Pl. 78, l. 31,680, (b) pl. 85, l. 31,680, with larger scale	Bradley, W. W., 1918, Quicksilver resolutes of Calif.: California Div. Mines Bull. 78, 389 p. (a) Pl. 15, 1: 63,360. Forstner. W., 1903, The quicksilver resources of Calif.: California Div. Mincs Bull. 27, 273, (a) Man.	Forbes, H., 1941, Geology of the San Joaquin Valley as related to the source and the occurrence of the ground-water supply: Am. Geophys. Union Trans. (22d. Amn. Mtg.) Pt. 1-A B. B. 18 F. 1. 655, 600			1: 125,000. Taliaferro, N. L., 1943, Bradley-San Miguel district: California Div. Mines Bull, 118, p. 456-462, Fig. 189,
1936-2	40-2	41-2		41-14	42-4	43-15	43-29



1857-1	Blake, W. P., 1857, Geological report (Williamson's reconnaissance in California). U. S. Pacific railroad exploration: U. S. 33rd Cong., 2d	14-3	Gale, H. S., 1914, Late developments of magnesite deposits in California and Nevada: U. S. Geol. Survey Bull. 540, p. 483-520. (d) Fig. 54,1: 13,500.	22-4	Vaughan, F. E., 1922, Geology of the San Bernardino Mountains north of San Gorgonio Pass: California Univ Dept. Geol. Sci., Bull., v. 13, no. 9,
	sess., S. Ex. Doc. 78 and H. Ex. Doc. 91, v. 5, pt. 2, 370 p. (b) Map 4, 1. 1500 000.	14 - 8	Kew, W. S. W., 1914, Tertlary echinoids of the Carrizo Creek region in the Colorado Desert: California Univ.	23-2	p. 319-411. Map p. 411, 1: 125,000. Brown, J. S., 1922, Fault features of Salton Basin, Calif.: Jour. Geology,
71-1	Guillemin-Tarayre, E., 1871, Description des anciennes possessions	14-10	Dept. Geol. Sci. Bull., v. 8, p. 39-60. Map p. 41, 1: 1,000,000. Dickerson, R. E., 1914. The Martinez		v. 30, no. 3,p. 217-226. Pl. 1,1:875,000. Brown, J. S., 1923, The Salton Sea re- gion, California; a geographic, geo-
	entifique au Mexique et dans 1'Am - erique Centrale, Geologie pt. 2, 216 pt. (b) Pl. 15, 1: 1,000,000.	-	and Tejon Eocene and associated formations of the Santa Ana Mountains: California Univ. Dept. Geol.		logic, and hydrologic reconnaissance, with a guide to desert watering places: U. S. Geol. Survey Water-Supply
86-1	Hanks, H. G., 1886, San Diego County: California Min. Bur. 6th Ann. Rept. pt. 1, p. 80-90. Map, 1: 375,000.		Sci. Bull., v. 8, p. 257-274. Pl. 26, 1: 125,000. Packard, E. L., 1916, Faunal studies in	25-8	Woodford, A. O., 1925, The San Onofre breceig its nature and origin: Cali-
93-3	Fairbanks, H. W., 1893, Geology of San Diego County; also of portions of Orange and San Bernardino Courties: California Min. Bur. 11th Ann. Rept., p. 76-120. Map, 1: 375,000.	15-1	the Cretaceous of the Santa Ana Mountains of southern Calif.: Cali- fornia Univ. Dept. Geol. Sci. Bull., v. 9, p. 137-159. Map p. 140, 1:125,000 McLaughlin, R. P., and Waring, C. A.,	79-97	rorna div.v. bept. 020. 50. 15. 15. 15. 16. 23, 1. 375,000, (b) pl. 24, 1: 42,240, (c) pl. 35, 1: 62,500. English, W. A., 1926, Geology and oil
97-4	Smith, W.S.T., 1897, The geology of Santa Catalina Island: California Acad. Sci. Proc., 3rd Ser., v. 1,	17-5	1915, Petroleum industry of Calif:: California Min. Bur. Bull. 69, 519 p. (a) Pl. 2, l. 125,000. Waring, G. A., and Waring, C. A., 1917,	28-8	resources of the Fuence this region, southern Calif.: U. S. Geol. Survey Bull. 768, 110 p. Pl. 1, 1: 62,500.  Post, W. S., 1928, Santa Ana investiga-
	Woodford, A. O., 1924, The Catalina metamorphic facies of the Franciscan series; California Univ. Dept.		Lavas of Morro Hill and vicinity, southern Calif.: Am. Jour. Sci., 44th ser., v. 44, p. 98-104. Fig. 2, 1: 36.000.		tion, flood control and conservation: California Div. Engr. and Irrigation Bull. 19, 367 p. (a) Map 14, 1: 250,000, (b) pl. 22, 1: 24,000.
	Geol. Sci. Bull., v. 15, no. 3, p.49-00.  (b) Fig. 1, 11, 1,500,000.  Woodford, A. O., 1925, The San Onofre breccia, its nature and origin: California Univ. Dept. Geol. Sci. Bull.,	19-1	Waring, G. A., 1919, Ground water in the San Jacinto and Temecula Basins, Calif.: U. S. Geol. Survey Water- Supply Paper 429, 113 p. Pl. 3, 1: 125,000.	31-6	Fraser, D. M., 1931, Geology of San Jacinto quadrangle south of San Gor- gonio Pass, Calif.: Mining in Cali- fornia, v. 27, no. 4, p. 494-540. Map p. 540, 1: 125,000.
01-1	v. 15, no. (, p. 159-280. (b) Fig. 2, 1:1,500,000. Watts, W. L., 1901. Oil and gas yielding formations of California California Min. Bur. Bull. 19, 236 p. Fig. A, 1:160,000, fig. b, 1: 62,500 and fig. F,	19-2	Ellis, A. J., and Lee, C. H., 1919, Geology and ground waters of the western part of San Diego County, Calif.: U. S. Geol. Survey Water-Supply Paper 446, 321 p. Pl. 3, 1; 250,000. Hinden F. S. 1922. Geology of the		Sampson, R. J., 1932, Economic mineral deposits of the San Jacinto quadrange: Mining in California, v. 28, no. 1, p. 3-11. Map in pocket, 1: 125,000.
07-2	1: 187,500. Eldridge, G. H., and Arnold, R., 1907, The Santa Clara Valley, Puente Hills, and Los Angeles oil districts, southern Calif.: U. S. Geol. Survey Bull. 309, 266 p. (b) Pl. 10, 1: 62,500.	1	Cuyamaca region of California, with special reference to the origin of the nickeliferous pyrrhotite: California Univ. Dept. Geol. Sci. Bull., v. 13, no. 6, p. 175-252. Map p. 182,1:62,500.		

34000

38-2


116000

33-2


34-52


36-26

35-140




	Page, L. R., and Thayer, T. P., 1945, Tin deposits of the Temescal dis- trict, Riverside County, Calif.: U.S. Geol. Survey Open file report. Fig.2, 1: 31,680. Also more detailed maps. Poland, J. F., and others, 1945, Geologic features in the coast zone of the Long Beach-Santa Ana area, with	particular respect to grants when conditions: U. S. Geol. Survey Open file report. Pl. 704, l. 48,000.  Poland, J. F., and other s., 1956, Ground-water geology of the coastal zone, Long Beach-Santa Ana area, Calif.: U. S. Geol. Survey Water Supply Paper 1109, 162 p. Pl. 3, l.: 31,680.  Creasey, S. C., 1946, Geology and nickel mineralization of the Julian-Cuyamaca area, San Diego County, Calif.: California Jour. Mines and Geology, v. 42, no. 1, p. 15-29. (a) Pl. 2, l. 24,000, (b) pl. 3, l.: 9,600 (also mine map).  Merriam, R. H., 1946, Igneous and metamorphic rocks of the southwestern	Sta	La	no. 6, p. 483-494. Fig.l, I: 625,000.  7 Merriam, R. H., 1948, Orbicular structures in aplite dikes near Ramona, Callf.: Am. Jour. Sci., v. 246, no. 3, p. 129-137. Fig. 2, 1: 20,000.
	45-9	46-2	46-8	48 - 3	48-17
BIBLIOGRAPHI	Reed, R. D., and Hollister, J. S., 1936, Structural evolution of southern California: Am. Assoc. Petroleum Geologists Bull. v. 20, no. 12, p. 1529-1692. (a) Fig. 45, 1: 87,500, (b) pl. 1, 1: 500,000. Miller, F. S., 1937, Petrology of the San Marcos gabbro, southern Calif.:	Geol. Soc. America Bull., v. 48, no. 10, p. 1937-1425. Fig. 2, l;400,000. Miller, W. J. 1938. Pre-Cambrian and associated rocks near Twenty-nine Palms, Calif.: Geol. Soc. America, v. 49, no. 3, p. 417-446. Fig. 1, l: 187,680. Osborn, E. F., 1939, Structural petrology of the Val Verde tonalite, south-rn Calif.: Geol. Soc. America Bull., v. 50, no. 6, p. 921-950. Fig. 2, l: 150,000. Merriam, R. H., 1941, A southern Calification, v. 239, no. 5, p. 365-371. Fig. 2, l: 125,000.	Murdoch, J., and Webb, Kr. W., 1942, Notes on some minerals from Southern California, Pt. 2. Am. Mineralogist, v. 27, no. 4, p. 323- 330, Fig. 2, l. 25,000. Dudlay, P. H., 1943, East Coyote area of the Coyote Hills oil field: Californ a Div. Mines Bull, 118, p.349- 354, Fig. 146, l. 40,000. Popence, W. P., 1943 Cretaceous formations of the northern Santa Am Mountains: California Div. Mines	Bull. 118, p. 364-360, Fig. 151, 11. 110,000. Woodford, A. O., Shelton, J.S., and Moran, T. G., 1944, Geology and oil possibi- lities of Puente and San Jose Hills, Calif.: U. S. Geol. Survey Oil and Gas Prelim. Map 23. Map. 1: 62,500. Woodford, A. O., Moran, T. G., and Shelton. J. S., 1946, Miocene con- glome rates of Puente and San Jose Hills, Calif.: Am. Assoc.Petroleum Geologists Bull., v. 30, no. 4, p. 514-	560. Fig. 2, 1: 120,000.  Durrell, C., and Bell, G. L., 1944, Calcite mines in northeastern San Diego County, Calif.: U. S. Geol. Survey Prelim. map. Map, 1: 240. Miller, W. J., 1944, Geology of Palm Springs-Blythe Strip, Riverside County, Calif.: California Jour. Mires and Geology, v. 40, no. 1, p. 11-72. Pls. 1-4, 1: 187,500.
	36-2	38-2 39-2 41-10	43-12	44 - 3 6 - 4	44-7
	Orange County Board of Engineers, 1932, Geological report on Arroyo Trabuco and Aliso Creek dam and reservoir sites: Engineering and geological reports for flood control and conservation project of Orange County Flood Control District, Appendix E, p.78-80. (a) Pl. 35, 1: 2,400, (b) pl. 36, 1:2,100.	Gale, H. S., 1932, Guidebook 15: Excursion C-1, Southern California: International Geological Congress XVI Session, 68 p. (b) Pl. 6, 1: 500,000. Gale, H. S., 1934, Geology of Huntington Beach oil fiteld, Calif.: Am. Asáoc. Petroleum Geologists Bull., v. 18, no. 3, p. 327-342. (b) Fig. 1, 1: 500,000. Eaton, J. E., 1926, A contribution to the geology of Los Angeles Basin, Calif.: Am. Assoc. Petroleum Geologists Bull., v. 10, no. 8, p. 753-767. (b) Fig. 1, 1625,000.	Darton N. H., 1933, Guidebook of the western United States, Part F. the Southern Pacific Lines New Orleans to Los Angeles: U. S. Geol. Survey Bull. 845, 304 p. Sheets 26, 27, 28 and 29, 1: 500,000.  Donnelly, M., 1934, Geology and mineral deposits of the Julian district, San Diego County Calif.: California Jour. Mines andnGeology, v. 30, n. d. n. 31, 370, pl. 4, 1: 62,500.	Eckis, R., 1934, South Coastal Basin investigation; Geology and ground-water storage capacity of valley fill: California Div Water Resources Bull 45, 279 p. Pls. A, B, and C, I: 142,560.  Hurlbut, C. S., Jr., 1935, Dark inclusions in a tonalite of southern California: Am. Mineralogist, v. 20, no. 9, p. 609-630. Map p. 619, I: 250,000.	budley, F. H., 1923, Guology of a portion of the Peris Block, southern Calif.: California Jour, Mines and Geology, v. 31, no. 4, p. 487–506.  Map p. 506, 1: 160,000.
	1932-1	32-14	33-2	34-5	χ 1 1,0 1,0 1,0 1,0 1,0 1,0 1,0 1,0 1,0 1





Andrews, P. 1936, Geology of the Pin- nacles National Monument: Cali- fornia Univ. Dept. Geol. Sci. Bull., v 24 no. 1 n. 1-38 Mar. 1 131 680	Reiche, P., 1936, Geology of the Lucia quadrangle, Calif.: California Univ. Dept. Geol. Sci. Bull., v. 24, no. 7, p. 115-168. Map p. 168,	Henny, Gr., 1938, Coalinga Eocene production: California Oil World, v. 31, no. 10, p. 3-7. Map p. 6, 1: 160,000.	Woodring, W. P., Stewart, R., and Richards, R. W., 1940, Geology of the Kettleman Hills oil field, Calif.: U. S. Geol. Survey Prof. Paper 195, 170 p. Pl. 3, 1: 31,680.	Menken, F. A., 1940, Eocene exploration in California: Am. Assoc. Petroleum Geologists Bull., no. 11 p. 1940-1949. Fig. 2, 1: 250,000. Jones, G. H., 1940, Hydrology of valey area adjacent to the upper San Joa-	quin River: Am. Geophys. Union Trans., 1940, Pt. 1, p. 57-78. Fig. 2, 1: 500,000. Forbes, H., 1941, Geology of the San Joaquin Valley as related to the source and the occurrence of the ground-water supply: Am. Geophys. Union Trans. (22d. Ann. Mrg.) Pt.	1-A, p. 8-18. Fig. 2, 1: 625,000. Bailey, E. H and Myers, W. B., 1942, Quicksilver and antimony deposits of the Stayton district, Calif.: U.S. Geol. Survey Bull, 931-Q, p. 405- 434. Pl. 64, 1: 24,000. Forstner, W., 1903, The quicksilver	Min. Bur. Bull. 27, 273 p. Map p. 128, 11, 62,500. Bradley, W. W., 1918, Quicksilver re- sources of California: California Min. Bur. Bull. 78, 389 p. Pl. 13, 11, 62,500.	Div. Mines Bull. 147, p. 1-35, Pl. 8, l. 24,000. Wilson, I. F., 1943, Geology of the San Benito quadrangle, Calif.: California Div. Mines and Geology, v. 39, no. 2, p. 183-270. Pl. 3, l. 62,500.	Thorup, R. R., 1943, Type locality of the Vaqueros formation: California Div. Mines Bull. 118, p. 463-466. Fig. 190, I: 62,500. Schombel, L. F., 1943, Soledad quadrangle: California Div. Mines Bull.118 p. 467-470. Fig. 194, I: 125,000.	Schenck. H. Cr., 1945, Acita princeps, a new Upper Crete <u>ceous pelecypod</u> from Calif.: Jour. Paleontology, v. 17, no. 1, p. 60-68. Fig. 1,1:48,000.
36-3	36-8	38-8	40-2	40-11	41-14	42-1		43-11	43-30	43-45
Bradley, W. W., 1918, Quicksilver resources of California: California Min. Burr. Bull. 78, 389 p. (a) Pl.	Bradley, W. W., and Logan, C. A., 1919. San Benito County: California Min. Bur. Rept. 15, p. 616-673 or 22-79, (a) Pl. 2, 1: 125,000.	Clark W. U., 1944, Ground water in Santa Clara Valley, Calif.: U.S. Geol. Survey Water-Supply Paper 519, 209 p. Pls. 10, 12, 14, 16, and 18, 1, 125,000.	Kerr, P. F., and Schenck, H. G., 1925, Active thrust faults in San Benito County, Calif.: Geol. Soc. America Bull., v. 36, no. 3, p. 465-494. Fig. 3, 1: 250,000.	Trask, P. D., 1926, Geology of Point Sur quadrangle, Calif.: Californa Univ. Dept. Geol. Sci. Bull., v.16, no. 6, p. 119-186. Map p. 186, 1: 62.500. Henny, G., 1930, McLure shale of the	Coalinga region, Fresno and Kings Counties, Calif.: Am. Assoc. Per- roleum Geologists Bull., v. 14, no. 4, p. 403-410. Fig. 3,1:125,000. Nomland, J. O., and Schenck, H. G., 1932, Cretaceous beds at Slate's Hot Springs, Calif.: California Univ. Dept. Geol. Sci. Bull., v. 21,	no. 4, p. 37-49. Fig. 2, l: 375,000. Galliher, E. W., 1932, Geology and physical properties of building stone from Garmel Valley, Galif.: Mining in California, v. 28, no. 1, p, 44-41. Pl. 2, l: 48,000. Gester, G. C., and Galloway, Jr., 1933,	Geology of Kettleman Hills oil field, Calif.: Am. Assoc. Petroleum Geologists Bull., v. 17, no.10, p. 1161-1193. Fig. 2, 11 400,000.  Clark, B. L., 1935, Tectonics of the Mount Diablo and Coalinga areas, middle Coast Ranges of Calif.:	no. 7, p. 1025-1078. (b) Pl. 89, 11. 250,000. Clark, B. L., 1929, Tectonics of the Valle Grande of Califi: Am.Assoc. Petroleum Geologists Bull., v.13, no. 3, p. 199-238. (b) Fig. 4, 11. 625,000. Atwill, E. R., 1935, Oligocene Tumey	formation of Calif.: Am. Assoc. Petroleum Geologists Bull., v.19, no. 8, p. 1192-1204. Fig. 2, 1: 125,000. Zimmerman, J., 1944, Tumey sand- stone (Tertiary), Fresno County, Calif.: Am. Assoc. Petroleum	Geologists Bull., v. 28, no. ', p. 953-976. Fig. 2, 1: 500,000. Reed, R. Do., and Hollister, J. S.,1936, Structural Evolution of southern California: Am. Assoc. Petroleum Geologists, Bull. v. 20, no. 12, p. 1529-1692. (b) Pl. 1, 1: 500,000.
18-4	,	1-47	25-2	30-6	32-12	32-15	35-2	35-10		36-2
Lawson, A. C., 1893, The geology of Carmelo Bay: California Univ. Dept. Geol. Sci. Bull., v. 1, p.1-59.	Newson, J. F., 1903, Clastic dikes: Geol. Soc. America Bull., v. 14, p. 227-268. (b) Fig. 4, 1: 125,000. Branner, J. C., Newsom, J. F., and	Arnola, K., 1909, Description of the Santa Gruz quadrangle, Calif.: U.S. Geol. Survey Geol. Folio 163, Il p. Map. 1: 125,000. Arnold, R., and Anderson, R., 1910,	Geology and oil resources of the Coalinga district, Calif.: U.S. Geol. Survey Bull. 398, 354 p. (a) Pl. 1, 1: 125,000, (b) pl. 15, 1: 24,000.	Arnold, R., and Anderson, R., 1908, Preliminary report on the Coalings oil district, Fresno and King Counties. Calif.: U.S. Geol. Survey Bull. 357, 142 p. (a) Pl. 1, 1: 125,000.	Von Estorff, F. E., 1930, Kreyenhagen shale at type locality, Fresno County, Calif.: Am. Assoc. Petroleum Geologists Bull., v. 14, no. 10. p. 1321-1336. (a) Fig. 1,1:375,000. Jones, W. F., 1911. The geology of the Sargent cil field: California Univ. Dont, Geol. Soc. Bull., v. 6, p. 55-	78. Pl. 18, 1: 15,000. Michelin. J., 1943, Sargent oil field: California Div. Mines Bull. 118, p. 475-476. Fig. 200, 1: 36,000. Gale, H. S., 1914, Late developments of magnesite deposits in California and Nevada: U. S. Geol.	(c) Fig. 49, 1: 62,500.  Pack, R. W., and English, W. A.,1914, Geology and oil prospects in Waltham. Priest, Bitterwater, and Peachtree Valleys, Calif.: U. S. Geol. Survey Bull. 581, p. 119-160.	McLaughin, R. P., and Waring, C.A., 1915, Petroleum industry of Calif.: California Min. Bur. Bull. 69, 519 p. (c) Pls. 4 and 5, 1: 125,000, (d) fig. 78. 1: 187,500. Anderson, R., and Pack, R. W., 1915, Geology and oil resources of the west border of the San Joaquin	Valley north of Coalinga, Calif.: U. S. Geol. Survey Bull. 603, 220 p. Pls. 1 and 14, 1: 125,000. Diller, J. S., and others, 1915, Guidebler, J. S., and others, 1915, Guideblook of the western United States: Part D. The Shasta route and coast line: U. S. Geol. Survey Bull. 614,	142 p. Map, 1: 500,000.  English, W. A., 1918, Geology and oil prospects of the Salinas Valley- Parkfield area, Calif: U.S. Geol. Survey Bull. 691, p. 219-250. (a) Pl. 27, 1: 125,000.
893-2	03-2	10-1			11-3	14 3	14-13	15-1	15-5	18-2




44-15

1944-4


Schoellhamer, J. E., and Kinney, D.M., 1953, Geology of portions of Turrey and Panoche Hills, Fresno Couty, California: U. S. Geol. Survey Oil and Gas Investigation 128.  Map 1: 24,000.  Briggs, L. I., Jr., 1953, Geology of the Ortigalita Leak quadrangle, California Div. Mines California Div. Mines California Div. Allos Engl. 1957, Engl. 19	bull. 167, 61 p. (a) 171, 1;62,500, (b) pl. 4, 1: 32,500. Jennings, C. W., 1953, Mines and mineral resources of Kings County, California: California Jour. Mines and Geol., v. 49, no. 3, p. 273-296. pl. 4, 1: 187,500. Walker, G. W., and Griggs, A. B., 1953, Chromite deposits of the southern coast ranges of California in Chromite in California: California Liv. Mines Bull. 134, pt.II, chpt. II, p. 39-88. (d) Pl. 3, 1: 316,800 (peridotite).	California State Water Resources Board, 1953, Santa Cruz-Monterey Counties investigation: State of California Water Resources Board Bull. 5. Pl. B-4, 1: 125,000. Hoots H. W., et al., 1954, Geological surmary of the San Joaquin Val- ley, California: California Div. Mines Bull. 170, chpt. II, contr. 8. Pl. 5, 1: 250,000.	Davis, F. F., and Jennings, C. W., 1954, Mines and mineral resources of Santa Clara County, California: California Jour. Mines and Geobgy, v. 50, no. 2, p. 321-430. (a) Pl.2 1: 125,000, (b) fig. 13, 1: 54,000. Calif. State Water Resources Board, 1955, Santa Clara Valley Investi-	gation: Cathorina State water residences sources Board Bull. 7, Pl. C-1, 1: 156,680.  Scott, D. P. 1956, Interim report Lower San Joaquin Valley, water quality investigation: California Div. Water Resources Planning, Water Quality Investigations. Pl B, 1: 250,000.
53-11	53-14	53-19	54-77	56-3 <b>2</b>
Heyl. G. R., 1948, Foothill copper-zinc belt of the Sierra Nevada, Calif.: California Div. Mines Bull. 144, p. 11-30. Pl. 1, 11,500,000. Kilkenny, J. E., 1948, Geology and exploration for oil in Salinas Valley, Calif.: Am. Assoc. Petroleum Geologists Bull. v. 32, no. 12, p. 2254-2258. Fig. 1, 1; 500,000.	Leifn C. J., 1949, Geology of the Quien Sabe quadrangle, Calif.: California Div. Mines Bull. 147, p. 1-35. Pl. 1, 1: 62.500.  Taliaferro, N. L., 1949, Geology of the Hollister quadrangle: California Div. Mines Bull. 143 (text unprepared). Pl. 1. 1: 62.500.  Oakeshott, G. B., 1951, Guide to the geology of Pfeiffer-Big Sur State Park, Monterey County, California: California Div. Mines Special Rept. 11, 16 p. (a) Fig. 1, 1: 500,000, (b) pl. 1, 1: 9,600.	Israelsky, M.C., 1951, Foraminifera of the Lodoformation, Central California: U. S. Geol. Survey Prof. Paper 240-A. Fig. 2, I: 26,400. Payne, M.D., 1951, Type Morenoformation, and overlying Eocene strata on the west side of the San Joaquin Valley, Fresno and Merced counties, California: California: California Div. Mines Special Rept. 9, 29 p. (a) Pl. 1,	1: 125.000, (b) fig. 2, 1: 62,500, (c) fig. 4, 1: 36,000, (d) fig. 6,1: 36,000. Yoder, H.S., and Chesterman, C. W., 1951, Jadeite of San Benito County, California: California Div. Mines Special Rept. 10-G, 8 p. Fig. 2, 1: 10,000, fig. 3, 1: 20 and fig. 6, 1: 54.	Bowen, O. E. Jr., and Crippen, K.A. Jr., 1951, Geologic map of the San Francisco Bay region: in Cali- fornia Div. Mines Bull. 154: Geo- logic Guidebook of the San Fran- cisco Bay Counties: Part II, Chpt. 4, p. 161-174. Fig. 1, 1: 477,500. Davis. F. F., and Carlson, D. W., 1952, Mines and mineral resources of Merced County: California Jour. Mines and Geology, v. 48, no. 3, p. 207-251. Pl. 12, 1: 187,500.
48-27	49-17 49-17 51-13	51-16	51-22	52-7
Bramlette, M. N., and Daviess, S. N., 1944, Geology and oil possibilities of the Salinas Valley, Calif.: U. S Geol. Survey Oil and Gas. Prelim. Map 24. Map, 1: 125,000. Fiedler. W. M., 1944, Geology of the Jamesburg quadrangle, Morterey County, Calif.: California Jour.	pp. 1/7-250. F1. 9, 1: 62,500.  Page, B. M., et al., 1945, Geology of the bituminous sandstone deposits near Santa Cruz, Santa Cruz County, Calif.: U. S. Geol. Survey Oil and Gas Prelim. Map 27. (a) Fig. 4, 1: 3,600.  Yates, R. G., and Hilpert, L. S., 1945, Quicksilver deposits of central San Benito and northwestern Fresno Counties, Calif.: California Jour. Mines and Geology, v. 41, no. 1, p. 11-35. (a) Pl. 1, 1: 31,680, (b) pl. 2, 1: 2,400 (c) pl. 3, 1: 7,200,	(d) pl. 4, l: 6,000 Allen, T. E., 1946, Geology of the San Juan Bautista quadrangle, Calif.: California Div. Mines Bull. 133, p. 9-75. (a) Pl. 1, l: 62,500, (b) pl. 8, l: 24,000. Eckel. E. B., and Myers, W. B., 1946, Quicksilver deposits of the New Idria district, San Benito and Fresm Counties, Calif.: California Jour.	Mines and Cacology, V. 42, no. 2, pp. 81-124. (a) Pl. 8, 1: 48,000, (b) pl. 91: 20,000. Forstner, W. 1903, The quicksilver resources of California: Cali- fornia Min. Bur. Bull. 27, 273 p. (a) Map p. 126, 1: 62,500, (c) fig.44, 1: 14,400. Becker, G. F., 1888, Geology of the	quicks liver deposits of the Pacific slope, with an atlas: U.S. Geol.Survey Mon. 13, 486 p. (b) Sheet 6, l: 15,000.

46-11



Kelley, F.R., 1943, Eocene stratigraphy in western Santa Ynez Mountains, Santa Barbara County, California: Am. Assoc. Petroleum Geologists Bull., v. 27, no. 1, p. 1-19. Fig. W, 1:30,000.	Cross, R.K., 1943, East Cat Canyon area of the Cat Canyon oil field: California Div. Mines Bull. 118, p. 435-437 (a) Fig. 180, 1:48,000; (b) fig. 181, 1:48,000.	Woodring, W.P., et al, 1944, Geol- ogic map of Santa Maria district, Santa Barbara County, California: U.S. Geol. Survey Oli and Gas Prelim. Map 14.	Map, 1:24,000.  Woodring, W.P., Bramlette, M.N., and Lohman, K.E., 1943, Strati-	graphy and paleontology of Santa Maria district, California: Am. Assoc. Petroleum Geologists Bull., v. 27, no. 10, p. 1335-1360.	Williams, M.D., and Holmes, C.N., 1945, Geology of oil-impregnated diatomaceous rock near Casmalia, Santa Barbara County, California:	Woodring, W.P., Loofbourow, J.S., Jr., and Bramlette, M.N., 1945, Geology of Santa Rosa Hills - eastern Purisima Hills district, Santa Barbara County, California: U.S. Geol. Survey Oil and Gas Prelim. Map 26. Map, 1:48,000.
43-14	43-27	44-1			45-1	45-2
Kew, W.S.W., 1927, Geologic sketch of Santa Rosa Island, Santa Barbara County, California: Geol. Soc. America Bull., v. 38, no. 4, p. 645-653. Fig. 1, 1:100,000.	Bemmer, C. St. J., 1933, Geology of San Miguel Island, Santa Barbara County, California: Santa Barbara Mus. Nat. History Occ. Papers 2, 23 p. Pl. 4, 1:31,680.	Reed, R.D., and Hollister, J.S., 1936, Structural evolution of southern California: Am. Assoc. Petroleum Geologists Bull. v. 20, no. 12, p. 1529-1692. (b) Pl. 1, 1:500,000.	Dolman, S.G., 1941, Capitan oil field: California Oil Fields, v. 24, no. 2, p. 15-26. Pl. 1, 1:20,000.	Frame, R.G., 1941, Santa Maria Valley oil field: California Oil Fields, v. 24, no. 2, p. 27-47, Pl. 2, 1:16,000.	Brown, G.F., and Upson, J.E., 1943, Water storage capacity of unconsolidated deposits beneath the Compoc Plain, Santa Barbara County: U.S. Geol. Survey Open file report. Pl. 1, 1:48,000.	Woollard, G.P., 1943, Transcontinental gravitational and magnetic profile of North America and its relation to geologic structure: Geol. Soc. America Bull., v. 54, no. 6, p. 747-789. Pl. 3, 1:2,187,500.
27-1	32-16	*36-2	41-12	41-13	43-7	* 4 E 0
Guillemin-Tarayre, E., 1871, Description des anciennes possessions mexicaines du nord: Mission Scientifique au Mexique et dans 1'Amerique Centrale, Geologie pt. 2, 216 p. (b) Pl. 15, 11,000,000.	Cooper, A.S., 1899, The genesis of petroleum and asphaltum in California: California Min. Bur. Bull. 16, p. 3-66. Fig. 19,1:96,000.	Eldridge, G. H., 1901, The asphalt and bituminous rock deposits of the United States: U.S. Geol. Survey Ann. Rept., pt. 1, p. 209-452. (b) Pl. 53, 1:142,560; (c) fig. 50, 1:28,800.	Arnold, R., and Anderson R., 1907, Geology and oil resources of the Santa Maria oil district, Santa Barbara County, California: U.S.	Geol. Survey Bull. 322, 161 p. Pl. 1. 1:125,000. Arnold, R., and Anderson, R., 1907,	Preliminary report on the Santa Maria oil district, Santa Barbara County, California: U.S. Geol. Survey Bull. 317, 60 p. Pl. 1, 1:125.000.	Diller, T.S., et al., 1915, Guidebook of the western United States; Part D, The Shasta route and coast line: U.S. Geol. Survey Bull. 614, 142 p. Sheets, 1:500,000.
1871-1	2-66	01-2	07-4			15-5

\*Geologic map covers the entire area of the index map sheet.



Ventura basin, Santa Barbara, Ventura, Bailey, T.L.;1954, Geology of the western

54-44

chpt. II, contr. 6. Pl. 4, 1:375,000.

Div. Mines Bull, 170. Map sheet no.4,

1: 375,000.

and Los Angeles Counties: California

California, Santa Maria Sheet: California Div. Mines. Map, 1:250,000.

Kundert, C.J., 1955, Geologic map of

\*55-31

>	
I	
<b>PH</b> √	_
<	C
α	2
C	)
4 C	)
-	
_	J
ā	1
-	-
a	1

54-18				
49-4 Redwine, L.E.,1949, Hollister Ranch, El	Bulito Canyon and vicinity of Refugian	type section, Santa Barbara County,	California: Soc. Econ. Paleo. and Min.	field trip. Map, 1:12,000.

Am. Assoc. Petroleum Geologists Bull.,

Bailey, T.L., 1947, Origin and migration

1947-6

of oil into Sespe red beds, California:

v. 31, no. 11, p. 1913-1935. Map p. 1915, 1:750,000, (Sespe outcrops).

Upson, J.E., and Thomasson, H.G., Jr., 1947, Geology and water resources of

47-9

the Santa Ynez River Basin, Santa

Gaviota quadrangles: California Div. Mines Bull. 150, 95 p. Pls. 1 and 2, southwestern Santa Barbara County, California; Point Arguello, Lompoc, Point Conception, Los Olivos, and 50-20

Worts, G.F., Jr., 1951, Geology and ground-water resources of the Emery, K.O., 1951, Continental shelf-southern California: Am. Assoc.
Petroleum Geologists Bull., v. 35,
no. 2, p. 249-252. Fig. 37, 1:1,750,000. 51-35

\*Geologic map covers the entire area of the index map sheet.

Wilson, E.J., 1954, Foraminifera from the Gaviota formation east of Gaviota Greek, California: Univ. of Calif. Pubs. in Geol. Sciences, v. 30, no. 2, p. 103-170. Fig. 1 and 2, 1:30,000.

Bailey, T.L., and Jahns, R.H., 1954,

54-26

Geology of the Transverse Range California Div. Mines Bull. 170, province, southern California:

Dibblee, T.W., Jr., 1950, Geology of

Barbara County, California: U.S. Geol. Survey Open file report. Pls. 503 and 504, 1:48,000.


Upson, J.E., and Thomasson, H.G., Jr.,

1951, Geology and water resources of

the Santa Ynez River Basin, Santa


Santa Maria Valley area, California: U.S. Geol. Survey Water-Supply Paper 1000, 169 p. Pl. 1, 1:63,360. 51-33

Barbara County, California: U.S. Geol. Survey Water Supply Paper 1107, 194 p. Pl. 2, 1:48,000, Pl. 3, 1:48,000.




>
I
0
d
<b>C</b>
9
0
8
=
8

	Anderson, C.A., and Russell, R.D., 1939, Tertiary formations of northern Sarramento Valley, California, Cal-	×	port: U. S. Geol. Survey Bull. 922-L, p. 327-353. (a) Pl. 47, l: 24,000, (b) pl. 48, l: 24,000, (c) pl. 49, l: 24,000, (d) pl. 50. l: 4,800. Bailey, E. H., 1946, Quicks ilver deposits of the western Mayacmas district, Sonoma County, California.	Jour. Mines and Geology. V. 42, no. 3, pp. 199-230. (a) Pl. 38, l: 2,160. Becker, G. F., 1888. Geology of the quicksilver deposits of the Pacific slope with an atlas: U. S. Geol. Survey Mon. 13, 486 p. (a) Pl. 5, l: 15,000. Forstner, W. 1903, The quicksilver resources of California.	Min. Bur. Bull. 27, 273 p. (a) Fig. 25, 1:10,000; (d) fig. 14, 1:9,600 Bradley, W.W., 1918, Quicksilver resources of California: California Min. Bur. Bull. 78, 389 p. (a) Pl. 10, 1:10,000; (d) pl. 9, 1:9,600.	Everhart, D.L., 1943, Sulphur Bank quicksilver mine, Lake County, California: U.S. Geol. Survey Prelim. map. (d) Map 1:2,400.  Everhart, D.L., 1946, Quicksilver deposits at the Sulphur Bank mine, Lake County, California: California Jour. Mines and Geology, v. 42, no. 2, p.			California Div. Mines Bull. 118, p. 601-605. Fig. 265, 1:250,000. Anderson, F.M., 1943, Berryessa Valley: Calif. Div. Mines Bull. 118, p. 616-618. Fig. 272, 1:84,480. Johnson, F.A., 1943, Petaluma region: Calif. Div. Mines Bull. 118, p. 622-627. Fig. 277, 1:250,000 and fig. 279, 1:45,000. Weaver, C.E., 1943, Point Arena-Fort Ross region: Cal. Div. Mines Bull. 118, p. 622-627.
0	39-3	40-22					41-14	43-35	43-39
	Dickerson, R.E., 1922, Tertiary and Quaternary history of the Petaluma, Point Roves and Santa Ross quad-	rangles, California Acad. Sci. Proc. 4th ser., v. 11, no. 19, p. 527-601. Pls. 17 and 18, 1:160,000. Bryan, K., 1923, Geology and ground-water resources of Sacramento	Valley, California: U.S. Geol. Survey Water-Supply Paper 495, Survey Pr. 3, 1:1,250,000. Bailey, T.L., 1930, The geology of the Potrero Hills and Vacaville region, Solano County, California: California Univ., Dept. Geol. Sci.	39, 1:93,750.  Tolman, C.F., 1931, Geology of upper San Francisco Bay region with special reference to a salt water barrier below confluence of Sacramento and San Joqquin Rivers: California Div. Water Resources	Bull. 28, Appendix D, p. 309-359. Pl. D-9, 180,000. Forbes, H., 1933, Geologic reports on dam sites in Sacramento River Basin: Calif. Dept. Pub. Works, Water Resources Div. Bull. 26, p. 479-514. (g)	P1. E-10, 1:142,500; (h) p1.E-11, 1:142,560. In 1:142,560. Jenkins, O.P., 1933, Guidebook 16: Excursion C-1, Middle California and western Nevada: International Geological Congress XVI Session, 116 p. P1. 3, 1:500,000. Eckel, E.C., 1933, Limestone deposits	of the San Francisco region: California Jour. Mines and Geology, v. 29, nos. 3 and 4, p. 348-361. Map p. 348, 1:500,000.  Anderson, F.M., 1933, Type area of Jurassic Knoxville series of California: Pan-Am. Geologist, v. 60, no. 3, p. 175-188. Pls. 10-11, 1:937,500.	Geological observations in the Petaluma district, California: Geol. Soc. America Bull., v. 46, no. 10, p. 1437–1456. Pl. 127, 1:31,680. Johnson, F.A., 1943, Petaluma Region, Geologic formations and economic development of the oil and gas fields of California: California Div. Mines Bull. 118, p. 622–627. Fig. 279,	1:46,000.  Anderson, C.A., 1936, Volcanic histry of the Clear Lake area: Geol. Soc. America Bull., v. 47, no. 5, p. 629-664. Pl. 2, 1:100,000.  8-7 Anderson F.M., 1938, Lower Cretacous deposits in California and Oregon: Geol. Soc. America Spec. Paper 16, 339 p. Pl. 84, 1:1,000,000.  *Geologic map covers the entire area of the index map sheet.
1	22-5	23-1	30-9	31-12	33-1	33-6	33-13	-	36-4 *38-7 *Geol
	Guillemin-Tarayre, E., 1871, Descrip- tion des anciennes possessions		th an atlas: U.S. Geol.  fon. 13, 486 p. (a) Sheet 3,  ; (b) sheet 4, 1:15,000; (c)  1:15,000; (e) pl. 6, 1:15,000.  W. 1903, The quicks ilver s of California: California r. Bull. 27, 273 p. (c) Fig.27,	<b>.</b>	p. 34, 1:62,500 and p. 38, 1:125,000.  Bradley, W.W., 1918, Quicksilver resources of California: California Min. Bur. Bull. 78, 389 p. (a) Pl. 5, 1:62,500 and pl. 6, 1:125,000.  Gale, H.S., 1014, 1,ate developments of		et al., 1915, Guidebook of n United States; Part B, and route, with a side llowstone Park: U.S. ey Bull. 612, 244 p. 22-25, 1:500,000; (b) set z., 1:125,000.		bradley, W.W., 1918, Quicksilver resources of California California Min. Bur. Bull. 78, 389 p. (b) Pl. 20, 1:10,000.  Vander Leck, L., 1921, Petroleum resources of California with special reference to umproyed areas: California Min. Bur. Bull. 89, 186 p. Pl. 3, 1:62,500.
	1871-1	88-1		99-1	14-3	14-9	15-4	15-5	21-4




# BIBLIOGRAPHY

i. Petroleum 35, no. 2, 18, 1:75,000. 31, Nephrite in ornia: California: Calif	tr, D.L., 1950, silver mine, S silver mine, S silver mine, S Pl. 66, 14, 800 G.C., 1951, No es: Am. Assoc gists Bull., v. 1-208. (b) Fig. nana, C.W., 195; County, Calif Div. Mines Sp III. p. (a) Fig. 1 li p. (a) Fig. 1 li p. (a) Fig. 1 li p. (b) Fig. 1 li p. (c) Fig. 1 li p. (c	50-12 Everhart, D.L., 1950, Skaggs Springs quicksilver mine, Sonoma County, California Tour. Mines and Geology, v. 46, no. 3, p. 385-394. Pl. 66, 14,800.  51-3 Gester, G.C., 1951, Northern Coast Ranges: Am. Assoc. Petroleum Geologists Bull., v. 35, no. 2, p. 200-208. (b) Fig. 18, 1:75,000.  51-12 Chesterman, C.W., 1951, Northite in Marin County, California: California: Ornia Div. Mines Special Rept. 10-B, 11 p. (a) Fig. 1, 1:31,680; (b) fig. 2, 1:480.  51-15 Gealey, W.K., 1951, Geology of the Healdsburg quadrangle, California: Can, D.C., 1951, Bituminous sandstone deposits of Point Arena, Mendocino County, California: U.S. Geol. Survey Oil and Gas Investigation Map 125. Maps 1:14,400, 1:3,000 and 1:3,000.  51-25 Lutz, G.C., 1951, Bituminous sandstone: Univ. Cal. Dept. of Geol. Sciences Bull., v. 28, no. 13, p. 367-406, Fig. 3, 1:43,800.  51-29 Bowen, O.E. Jr., and Crippen, R.A. Jr., 1951, Geologic map of the San Francisco Bay region: California: Div. Mines Bull. 184. Geologic Guidebook of the San Francisco Bay region: California: California Div. Mines Bull. 184. Geologic Guidebook of the San Francisco Bay region: California: California Div. Mines Bull. 185. Geology of the Sebastopol quadrangle, California: Univ. of California Pubs. in Geol. Sciences, v. 23, no. 5, p. 181-246. Fig. 7, 1:25,000.  53-4 Brice, J.C., 1953, Geology of Lower Lake quadrangle, California: California Div. Mines Bull. 166, 67 p. Pl. 1, 1:62,500.  53-5 Weaver, C.E., 1953, Eocene and Paleocene deposits at Martinez, California: Univ. of Washington Pubs. in Geol. v. 7, pp. 1-102, 24, 24, 27, 27, 20, 20, 20, 21, 21, 21, 21, 21, 21, 21, 21, 21, 21	2 2 5 4 5 6 7 F G C C G E		Skaggs Springs 54-9 Jennings, C.W., 1954, Capay Valley- onoma County, Wilbur Springs, west side Sacra- nia Jour. Mines mento Valley, California: No. Cal. Geol. Soc., Am. Assoc. Petroleum Geologists spring field	55-9 G.	ogic quide to a strip between Oglic quide to a strip between olds and Mt.Diablo with special reference to the Tertiary nonmarine stratigraphy, Trip 2: Geol. Soc. America Cordilleran Sec.annual meeting, Berkeley. (a) Map. 1: 250,000; (b) map, 1:250,000. (b) map, 1:250,000. (c) map, 1:250,000. (d) map, 1:25	55-17 V 8, 43,800. 1, R.A. Jr., 55-19 U	55-23 F	56-25 C
--	--	---	---------------------------	--	--	---------	--	--	---------	---------



	Š	1: 12,000. Mayo, E. B., 1947, Structure plan of the southern Sierra Nevada, Calif Geol. Soc. America Bull., v. 58, no.6,	La	1: 12,000 and pl. 7. 1: 2,400. Wiebelt, F. J., and Ricker, S., 1948, Iron Mountain deposits, San Bernardino County, Calif.: U. S. Bur. Mines Rept. Investig. 4236, 11 p. Fig. 2, 1: 7,000.			H	fornia Jour. Mines and Geology, v.48, no. 3, p. 201-206. Pl. 11, 1: 480.  10 Wright, L. A., 1952, Geology of the Superior Tale area, Death Valley, California: California Div. Mines Special Rept. 20, 22 p. Map 1: 4800.	Dib	Geological investigations of strontium deposits in southern California: California Div. Mines Special Rept. 32, 48 p. (a) Pl. 1, 1: 24,400, (b) pl. 2, 1: 2400.
	46-12	47-2	48-6	:	48 - 8 8 - 8 8 - 18	52-6	52-8	52-10	52-13	
BIBLIOGRAPHY	Miller, W. J., 1931. Geologic sections across the southern Sierra Nevada of Calif.: California Univ. Dept. Geol. Sci. Bull., v. 20, no. 9. p.331-	360. Fig. 2, 1: 316,800.  Murphy. F. M. 1932, Geology of a part of the Panamint Range, Calif.: Min- ing in California, v. 28, nos. 3 and	4, p. 3-27-30. Map p. 3-30, i. i. 25,000. Tucker. W. B., and Sampson, R. J., 1933. Gold resources of Kern County: California Jour. Mines and Geology, v. 29, nos. 3-4, p. 271-339. (a)Fig.2,	Hewett. D. F., et al., 1936, Mineral resources of the region around Boulder Dam: U. S. Geol, Survey Bull. 871.  (a) Pl. 1, 1: 50,000, (c) fig. 49,1:3,000.  Gale, H. S., 1946, Geology of the Kramer	borate district, Kern County, Calli.: California Jóur. Mines and Geology, v. 42, no. 4, p. 325-378. (a) Pl. 51, l. 31,680.	1940, Tungsten deposits of the Atolia district, San Bernardino and Kern Counties, Calif.: U. S. Geol. Survey Bull. 922-H, p. 205-245. Pl. 35,	Locke. A. Billingsley, P. R., and Mayo, E. B., 1940, Sierra Nevada tectonic patterns: Geol. Soc. America Bull., v. 51, no. 4, p. 513-539, Pl. 1, 11,000 000. (tectonic map). Noble, L. F., 1941, Structural features of the Virgin Spring area, Death	Valley, Calif.: Geol. Soc. America Bull., v. 52, no. 7, p. 941-999. Pl. 3, 1: 62,500. Ross, C. P.,and Yates, R. G., 1943, The Coso quicksilver district, Inyo County, Calif.: U. S. Geol. Survey Bull. 936-Q,	p. 395-416. Pl. 39, 1: 100,000. Also mine map. Woollard, G. P., 1943, Transcontinental gravitational and magnetic profile of North America and its relation to geologic structure: Geol. Soc. America mand and the stranscontine of 1, 2, 187, 500.	Erickson, M. P., and Stopper, R. F., 1945, Hi Peak tungsten mine, Kern County: U. S. Geol. Survey Prelim. Map. Map, 1: 1,200.
	31-9	32-9	33-14	36-1	4		40-9	43-1	43-8	45-5
	Blake, W. P., 1857, Geological report (Williamson's reconnaissance in California) U. S. Pacific railroad evoloration: U. S. 33rd Cong., 2d.	<u>د</u> .	y al-			n.Calif.; 1, p.141- 1 map of alifornia	Min. Bur. Map. I: 250 .000.  Noble L. F., et al., 1922. Nitrate deposits in the Amargosa region, southeastern Calif.: U. S. Geol. Survey Bull. 724. 99 p. (a) Pl. 5, 1: 9,600. (b) pl. 12. 1: 24.000, (c) pls. 32 and 34, 1: 9,000, (d) fig. 7, 4,000	1925, Geology and ore de- the Randsburg quadrange, lifornia Min. Bur. Bull. Pl. 1, 1: 62,500. G., 1929, The Mohave gion, Calif., a geographic,		southwestern New Mexico: U.S. Geol. Survey Bull. 820, 108 p. Fig.3, 1: 48,000 fig. 4, 1: 48,000. Tucker. W. B., and Sampson, R. J., 1931. San Bernardino County: Mining in California, v. 27, no. 3, p. 262- 401. Map p. 322, 1: 500.000.
	1857-1	02-2	03-3	11-4	4-41	17-6	22-2	25-1	31-1	31-5



## BIBLIOGRAPHY

Kunkel, F., and Riley, F. S., 1956, Geologic reconnaissance and test- well drilling at Camp Irwin, Cali- fornia: U. S. Geol, Survey Open file rept, Pl. 1, 1:62,500, Kunkel, F., 1956, Data on water wells	in Cuddeback, Superior and Harper Valleys, San Bernardino County, California: U.S. Geol. Survey Open file report. Pl. 1, 1: 125,000. Smith, G. 1., 1956, Geology and petrology of the Lava Mountains, San Bernardino County California:	U.S. Geol. Survey Open file report. (a) Pl. III, 1: 250,000, (b) pl. II, 1: 24,000.  Byers, F. M., Jr., 1956, Geologic map of the Alvord Mountain quadrangle: U.S. Geol. Survey Confilement Man 1: 48,000	Chesterman, C. W., 1956, Pumice, pumicite and volcanic cinders in California: California Div. Mines Bull. 174. (c) Pl. 4, 1: 36,000.  Kupfer, D. H., and Bassett, A. M., 1956, Preliminary geologic map of part of the southeastern Mojave	Desert, San Bernardino County, California: U. S. Geol. Survey Open file map. Map 1: 120,000. Smith, G. I., and Pratt, W. P., 1957, Gore logs from Owens, China, Searles, and Panamint Basins, California: U. S. Geol. Survey Bull, 1045A, 62 p. Fig. 1, 1: 2,300,000. (Quaternary lakes only, three areas).
56-7	56-22	56-23	56-25	57-4
Wright, L. A., 1954, Geology of the Alexander Hills area, Inyo and San Bernardino Counties: California Div. Mines, 170. Map sheet no. 17, 1: 31,680.  Bowen, O. E. Jr., 1954, Geology of the	Barstow area. San Bernardino County: California Div. Mines Bull. 170. Map sheet no. 18, 1: 125,000. Kupfer, D. H 1954, Geology of the Silurian Hills, San Bernardino County: California Div. Mines Bull. 170. Man sheet 19, 1: 36,000.	Wright, L. A., and Troxel, B. W., 1954. Geologic guide no. 1, western Mojave Desert and Death Valley region: California Div. Mines Bull. 170. Guidebook no. 1, 50 p. (c) Fig. 3, 1: 260,000, (d) fig. 4, 1: 260,000, [4) fig. 5, 1: 260,000, (h) fig. 8.	1: 260.000, (j) fig. 9, 1: 260.000, (k) fig. 10, 1: 260.000, (m) fig. 11, 1: 260.000, (m) fig. 11, 1: 260.000. (m) fig. 12, 1: 260.000. Unique 12, 1: 260.000. water wells in Coyote, Gronise, Soda and Silver Lake Valleys, San Bernardino County, California: U. S. G. S. Open fill conty, California: U. S. G. S. Open fill conty california: U. S. G	Kundert, C. J., 1955, Geologic map of California. Trona sheet: California Div. Mines. Map 1: 250,000. Walker, G. W., Lovering, T. G., and Stephens, H. G., 1956, Radioactive deposits in California. California Div. Mines Special Rept. 49, 38 p. (b) Fig. 3, 1: 480.
54-57	54-59	54-79	55-16	*55-35 56-1
Durrell, C. and Daley, A. C., 1954, Barite deposits near Barstow, San Bernardino County, California: California Div. Mines Special Rept. 39, 8 p. (a) Pl. 1, 1: 3600. Wright, L. A., 1954, Geology of the	Silver Lake talc deposits. San Bernardino County, California: California Div. Mines Special Rept. 38, 30 p. Pl. 1, 1: 1800; pl. 2, 1: 1200.  Noble, L. F., and Wright, L. A., 1954, Geology of the central and southern	California Div. Mines Bull. 170, California Div. Mines Bull. 170, Capt. II. contr. 10. Pi. 7, 1: 250,000. Hewett. D. F 1954 A fault map of the Mojave desert, California: Galifornia Div. Mines Bull. 170, chpt.1V, contr. 2. Pi. 1, 1: 630,000.	Hewett, D. F., 1955, Structural leatures of the Mojave Desert region: Geol. Soc. America Spec. Paper 62, Crust of the Earth, p. 377-390. Pl. 1, 1: 630,000.  Bateman, P. C., and Irwin, W. P., 1954. Tungsten in southeastern California: California Div. Mines Bull. 170.	chpt. VIII, contr. 4. Fig. 5, 1:25, 200. Dibblee, T. W. Jr., 1954, Geology of the Redrock Canyon-Last Chance Canyon area, Kern County: Cali- fornia Div. Mines Bull. 170. Map sheet no. 13, 1: 62,500. Muchlberger, W. B., 1954, Geology of the Quail Mountains, San Bernar- dino County: California Div. Mines Bull. 170. Map sheet no. 16,1:48,000.

\*54-30


54-16

1954-7a

54-53

54-56


\*Geologic map covers the entire area of the index map sheet.



## BIBLIOGRAPHY

<ul> <li>Locke, A., Billingsley, P.R., and Mayo, E.B., 1940, Sierra Nevada tectonic patterns: Geol. Soc. America Bull., v. 51, no. 4, p. 513-539. Pl. 1, 11,000,000. (tectonic map).</li> <li>Lommon D.M. and Rateman D.C.</li> </ul>		Ĭ	1 Clark, W.B., and Carlson, D.W., 1956, Mines and mineral resources of E1 Dorado County, California: California Div. Mines Jour. Mines and Geology, v. 52, no. 4, p. 369-591. (a) Pl. 9, 1:250,000.	Scott, D.P., 1956, Interim report Lower San Joaquin Valley, water quality investigation: California Div. Water Resources Planning, Water Quality Investigations. Pl. B, 1:250,000.
* * * * * * * * * * * * * * * * * * *		48-27	56-21	56-32
Eakle, A.S., and McLaughlin, R.P., 1919, Mono County: California Min. Bur. State Mineralogist's Rept. 1915-1916, p. 131-176.(a) Pl. 1, I:160,000, pl. 2, 1:220,000 (b) pl. 4, 1:31,680.	Blackwelder, E., 1931, Pleistocene glaciation in the Sierra Nev.da and Basin Ranges: Geol. Soc. America Bull., v. 42, no. 4, p. 865-922. (c) Fig. 21, 1:168,960. (Moraines).	Jenkins, O.P., 1933, Guidebook 16: Excursion C-1, Middle California and Western Nevada:, International Geological Congress XVI Session, 116 p. Pl. 7, 1:375,000 and fig. 14,	Cloos, E., 1931, Der Sierra Nevada Pluton: Geol. Rundschau, Band 22, Heft 6, p. 372-384. Tafel 2, 1:250,000.	Balk, R., 1937, Structural behavior of igneousrocks with special reference to interpretations by H. Cloos and collaborators: Geol. Soc. America Mem. 5, 177 p. Pl. 18, 1:50,000.
19-4	31-8	33-12		37-4
Guillemin-Tarayre, E., 1871, Description des anciennes possessions mexicaines du nord: Mission Scientifique au Mexique et dans l'Amerique Centrale, Geologie pt. 2, 216 p. (a) Pl. 10 l1,000,000.	Russell, I.C., 1885, Geological history of Lake Lahontan, a Quaternary lake of northwestern Nevada: U.S. Geol. Survey Mon. 11, 288 p. Pl. 46, 1:760,000.	Ransome, F.L., 1898, Some lava flows of the western slope of the Sierra Nevada, California; U.S. Geol. Survey Bull. 89, 74 p. Pl. 2, 1:125,000. (latites and associated volcanic rocks).	Spurr, J.E., 1903, Descriptive geology of Nevada south of the fortieth parallel and adjacent portions of California: U.S. Geol. Survey Bull. 208, 229 p. Pl. 1, 1:937,500.	Lindgren, W., 1911, The Tertiary gravels of the Sierra Nevada of California: U.S. Geol. Survey Prof. Paper 73, 226 p. (a) Pl. 1, 1:750,000.
871-1 -	85-1	98-3	*03-3	11-2

\* Geologic map covers the entire area of the index map sheet.




_
ŕ
PHY
2
IOGRA
(5)
õ
=
=
BIBI
$\alpha$

1893-1


WEED—SHEET No. 1	
Anderson, C. A., 1933, Tuscan formation of northern Calif., with a discussion concerning the origin of volcanic breccias: California Univ. Dept. Geol. Sci. Bull., v. 23, no.7, p. 215-276. (a) Fig. 1, 1: 1,000,000, Anderson, F. M., 1938. Lower Cretaceous deposits in California and Oregon: Geol. Soc. America Spec. Paper 16, 339 p. Pl. 84, 1: 1,000,000. Anderson, C. A., and Russell, R. D., 1939, Tertiary formations of northern Sacramento Valley, California California Jour. Mines and Geology, v.35, no. 3, p. 219-253. Pl. 3, 1: 600,000. Wells. F. G., 1940, Preliminary geology and Min. Industries, Map 5, Map 1: 96,000.  Williams, H., 1942, The geology of Crater Lake National Park, Oregon, with a reconnaissance of the Cascade Range southward to Mount Shasta: Carnegic Inst. Washington Pub. 540. 162 p. Pl. 2, 1: 500,000. Hawkes, H. E., and Wheeler, D. P., Jr., 1943, Chromite deposits of Little Castle Creek area, Shasta and Siskyou Counties: U. S. Geol. Survey Prelim. Map. (a) Sheet, 1: 125,000, (b) sheet 5, 1: 240.	
* 38-7 * 38-7 40-1 42-6	
*	
Diller, J. S., 1915, Mount Shasta, some of its geological aspects: Mazama, v. 4, p. 11–16. Fig. 6, 1: 250,000. Logan, C. A., 1919, Platinum and allied metals in Calif.: California Min. Bur. Bull. 85, 120 p. Pl. 4, 1:93,750. Averill. C. V., 1931, Preliminary report on economic geology of the Shasta quadrangle: Mining in California, v. 27, no. 1, p. 3-65. (a) Quadrangle map. 1: 250,000, (b) fig. 5, 1: 4,000. Williams, H., 1932, Mount Shasta, a Cascade volcano: Jour. Geology, v. 40, no. 5, p. 417–429. Fig. 2, 1: 250,000. Shenon, P. J., 1933, Copper deposits in the Squaw Creek and Silver Peak districts and at the Almeda mine, southwestern Oregon, with notes on the Pennell and Farmer and Banfield prospects: U. S. Geol. Survey Circ. 2, 34 p. Pl. 2. I: 50,000. Maxson, J. H., 1933, Economic geology of portions of Del Norte and Siskipul Counties, northwestern most California: California Jour. Mines and Geology, v. 29, nos. 1 and 2, p. 123-160. Pl. 4, 1: 187,500.	
15-8 19-6 31-4 33-3 33-5	
Fairbanks, H. W., 1893, Geology and mineralogy of Shasta County: California Min. Bur. 11th Ann. Rept., p. 24–53. Map, 1: 300,000.  Dunn, R. L., 1894, Auriferous conglonerate in California: California Min. Bur. 12th Rept., p. 459–47l. Map p. 444, 1: 62,500.  Aubury. L. E., 1908, The copper resources of California: California Min. Bur. Bull. 50, 366 p. Map p. 120, 1: 125,000.  Hershey. O. H., 1911. Del Norte Couty, geology: Min. and Sci. Press., v. 102. p. 468. Map, 1: 437,500.  MacDonald, D. F., 1913. Notes on the gold lodes of the Carrville district, Trinity County, Calif.: U. S. Geol. Survey Bull. 530, p. 9-41. (a) Pl.1. 1: 250.000. (b) fig. 1. 1: 3,600, fig. 4, 1: 3,000, fig. 6, 1: 15,000, (c) fig. 8, 1: 4,800 and fig. 9. 1: 600.  Diller, J. S., and others, 1915, Guidebook of the western United States; Part D. The Shasta route and coast line: U. S. Geol. Survey Bull. 614, 142 p. Map, 1: 500,000.	
94-6 11-6 13-1	

\*Geologic map covers the entire area of the index map sheet.



>
I
۵.
d
IOGRAPHY
(3)
ŏ
$\simeq$
BIBI
=
œ

Ma Ryr	We	Ъе	Irda	fornia" in Geology, mineral resources and mineral industry, Appendix to: Natural Resources of Northwestern California: U.S.Dept Interior, Pacific Southwest Field Committee. Pl. 1, 1: 782,000.
55-2(	56-3	56-16	56-24	
Wells, F. G., and others, 1949, Chromite deposits near Seiad and McGuffy Creeks, Siskiyou County, Calif.: U. S. Geol. Survey, Bull. 948-B, p. 19-62. (a) Pl. 6, 1: 62.500, (b) pl. 16, 1: 6,000. (c) pl. 20, 1: 600, (d) pl. 27, 1: 600.	Rynearson, G. A., and Smith, C. I., 1940, Chromite deposits in the Seiad quadrangle, Siskiyou County, Calif U. S. Geol, Survey Bull, 922-J, p.	281-306. (a) Pl. 40, 1: 125,000. Williams, H., 1949, Geology of the Macdool quadrangle: California Div. Mines Bull. 151, p. 1-60. Pls. 1 and 4, 1: 125,000.	Swinney, C. M., 1950, The Altoona quicksilver mine, Trinity County, Calif.: California Jour. Mines and Geology, v. 46, no. 3, p. 395-404. Pl. 71, 1: 7200. Wells, F. G., and Cater, F. W., Jr.,	1950, Chromite deposits of Siskiyou County, Calif.: California Div. Mires Bull. 134, pt. 1, chap. 2, p. 77-127.  (a) Pl. 12, 1: 11: 125,000 (peridotite);  (b) pl. 16, 1: 360; (c) pl. 18, 1: 600.  Cater, F. W., Jr., and Wells, F. G., 1953, Geolgy and mineral resources of the Gasquet quadrangle, CaliforniaOregon: U. S. Geol. Survey Bull. 995-C, 132 p. (a) Pl. 11, 1: 50,000,  (b) pl. 15, 1: 960.
49-13		49-20	50-13	53-7
Wells, F. G., Cater, F. W., Jr., and Rynearson, G. A., 1946, Chromite deposits of Del Norte County, Calif.: California Div. Mines Bull. 134, pt. 1 chap. 1, pl. 1-76. (a) Pl. 1, 1: 125.000 (peridotite), (b) pl. 8, 1: 24,000.	Logan, C. A., 1919, Platinum and allied metals in Calif.: California Min. Bur. Bull. 85, 120 p. (a) Pl. 3, 1: 187,500.	Sanborn, W. C., and Ricker, S., 1948, Investigation of French Hill chro- mite mine. Del Norte County, Calif.: U. S. Bur. Mines Rept. Investig. 4365, 9 p. Fig. 2, 1: 960.	Wells, F. G., Hotz, P. E., and Cater, F. W., Jr., 1949, Preliminary des- cription of the geology of the Kerby quadrangle, Oregon: Oregon Dept. Geology and Min. Resources, Bull. 40, Pl. 1: 96,000	Heyl, G. R., and Walker, G. W., 1949, Geology of limestone near Gazelle, Siskiyou County, Calif.: California Jour. Mines and Geology, v. 45, no.4, p. 514-520. Pl. 26, l: 16.000.
1946-13		48-2	49-2	49-11



Westwood

119

>
I
Δ.
=
⋖
œ
ш,
9
$\simeq$
ŏ
=
1
_
മ
=
=
മ

Anderson, C.A., 1933, Tuscan formation of northern California, with a discussion concerning the origin of volcanic breccias: California Univ. Dept. Geol. Sci. Bull., v. 23, no. 7, p. 215-276.  (a) Fig. 1, 1:1,000,000.  Averill, C.V. and Erwin, H.D., 1936, Mineral resources of	¥	Geology, v. 35. no. 4, p. 79- 143. Pl. 2, 11:220,000. Anderson, F.M., 1938, Lower Cretaceous deposits in Cal- ifornia and Oregon: Geol.	Soc. America Spec. Faper 16, 339 p. Pl. 84, 1:1,000,000. Anderson, C.A., and Russell, R.D., 1939, Tertiary formations of northern Sacramento Valley, California: California Jour. Mines and Geology, v. 35, no. 3, p. 219-253. Pl. 3, 1:600,000.	ĭ Ā	ž Š
33-10	37-5	38-7	39-3	40-9	48-27
Williams, H., 1928, A recent volcanic eruption near Lassen Peak, California: California Univ. Dept. Geol. Sci. Bull., v. 17, no. 7, p. 241-263. Fig. 1, 1:60,000. Williams, H., 1929, The volcanic domes of Lassen Peak and vicinity, California: Am. Jour. Sci. Sth ser.,	Williams, H. 1932. The history and Williams, H. 1932. The history and character of volcanic domes; California Univ. Dept. Geol. Sci. Bull., v. 21, no. 5, p. 51-146. Fig. 5, Li00,000.  Knopf, A. and Anderson, C.A., 1930, The Fneels copper deposits, Cal-	ifornia: Econ. Geology, v. 25, no.1, p. 14-35. Fig. 1, 1:28,800. Finch, R.H., and Anderson, C.A., 1930. The quartz basalt eruptions of Cinder Cone, Lassen Volcanic	National Park, California: California Univ. Dept. Ge ol. Sci. Bull., v. 19, no. 10, p. 245-273. Fig. 1,1: 50,000. Finch, R.H., 1937, A tree ring calendar for dating volcanic events at Cinder Cone, Lassen National Park, California: Ameri, Jour. Sci., Sth Ser. v. 33, Ameri, Jour. Sci., Sth Ser. v. 33,	Anderson, C.A., 1931, The geology of the Engels and Superior mines, Plumas County, California with a note on the ore deposits of the Superior mine: California Univ. Dept. Geol. Sci. Bull., v. 20, no. 8, p. 293-330. Pt. 51, 1:50,000.	Jenkins, O.P., 1932, Report accompany ing geologic map of northern Sierra Nevada: Mining in California, v. 28, nos. 3 and 4, p. 279-298. Pocket map, 1:500,000. Williams, H., 1932, Geology of the Lassen Volcanic National Park, California: California Univ. Dept. Geol. Sci. Bull, v. 21, no. 8, p. 195-385. Map p. 385, 1:48,000.
28-5	30-2	30-8		31-7	32-7
King, C., 1876, United States geological exploration of the 40th parallel, Geological and topographic atlas. Map 5, 1:250,000 Russell, 1.C., 1885, Geological history of Lake Lahontan; a Quaternary lake of northwestern Nevada: U.S. Geol. Survey Mon. 11, 288 p. Pl. 46,	Q 2	щ	p. 24-53. Map, 1:300,000. Diller, J.S., 1894, Description of the Lassen Peak sheet: U.S. Geol. Sur- vey Geol. Folio 15, 4 p. Map, 1:250,000. Diller, J.S., 1889, Geology of the Lassen Peak district: U.S. Geol. Survey 8th Ann. Rept., p. 395-432. Pl. 477, 1:400,000.	Ď	Paper 73, 226 p. (a) Pl. 1, 1;750,000. Diller, J.S., et al., 1915, Guidebook of the/western United States; Part D, The Shasta route and coastline: U.S. Geol. Survey Bull. 614, 142 p. Sheets 1:500,000. Bryan, K., 1923, Geology and ground-water resources of Sacramento Valley, California: U.S. Geol. Survey Water-Supply Paper 495, 285 p. Pl. 3, 1:1,250,000.
1876-1	91-2	93-1	94-8	08-1	15-5 23-1



### INDEX TO AUTHORS

Letter symbols used in this index refer to the separate index map sheets.

SF San Francisco Alturas LA Los Angeles Bakersfield LP Long Beach SJ San Jose M Mariposa SL San Luis Obispo Chico Death Valley Needles SM Santa Maria N E Eureka Redding SR Santa Rosa EC El Centro S Sacramento SS Salton Sea Fresno SA Santa Ana Trona FB Fort Bragg SB San Bernardino w Weed G Goldfield SC Santa Cruz WL Walker Lake WW Westwood K Kingman SD San Diego

Albers, J. P., see also Kinkel, A. R., Jr., 1951, 1954, 1956. Albers, J. P., 1952, R; 1953, R; and Robertson, J. F., 1953, R.

Alf. R. M., 1948, SB.

Allen, C. R., 1954, SB, SA, 1957, SA, SB.

Allen, H. B., see also Eaton, J. E., 1941 and Van Couver-

ing, M., 1943. Allen, J. E., 1946, SC.

Allen, V. T., 1929, S, SJ, C.
Am. Assoc. Petroleum Geologists, 1950, SJ; 1951, SJ; 1952,
LA, B; 1952, LA; 1955, B, SL; 1956, LA.
Anderson, C. A., see also Knopf, A., 1930, Finch, R. H., 1930,

Anderson, C. A., see also Knopf, A., 1930, Finch, R. H., 193
and Clark, B. L., 1938.

Anderson, C. A., 1931, WW; 1933, W, A, WW, R, FB, C;
1933, A; 1936, FB, SR; 1940, WW; 1941, A; and
Russell, R. D., 1939, W, R. FB, SR, A, WW, C. S.

Anderson, F. M., 1899, SF, SR; 1932, FB, R; 1933, SR, FB,
R: 1938, E, W, FB, SR, SF, SJ, S, C, WW, A, R: 1943,
SR and Hanna, G. D., 1925, LA, and Martin, 1914, SL.

Anderson, R, see also Knopf, A., 1907, 1910.

Anderson, R. see also Arnold, R., 1907, 1910.

Anderson, R., 1912, F, B, LA; and Pack, R. W., 1915, SJ, SC. Andrews, P., 1936, SC.

Arnett, G. R., 1949, SB

Arnold, R., see also Eldridge, G. H., 1907, and Branner, J. D., 1909.

Arnold, R., 1907, LA; and Anderson, R., 1907, SM, and Anderson, R., 1907, SM; and Anderson, R., 1908, SC, SL, F, B; and Johnson, H. R., 1910, SL, B, LA, and Anderson, R., 1910, SC, SL, F, B.

Anderson, R., 1710, 30, 35, 7, 5.

Atwill, E. R., 1935, SC.

Aubury, L. E., 1902, R; 1906, R; 1908, W, R; and Winston,
W. B., and Janin, C., 1910, S.

Averill, C. V., 1931, W; 1933, R; 1936, A; 1937, WW, C; and
Erwin, H. D., 1936, WW.

Averitt, P., 1945, SR.

Baddley, E. R., 1947, LA; 1954, LA.

Bagg, R. M. Jr., 1905, SL Bailey, E. H., see also Yates, R. G., 1946. Bailey, E. H., 1942, SL; 1946, SR; 1954, LB; and Swinney,

C. M., 1947, B; and Myers, W. B., 1942, SC. Bailey, T. L., see also Morse, R. R., 1935. Bailey, T. L., 1930, SR, S; 1947, SM, LA; 1954, SM, LA, LB; and Jahns, R. H., 1954, SM, LA, SB, LB, SA.

and Janns, R. H., 1954, SM, Bailey, W. C., 1944, LA. Baker, C. L., 1911, B, T, LA, SB. Balk, R., 1937, M, WL. Bail, S. H., 1907, D, G., Bancroft, H., 1911, N. Bandy, O. I. and France Y. C.

Bandy, O. L. and Emery, K. O., 1954, LB.

Bassett, A. M., see Kupfer, D. H., 1956.
Bateman, P. C., see also Lemmon, D. M., 1943.
Bateman, P. C., 1945, M; 1951, M; 1953, M; 1956, M; and
Erickson, M. P., and Proctor, P. D., 1950, M; and

Merriam, C. W., 1954, D, F, M, and Irwin, W. P., 1954, T. Bates, T. F., 1945, S. Bateson, C. E. W., 1907, LA.

Baumgardner, L. H., see Moxham, R. M., 1955.

Beal, C. H., 1948, SD, EC.

Becker, G. F., 1888, FB, SR, SJ, SC.

Bedford, R. H., and Ricker, S., 1950, SJ. Bell, G. L., see Durrell, C., 1944.

Bellemin, G. J., 1940, LA, LB.

Benjamin, E. H., ed., 1899, SJ, M, S

Billingsley, P. R., see Locke, A., 1940.

MINES SR 52

Birman, J. H., 1954, M. Blackwelder, E., 1931, M, WL. Blake, W. P., 1857, B, T, LA, SB, EC, SD, SS, SA, SF. Bode, F. D., see Stock, C., 1935. Bodenlos, A. J., see also Vitaliano, C. J., 1945. Bodenlos, A. J., 1950, SJ. Bonilla, M. G., see Schlocker, J., 1954. Borg, 1. W., 1956, SR. Bowen, O. E. Jr., 1954, SB; 1954, T, SB; and Crippen, R. A. Jr., 1948, SJ, M, S, C; and Crippen, R. A. Jr., 1951, SJ, SC, SF, SR, S. Boyle, A. C., Jr., 1914, R. Bradley, W. W., 1918, SC, SR, FB, SJ, SL; and Logan, C. A., 1919, SC. Bramlette, M. N., see also Woodring, W. P., 1936, 1943, 1945, 1946, and Daviess, S. N., 1953. Bramlette, M. N., and Daviess, S. N., 1944, SC, SL. Branner, J. C., 1912, SJ; and Newsom, J. F., and Arnold, R. 1909, SF, SC, Bremner, C. St. J., 1932, LA, LB; 1933, SM. Brice, J. C., 1953, SR. Briggs, L. I., Jr., 1953, SC. Brokaw, A. L., see Richards, A., 1944. Brooks, B., and Roberts, E., 1954, SD, Brown, A. B., and Kew, W. S. W., 1932, LA. Brown, G. F., and Upson, J. E., 1943, SM. Brown, J. S., 1922, SS, EC, SA, SD; 1923, SS, EC, SA, SD. Bryan, K., 1923, R, WW, FB, C, SR, S. Burnham, W. L., 1954, SD, SA; 1955, K. T. Buwalda, J. P., 1954, B, LA. Byers, F. M., Jr., 1956, T.

California Div. Mines, 1949, SF, SR; 1951, A; 1956, S.
California Div. Water Resources, 1954, EC, SS, N, K, SB, SA, SD; 1955, SJ, S; 1955, SF, SJ, SR, S; 1956, SJ, S

California State Water Resources Board, 1953, SC, SJ; 1953, LA; 1955, SA; 1955, SC, SJ, SF; 1955, S, C.

Campbell, A. S., see also Clark, B. L., 1942. Campbell, A. S., and Clark, B. L., 1944, SJ.

Campbell, I., 1948, SB.
Carlson, D. W., see also Davis, F. F., 1952; Clark, W. B., 1956.

Carlson, D. W., 1955, S; and Clark, W. B., 1954, S; and Clark, W. B., 1956, C.

Cartwright, L. D., Jr., 1928, LA.

Cater, F. W., Jr., see also Wells, F. G., 1946, 1949, and 1950. Cater, F. W., Jr., 1948, SJ; and Rynearson, G. A., and

Dow, D. H., 1951, S; and Wells, F. G., 1953, W.

Chapman, R. W., 1937, M.

Chelikowsky, J. R., 1940, M.

Chesterman, C. W., see also Yoder, H. S., 1951; Dibblee, T. W., Jr., 1953; and Wright, L. A., 1954. Chesterman, C. W., 1942, M; 1951, SR; 1955, A; 1956, A, D,

T, S, SR, M.

Clark, B. L., see also Campbell, A. S., 1944.

Clark, B. L., 1912, SJ; 1918, SF; 1921, SJ, LA; 1929, SC, LA, SL, B, F; 1935, SJ, SC, SL, B, F, and Anderson, C. A., 1938, C; and Campbell, A. S., 1942, SJ.

Clark, C. W., 1917, SF.

Clark, L. D., 1954, S. Clark, S. G., 1940, FB.

Clark, W. B., see also Carlson, D. W., 1954, and 1956.

Clark, W. B., see also Carlson, D. W., 1954, and 1956.

Clark, W. B., 1954, S; 1955, SJ, S; and Carlson, D. W., 1956,

WL, S, C.

Clark, W. O., 1924, SF, SJ, SC.

Clements, T., 1937, LA.

Cloos, E., 1931, SJ, WL, M; 1932, SJ, M; 1935, SJ.

Compton, R. B., 1955, C.

Corkling H. et al. 1933, LA

Conkling, H., et al., 1933, LA.

Cooper, A. S., 1899, SM.
Cox, M. W., see also Heyl, G. R., 1948, and Eric J. H., 1948.
Cox, M. W., and Wyant, D. G., 1948, SJ; and Wyant, D. G.,
1948, M; and Wyant, D. G., and Heyl, G. R., 1948, S. Crawford, J. J., 1896, S.

Creasey, S. C., 1946, SA; and others, 1945, R; and Simons, . S., 1945, FB; and Simons, F. S., 1945, R; and Shride, A. F., 1945, R.

Crippen, R. A., Jr., see also Bowen, O. E., Jr., 1948, and 1951.

Crippen, R. A., Jr., 1951, SL.

Crittenden, M. D., Jr., see Simons, F. S., 1945; and Wilson, 1. F., 1945.

Crittenden, M. D., Jr., 1951, SJ.

Crosby, J. W., III, and Hoffman, S. R., 1951, K.

Cross, C. M., see Taff, J. A., 1940,

```
Fitch, A. A., 1931, SF.
Cross, R. K., 1943, SM.
Crowell, J. C., 1950, LA; 1952, LA; 1952, LA; 1952, LB; 1954,
                                                                                             Fix, P. F., 1955, SR; and Swinney, C. M., 1949, SR.
        LA 1954, LA.
                                                                                             Forbes, H., 1931, S, SJ, M, F; 1933, C, S, SR; 1941, SR, S, SJ,
Cunningham, G. M., 1926, B, LA.
                                                                                                   M, SC, F, SL, B.
Curran, J. F., 1943, B.
                                                                                             Forstner, W., 1903, FB, SR, SJ, SL, SC.
                                                                                             Foshag, W. F., and Woodford, A. O., 1936, SB. Fox, L. S., 1929, B.
Curry, H. D., 1954, D.
                                                                                             Frame, R. G., 1941, SM.
Daley. A. C., see Durrell, C., 1953, and 1954.
                                                                                             Franke, H. A., see Logan, C. A., 1936.
Daly, J. W., 1935, SB.
                                                                                             Fraser, D. M., 1931, SA; and Wilson, H. D. B., and Hendry,
                                                                                                   N. W., 1942, D.
Darton, N. H., 1933, SS, EC, SB, LA, LB, SA; and others,
        1915, K, N, SB, LA.
Daviess, S. N., see also Bramlette, M. N., 1944.
Daviess, S. N., and Woodford, A. O., 1949, SB, SA, LB, LA;
and Bramlette, M. N., 1953, SA; and Bramlette, M. N.,
                                                                                             Gale, H. S., 1914, SR, SJ, SC, SA; 1914, LA; 1932, SB, SA, LA,
                                                                                             LB; 1934, SB, SA, LA, LB; 1946, T; 1951, N. Galliher, E. W., 1932, SC.
        1953, SA.
Davis, F. F., 1955, SF; and Carlson, D. W., 1952, SC, SJ; and
Jennings, C. W., 1954, SC, SJ, SF.
                                                                                             Galloway, J., see Gester, G. C., 1933.
Gannett, R. W. see Ferguson, H. G., 1932.
Gardner, D. I , see also Erwin, H. D., 1940.
Davis, G. H., and Olmstead, F. H., 1952, S, C.
                                                                                             Gardner, D. L., 1940, SB.
De Bethune, P., 1937, SJ.
Dehlinger, P., 1952, LA.
Dennis, P. E., 1947, SB.
                                                                                             Garrett, A. A., and Thomasson, H. G. Jr., 1949, SA.
                                                                                             Gay, T. E., Jr., and Hoffman, S. R., 1954, LB, LA, SB, SA;
Dibblee, T. W., Jr., see also Hill, M. L., 1953.
Dibblee, T. W., Jr., 1950, SM; 1952, T; 1954, EC, SD, SA, SS,
                                                                                                   and Wright, L. A., 1954, D.
                                                                                             Gealey, W. K., 1951, SR
                                                                                             Geol. Soc. America, 1955, SJ, SF, SR, S.
        1954, T; 1955, LA, B; and Schwade, 1. T., 1952, B, LA,
SL and Chesterman, C. W., 1953, B.
Dickerson, R. E., 1913, C; 1914, SB; 1914, SA; 1914, SR, SJ;
                                                                                             Geol. Soc. of Sacramento, 1956, WW.
                                                                                             Gester, G. C., 1917, B; 1951, E, R, SF, SR; and Galloway, J.,
        1916, SF, SJ; 1922, SF, SR.
                                                                                                   1933, SC, F, SL, B.
Diller, J. S., 1890, R 1891, WW; 1894, WW; 1889, WW; 1906,
                                                                                             Gilbert, C. M., 1938, M; 1941, M; 1943, SJ.
                                                                                             Granger, A. E., see Eckel, E. B., 1941.
Grant, U. S., IV, see Soper, E. K., 1932, Hertlein, L. G.,
1939, 1943, 1944, and 1954; and Eaton, J. E., 1941.
        R; 1908, WW; 1915, W, A; and others, 1915, SL, SM, LA,
        LB, W, R, FB, SR, SF,
                                            ww, c, s, sj, sc.
Dolman, S. G., 1941, SM; 1941, LA.
Donnelly, M., 1934, SD, SA.
Dorr, J. V. N., see Lemmon, D. M., 1940.
                                                                                             Graves, D. T., 1954, LB.
                                                                                             Gray, C. H., Jr., 1954, SA.
                                                                                             Griggs, A. B., see Smith, C. T., 1944, and Walker, G. W.,
Douglas, J. M., 1943, SF.
Dow, D. H., see Cater, F. W., Jr., 1951.
                                                                                                    1953.
Dudley, P. H., 1935, SA; 1943, SA.
                                                                                             Guillemin-Tarayre, E., 1871, SR, FB, C, S, WL, M, SJ, SF,
Duncan, D. C., see Holmes, C. N., 1951.
Dunn, R. L., 1894, W.
                                                                                                   SM, LA, SB, LB, SA, SD.
                                                                                             Guillou, R. B., 1953, SB.
Durham, D. L., see Winterer, E. L., 1954.
Durrell, C., 1940, F; 1943, F; 1944, C; 1954, LA; and Bell,
        G. L., 1944, SA; and Daley, A. C., 1953, T, SA, SB, N;
                                                                                             Hadley, J. B., 1942, SS; 1948, SS.
        and Daley, A. C., 1954, T, SB; and Procotr, P. D.,
                                                                                             Haines, R. B., and Minshall, F. E., 1954, LA.
        1948. C.
                                                                                             Hall, W.E., see Kinkel, A.R., Jr., 1951, 1952, 1954, and 1956.
                                                                                             Ham, C. K., 1952, SF.
Hamilton, W. B., 1956, M; 1956, M; and Neuerburg, G. J.,
Eakle, A. S., and McLaughlin, R. P., 1919, M, WL. Easton, W. H., and Imlay, R. W., 1955, SL.
                                                                                                   1956, M.
Eaton, J. E., 1926. SB, SA, LA, LB; 1929, LA; 1939, B, LA; 1939, LA; 1943, B, LA; and Grant, U. S. 1V, and Allen, H. B., 1941, B, LA.
                                                                                             Hamlin, H., 1921, R.
                                                                                             Hanks, H. G., 1886, N, SA, SS, SD, EC.
                                                                                             Hanley, J. G., 1951, SA.
Eckel, E. B., and Yates, R. G., and Granger, A. E., 1941,
                                                                                             Hanna, G. D., see Anderson, F. M., 1925; and Taff, J.A., 1940. Hanna, M. A., 1926, SD.
SL; and Myers, W. B., 1946, SC. Eckel, E. C., 1933, SF, SJ, SR, S.
                                                                                             Harder, E. C., 1912, SS; and Rich, J. L., 1910, N.
                                                                                             Harrington, W. C., see Rist, R. L., 1943.
Harris, P. B., 1954, B, LA.
Eckis, R., 1928, SB; 1934, SB, SA, LB, LA.
Eldridge, G. H., 1901, SL, SM; and Arnold, R., 1907, LA, SB,
                                                                                             Harriss, T.F., see Woodford, A. O., 1928.
Hawkes, H. E., Jr., Wells, F. G., and Wheeler, D. P., Jr.,
        SA, LB.
Ellis, A. J., and Lee, C. H., 1919, SD, SA.
Emery, K. O., see also Bandy, O. L., 1954.
Emery, K. O., 1951, SM, LA, LB, SA, SD; and others, 1952,
                                                                                                   1942, SJ; and Wheeler, D. P., Jr., 1943, W.
                                                                                             Hazenbush, G. C., 1952, T.
                                                                                             Hazzard, J. C., 1933, K, N; 1954, N, K.
Engel, R., 1949, SA.
                                                                                             Heikkila, H. H., and MacLeod, G. M., 1951, B, SL.
English, W. A., see also Pack, R. W., 1914.
English, W. A., 1916, B, LA; 1918, SC, SL; 1921, B, SL; 1926,
                                                                                             Hendry, N. W., see Fraser, H. J., 1942.
                                                                                             Henny, G., 1930, SC; 1938, SC; 1938, B, LA.
       SA. SB, LA, SB; 1929, B.
                                                                                             Henshaw, P. C., 1942, EC.
Herring, D. G. Jr., 1954, LA.
Hershey, O. H., 1902, B, T, LA, SB; 1911, E, W; 1915, R.
Hertlein, L. G., and Grant, U. S., IV, 1939, SD; 1943, SD;
1944, SD; 1954, SD
Hess, F. L., 1908, F; and Larsen, E. S., 1920, M, B.
Hetland, D. L., 1955, DV; 1955, C.
Hewett, D. F., 1931, K; 1954, SB, LA, B, T, N, K; 1955, SB,
LA, B, T, N, K; 1956, K; and others, 1936, T, SB.
Hewett, R. L., see May, J. C., 1948.
Heyl, G. R., see also Cox, M. W., 1948.
Heyl, G. R., 1946, S; 1948, WW, C, S, SJ, SC, WL, M, F; 1948,
S; 1948, SJ; 1948, SJ; and Cox, M. W., and Eric, J. H.,
1948, S; and Eric, J. H., 1948, S; and Walker, G. W., 1949,
W; and Wiese, J. H., 1949, SJ.
Hietanen, Anna, 1951, C.
                                                                                             Henshaw, P. C., 1942, EC.
Eric, J. H., see also Heyl, G. R., 1948.
Eric, J. H., 1948, C; and Cox, M. W., 1948, SJ; and Stromquist,
        A. A., and Swinney, C. M., 1955, S, SJ.
Erickson, M. P., see also Bateman, P. C., 1950.
Erickson, M. P., and Stopper, R. F., 1945, T.
Erwin, H. D., see also Averill, C. V., 1936.
Erwin, H. D., 1934, M; 1937, M; and Gardner, D. L., 1940, SB.
Everhart, D. L., see also Myers, W. B., 1948.
Everhart, D. L., 1943, SR, FB; 1946, SR, FB; 1950, SR; 1950,
        LA; 1951, SD.
```

Hietanen, Anna, 1951, C.

Hietanen, Anna, 1951, C.
Higgins, C. G., 1952, SR.
Higgs, D. V., 1954, LA.
Hill, J. M., 1914, K; 1915, A.
Hill, M. L., 1930, LA; and Dibblee, T. W., Jr., 1953, LA.
Hillier, R. L., see also Nelson, H. E., 1954.
Hillier, R. L., 1954, K.

Fairbanks, H. W., 1893, R, W, A, WW; 1893, SS, SA, SD, EC; 1904, SL; 1910, SJ, M, S. Farnsworth, H. R., see Woodring, W. P., 1932. Ferguson, H. G., 1914, R; 1914, C; 1915, R; and Gannett, R. W., 1932, C. Fiedler, W. M., 1944, SC. Fine, S. F., see also Wiese, J. H., 1950. Fine, S. F., 1954, LA. Finch, R. H., 1937, WW; and Anderson, C. A., 1930, WW.

Kunkel, F., see also Upson, J. E., 1955.

Jr., 1954. Hollister, J. S., see Reed, R. D., 1936. Holmes, C. N., see also Williams, M. D., 1945. Holmes, C. N., Page, B. M., and Duncan, D. C., 1951, SR. Hoots, H. W., 1928, R. E., FB; 1930, B, LA; 1931, LA, LB; and others, 1954, B, LA, SL, SC, SJ, M, F. Hopper, R. H., 1947, F. D., Hoppin, R. A., 1954, SS. Hoppin, R. A., 1994, SS.
Hotz, P. E., see Wells, F. G., 1949.
Howell, B., Jr., 1954, LA.
Hsu, K. J., 1955, SB.
Hudson, F. S., 1922, SD, SA; 1948, C; 1951, C; 1955, LA; and
White, G. H., 1941, B. Huey, A. S., 1948, SJ. Hulin, C. D., 1925, T. Hurlbut, C. S., Jr., 1935, SA. Hutchinson, R. M., see Rynearson, G. A., 1956. Imlay, R. W., see Schlocker, J., 1954; Easton, W. H., 1955; and Peck, D. L., 1956. Israelsky, M. C., see also Vedder, J. G., 1956. Israelsky, M. C., 1951, SC. Irwin, W. P., see also Bateman, P. C., 1954. Irwin, W. P., and Tatlock, D. B., 1956, FB, R, W, E. Jaffe, H. W., 1955, K. Jahns, R. H., see also Bailey, T. L., 1954. Jahns, R. H., 1954, SA, SB, LA; 1954, SA, EC, SS, SD, LB, LA. SB; and Lance, J. F., 1950, SA; and Muehlberger, W. R., 1954, LA; and Wright, L. A., 1951, SA. James, H. L., see Wells, F. G., 1940. Janin, C., see Aubury, L. E., 1910. Jenkins, O. P., 1932, SJ, WW, C, S: 1933, SJ, WL, M, SF, SR, S; 1938. Entire State. Jenkins, W. O., 1943, F.
Jennings, C. W., see also Davis, F. F., 1954.
Jennings, C. W., 1953, LA; 1953, B, SL, SC, F; 1954, S, SR, FB; and Troxel, B. W., 1954, LA. Johnson, F. A., 1943, SR. Johnson, F. T., and Ricker, S., 1948, S. Johnson, H. R., see also Arnold, R., 1910. Johnson, H. R., 1943, C.
Johnston, W. D., Jr., 1940, C.
Jones, G. H., 1940, SJ, M, SC, F.
Jones, W. F., 1911, SC. Kachadoorian, R., 1956, SF. Kanaya, T, 1957, SJ. Kasline, F. E., 1953, B, LA. Keen, A. M., 1943, B. Keevill, N. B., se Larsen, E. S., Jr., 1947. Kelley, F. R., 1943, SM. Kelley, V. C., 1937, D; 1938, D. Kellogg, J. L., see Ransome, A. L., 1939. Kerr, P. F., and Schenck, H. G., 1925, SC. Kesseli, J. E., 1939, M. Kew, W.S. W., see also Brown, A.B., 1932; and Woodring, W.P., 1946. Kew, W. S., W., 1914, SS, EC, SD, SA; 1919, LA; 1919, LA; 1924, LA; 1927, SM, LB. Kiersch, G. A., and Treasher, R. C.; 1955, S. Kiersch, G. A., and Treasher, R. C.; 1955, S.
Kilkenny, J. E., 1948, SC, SL, B.
King, C., 1876, A., WW, C.
Kinkel, A. R., Jr., 1955, R; and Albers, J. P., 1951, R; and Hall, W. E., 1951, R; and Hall, W. E., and Albers, J. P., 1954, R; and Hall, W. E., and Albers, J. P., 1956, R.
W. E., and Albers, J. P., 1956, R. W. E., and Albers, J. P., 1956, R.
Kinney, D. M., see Schoellhamer, J. E., 1953.
Kirby, J. M., 1943, SR, FB; 1943, FB, SR; 1943, FB.
Kleinpell, R. M., see Woodring, W. P., 1936.
Knopf, A., 1915, K; 1918, M, F, D; 1929, SJ, S; and Anderson,
C. A., 1930, WW; and Thelen, P., 1905, F.
Kramm, H. E., 1912, R.
Krauskopf, K. B., 1947, M; 1953, F, M, B.
Krueger, M. L., see also Simonson, R. R., 1942. Krueger, M. L., see also Simonson, R. R., 1942. Krueger, M. L., 1943, SL. Krueger, M. L., 1943, SL. Kundert, C. J., 1952, LB, SA; 1955, SA; 1955, T; 1955, LB; 1955, LA; 1955, B; 1955, SM; 1955, SL, 1955, D.

Hilpert, L. S., see Yates, R. G., 1945, and 1946.

Hobson, H. D., 1943, LA. Hobson, J. B., 1890, S, C: 1890, S. Hoffman, S. R., see Crosby, J. W., III, 1951; and Gay, T. E.,

Hinds, N. E. A., 1934, R; 1935, R.

Kunkel, F., 1956, T, SB; 1956, SS; and Riley, F. S., 1956, T; 1954, K, T; and Bassett, A. M., 1956, SS, N, SB, T, K. Laizure, C. McK, 1925, R. Lamey, C. A., 1948, SB, T; 1948, K; 1948, T; 1948, N; 1948, N; 1948, N; 1948, R; 1948, R. Lance, J. F., see Jahns, R. H., 1950. Langenheim, R. L., Jr., F. Larsen, E. S., see Hess, F. L., 1920, and 1922. Larsen, E. S., Jr., 1948, SA; and Keevil, N. B., 1947, SA. Lawson, A. C., 1893, SC; 1895, SF; 1914, SF; and others, 1908, SF; and Palache, C., 1902, SF. Lebow, R., see Miller, J. C., 1944. Lee, C. H., see Ellis, A. J., 1919. Lee, W. T., and others, 1915, SR, SF, SJ, S, C. Leith, C. J., 1949, SC. Lemmon, D. M., 1941, M; 1941, M; 1941, M; and Bateman, P. C., 1943, WL; and Dorr, J. V. N., 1940, T; and Wyant, D. G., 1943, B. LeRoux, E. F., see Thomasson, H. G., Jr., 1956. Lian, H. M., 1954, LA. Lindgren, W., see Turner, H. W., 1895. Lindgren, W., 1887, SB; 1892, C; 1894, S; 1894, S; 1896, C; 1896, S; 1896, C; 1897, C; 1900 C; 1911, SJ, M, S, C, WL, WW; and Turner, H. W., 1894, S; and Turner, H. W., 1895, C. 1895, C.
Little, J. M., 1942, S; 1942, M; 1942, M.
Locke, A., Billingsley, P. R., and Mayo, E. B., 1940, SJ, WL, M, F, B, T, D, G, WW, C, S.
Logan, C. A., see also Bradley, W. W., 1919.
Logan, C. A., 1919, W, E; 1925, C; 1934, SJ, M, S; and Franke, H. A., 1936, S.
Lohman, K. E., see Woodring, W. P., 1943.
Loofbourow, J. S., Jr., see Woodring, W. P., 1945.
Lorens, P. J., and Thronson, R. E., 1955, R, FB, C, S.
Louderback, G. D., and Ransome, F. L., 1931, R.
Lovering, T. G., see Walker, G. W., 1956.
Lutz, G. C., 1951, SF, SR.
Lynton, E. D., 1938, G. Lynton, E. D., 1938, G. McAllister, J. F., 1949, D; 1951, D; 1952, D; 1955, D; 1956, D. McCulloh, T. H., 1957, LB, LA. MacDonald, D. F., 1913, W. MacDonald, G. A., 1941, F, 1941, F. MacGinitie, H. D., 1943, R. Mack, S., 1955, W. MacKevett, E. M., 1949, D; 1951, SB; 1953, D. McLaughlin, R. P., see also Eakle, A. S., 1919. McLaughlin, R. P., and Waring, C. A., 1915, LA, SB, LB, SA, SC, B, SL. MacLeod, G. M., see Heikkila, H. H., 1951. Mann, J. F., Jr., 1951, SA, 1955, SA. Manning, G. A., and Ogle, B. A., 1950, R. Marks, J. G., see also Page, B. M., 1951. Marks, J. G., 1943, LA. Marliave, C., 1931, R. Martin, B., see Anderson, F. M., 1914. Martin, L., 1952, LA. Mason, J. F., 1948, T. Matthes, F. E., 1930, M. Maxson, J. H., 1933, W, E. May, J. C., and Hewitt, R. L., 1948, B. Mayo, E. B., see also Locke, A., 1940. Mayo, E. B., 1934, M; 1937, M, F; 1941, M, F; 1947, F, D, B, T, LA.
Menard, H. W., and others, 1954, LB. Menken, F. A., 1940, SC. Merriam, C. W., see Bateman, P. C., 1954. Merriam, R. H., 1941, SA; 1946, SA; 1948, SA; 1951, SD, SA; 1954, SA. Merrill, W. R., 1954, LA. Michelin, J., 1943, SC. Miller, F.S., 1937, SA. Miller, W. J., 1926, SB; 1928, M, G; 1931, LA; 1931, B, T; 1934, SB, LA; 1935, SD, EC; 1938, N, SB, SA, SS; 1944, SS, SA; 1944, SB; 1944, K, N; and Webb, R. W., 1940, B. Mills, J. E., 1892, WW, C. Miller, J. C., and Lebow, R., 1944, LA. Minshall, F. E., see Haines, R. B., 1954. Moody, C. L., 1917, C. Moore, B. N., 1935, SB. Moran, T. G., see Woodford, A. O., 1944, 1946.

```
Morse, R. R., and Bailey, T. L., 1935, SR.
Moxham, R. M., 1952, T. LA, SB, SS, SA, N; and Walker,
G. W., and Baumgardner, L. H., 1955, SB.
                                                                                                                                 Redwine, L. E., 1949, SM.
                                                                                                                                 Reed, R. D., and Hollister, J. S., 1936, SA, LB, SB, LA, SM,
                                                                                                                                           SL, B, F, SC.
Muchlberger, W. R., see also Jahns, R. H., 1954. Muchlberger, W. R., 1954, T. Murdoch, J., and Webb, R. W., 1942, SA. Murphy, F. M., 1930, D; 1932, T. D.
                                                                                                                                 Reiche, P., 1936, SC; 1950, SJ.
                                                                                                                                 Reid, J. A., 1907, SJ.
                                                                                                                                 Rich, J. L., see Harder, E. C., 1910.
                                                                                                                                 Richards, A., and Brokaw, A. L., 1944, K
 Murphy, M. A., 1956, R.
Myers, W. B., see also Bailey, E. H., 1942; and Eckel, E.B.,
1946.
                                                                                                                                 Richards, R. W., see Woodring, W. P., 1940.
                                                                                                                                 Richmond, J. F., 1952, SA.
                                                                                                                                 Ricker, S., see Sanborn, W. C., 1948; Wiebelt, F. J., 1948;
 Myers, W. B., and Everhart, D. L., 1948, SR.
                                                                                                                                           Johnson, F. T., 1948; and Bedford, R. H., 1950.
                                                                                                                                 Riley, F. S., see also Kunkel, F., 1956.
                                                                                                                                Riley, F. S., 1956, SB.
Rinehart, C. D., and Ross, D. C., 1956, M; and Ross, D. C.,
Nelson, H. E., and Hillier, R. L., 1954, B.

Nelson, R. N., 1925, LA; 1925, LA.

Neuerburg, G. J., see also Hamilton, W. B., 1956.

Neuerburg, G. J., 1953, LA.

Newsom, J. F., see also Branner, J. C., 1909.

Newsom, J. F., 1903, SL, SF, SC.

Nickell, F. A., 1942, R, M.

Nobel, J. A., 1954, B, LA.

Nobel, L. F., 1931, T, D; 1941, T; 1953, LA; 1954, SB, LA; 1954, SB, LA; 1954, TD
                                                                                                                                           1957, M.
                                                                                                                                 Rist, R. L., and Harrington, W. C., 1943, FB.
                                                                                                                                 Roberts, E., see Brooks, B., 1954.
Robertson, J. F., see Albers, J. P., 1953.
                                                                                                                                 Robinson, G. D., 1953, SF; 1956, SF
                                                                                                                                 Robinson, T. W., Jr., see Stearns, H. T., 1930.
Rogers, J. J. W., 1954, SB, SA, N, SS.
Ross, C. P., 1940, SJ; 1940, SR, FB; and Yates, R. G., 1943,
                                                                                                                                           T, D.
1954, T. D.
Nomland, J. O., and Schenck, H. G., 1932, SC.
Norbeck, H. P., see Pierce, W. G., 1943.
                                                                                                                                 Ross, D. C., see Rinehart, C. D., 1956, 1957.
Roundy, P. V., see Woodring, W. P., 1932.
Russell, 1. C., 1885, A. WW, C, WL, M.
 Norman, L. A., see Wright, L. A., 1954.
                                                                                                                                 Russell, R. D., see Anderson, C. A., 1939.
                                                                                                                                 Russell, R. J., 1928, A.
                                                                                                                                 Rynearson, G. A., see also Wells, F. G., 1946; and Cater,
Oakeshott, G. B., 1937, LA; 1948, LA; 1950, LA; 1951, SC, SL;
                                                                                                                                           F. W., Jr., 1951.
                                                                                                                                 Rynearson, G. A., 1946, R; 1948, F; 1953. C, S; and Smith, C. T., 1940, W; and Wells, F. G., 1944, FB; and
          1954, LA; 1954, LA; 1956, LA.
Ogle, B. A., see also Manning, G. A., 1950.
Ogle, B. A., 1953, E.
Olmsted, F. H., see also Davis, G. H., 1952; and Thomasson, H. G., Jr., 1956.
Olmsted. F. H., 1950, SB; 1953, SA, SD; 1956, LB.
                                                                                                                                            Hutchinson, R. M., 1956, W.
                                                                                                                                 Sampson, R. J., see also Tucker, W. B., 1931, and 1933.
                                                                                                                                 Sampson, R. J., 1932, SA.
Sanborn, W. C., and Ricker, S., 1948, W.
 Olson, J. C., see also Sharp, W. N., 1951.
 Olson, J. C., 1952, K; 1952, K; and others, 1954, K; and
Pray, L. C., 1954, K.
                                                                                                                                 Savage, D. E., 1955, B, SJ.

Savage, D. E., 1955, B, SJ.
Schenck, H. G., see also Kerr, P. F., 1925; and Nomland, J. O., 1932.
Schenck, H. G., 1943, SC.
Schilling, K. H., see Wagner, C. M., 1923.
Schlocker, J., Bonilla, M. G., and Imlay, R. W., 1954, SF; and Radbruch, D. H., 1955, B.
Schoellhamer, J. E., see also Vedder, J. G., 1956.
Schoellhamer, J. E., and Woodford, A. O., 1951, LB, LASB, SA; and Kinney, D. M., 1953, SC; and others, 1954, SA.
Schombel, L. F., 1943, SC.
Schrader, F. C., 1909, K, N.
Schroter, G. A., 1935, LA.
Schwade, I. T., see also Dibblee, T. W., Jr., 1952.
Schwade, I. T., 1954, B, LA, SL.
Scott, D. P., 1956, S, SJ, WL, M, SC, F.
Sharp, R. P., 1954, K; 1957, K.
Sharp, W. N., and Olson, J. C., 1951, K; and Pray, L. C., 1952, K; and Pray, L. C., 1952, K.
Shelton, J. S., see also Woodford, A. O., 1944, 1946.
Shelton, J. S., 1946, SB; 1955, SB.

 Orange County Board of Engineers, 1932, SA.
                                                                                                                                 Schenck, H. G., see also Kerr, P. F., 1925; and Nomland,
 Osborn, E. F., 1939, SA.
Pack, R. W., see also Anderson, R., 1915.
Pack, R. W., 1914, T, SB; 1920, B, LA; and English, W. A.,
           1914, SC.
 Packard, E. L., 1916, SA.
Page, B. M., see Holmes, C. N., 1951.
Page, B. M., 1943, SJ; 1950, SF; 1951, D, and others, 1944,
SL; and others, 1945, SJ; 1950, SF; 1951, D, and others, 1944, SL; and others, 1945, SC, SF; and others, 1945, B; and Wright, L. A., 1943, R; and Marks, J. G., and Walker, G. W., 1951, LA.

Page, L. R., see also Wiese, J. H., 1946; and Wells, F. G., 1940.
 Page, L. R., and Thayer, T. P., 1945, SA.
 Palache, C., see Lawson, A. C., 1902.
 Paschall, R. H., 1954, LA.
 Pask, J. A., and Turner, M. D., 1952, S. Payne, M. D., 1951, SC, SJ.
                                                                                                                                 Shelton, J. S., 1946, SB; 1955, SB. Shenon, P. J., 1933, W.
Peacock, M. A., 1931, A.
Peck, D. L., Imlay, R. W., and Popenoe, W. P., 1956, W.
Pierce, W. G., 1945, R; 1945, R; and Norbeck, H. P., 1943,
                                                                                                                                 Shride, A. F., see Creasey, S. C., 1945.
Simons, F. S., see also Creasey, S. C., 1945, and Trask,
           SJ.
                                                                                                                                P. D., 1948.
Simons, F. S., 1943, SJ; and Crittenden, M. D., Jr., 1945, R; and Crittenden, M. D., Jr., 1945, R; and Crittenden, M. D., Jr., 1945, R; and Crittenden, M. D., Jr., 1945, R.
 Piper, A. M., and others, 1939, S. Poland, J. F., and others, 1945, LB, SA; and others, 1956,
           LB, SA.
 Popenoe, W. P., see also Peck, D. L., 1956.
Popenoe, W. P., 1943, SA; 1943, R.
Post, W. S., 1928, SA, SB.
Powers, H. A., 1932, A.
Pratt, W. P., se Smith, G. 1., 1957.
                                                                                                                                 Simonson, R. R., and Krueger, M. L., 1942, B. Simpson, E. C., 1934, LA. Sinnott, A., 1947, LA, LB. Smith, C. T., see also Rynearson, G. A., 1940.
                                                                                                                                 Smith, C. T., and Griggs, A. B., 1944, SL.
Smith, G. 1., 1956, LA; and Pratt, W. P., 1957, F, DV, T.
 Pray, L. C., see Sharp, W. N., 1952; and Olson, J.C., 1954.
 Prescott, B., 1908, R.
 Proctor, P. D., see Durrell, C., 1948. Prout, J. W., Jr., 1940, B.
                                                                                                                                 Smith, H. P., 1956, B.
Smith, J. P., 1916, entire state.
 Putnam, W. C., 1938, M; 1942, LA; 1949, M; 1950, M.
                                                                                                                                 Smith, W. S. T., 1897, LB; 1898, LB.
                                                                                                                                 Solari, A. J., see Taliaferro, N. L., 1949.
Soper, E. K., 1938, LA; 1943, LA; and Grant, U. S., 1V, 1932,
 Radbruch, D. H., see also Schlocker, J., 1954, and 1955. Radbruch, D. H., 1957, SF. Rand, W. W., 1931, LA, LB.
                                                                                                                                            LA.
                                                                                                                                 Spurr, J. E., 1903, M, WL, F, B, T, K, D, G; 1906, G. Stauffer, C. R., 1946, SA.
 Ransome, F. L., see Turner, H. W., 1897, and 1898; and
                                                                                                                                 Stearns, H. T., Robinson, T. W., Jr., and Taylor, G. H.,
 Louderback, G. D., 1931.
Ransome, F. L., 1893, SF; 1894, SF; 1898, SJ, S, WL; 1900,
```

1930, S.

SJ, S; 1940, M; and Kellogg, J. L.. 1939, SJ.

Stephens, H. G., see Walker, G. W., 1956.

Stewart, R. B., see also Woodring, W. P., 1940.

Stewart, R. B., 1946, SL. Stipp, T. F., 1943, LA. Stock, C., and Bode, F. D., 1935, D. Stopper, R. F., see Erickson, M. P., 1945. Storey, H. C., 1948, SB, LA. Stromquist, A. A., see Eric, J. H., 1955. Swinney, C. M., see also Bailey, E. H., 1947, Fix, P. F., 1949; and Eric, J. H., 1955. Swinney, C. M., 1950, W. Taff, J. A., 1933, B, SL, LA; 1935, SJ; and Hanna, G. D., and Cross, C. M., 1940, C. Taliaferro, N. L., 1943, SF, SL; 1943, SL; 1943, SL; 1944, SL; 1949, SC; andnSolari, A. J., 1949, SJ. Tarbet, L. A., 1951, EC, SS, SA, SD. Tatlock, D. B., see Irwin, W. P., 1956 Taylor, G. H., see Stearns, H. T., 1930. Thayer, T. P., see Page, L. R., 1945. Thelen, P. see Knopf, A., 1905. Thomas, R. G., 1951, SF; and others, 1954, LA. Thomasson, H. G., Jr., see also Garrett, A. A., 1949; and Upson, J. E., 1947 and 1951. Thomasson, H. G., Jr., Olmstead, F. H., and LeRoux, E.F., 1956, S, SR. Thompson, D. G., 1929, B, LA, T, K, N, SB. Thorup, R. R., 1943, SC. Thronson, R. E., see Lorens, P. J., 1955. Tolman, C. F., 1931, SF, SR, S, SJ. Tolman, F. B., 1943, SR, S. Trask, P. D., 1926, SC; and others, 1950, R, FB, SR, SJ; and Simons, F. S., 1948, M. Travis, R. B., 1952, SR. Treasher, R. C., see Kiersch, G. A., 1955. Trowbridge, A. C., 1911, F. Troxel, B. W., see also Wright, L. A., 1954; and Jennings, Troxel, B. W., see also wright, L. A., 1954; and Jennings, C. W., 1954.

Troxel, B. W., 1954, LA, SB, SA, LB; 1954, SB.

Troxell, H. C., 1954, SB.

Tucker, W. B., 1921, SJ; 1926, SD, EC; and Sampson, R. J., 1931, T. K; 1933, T. B., Turner, H. W., see also Lindgren, W., 1894 and 1895. Turner, H. W., 1891, SJ; 1892, C; 1894, S, C; 1894, S; 1897, C; 1898, SJ; 1898, C; and Lindgren, W., 1895, C; and Ransome, F. L., 1897, SJ; and Ransome, F. L., 1898, Turner, M. D., see Pask, J. A., 1952. Upson, J. E., see Brown, G. F., 1943. Upson, J. E., 1947, LA; 1951, LA; and Thomasson, H. G., Jr., 1947, SM, LA; and Worts, G. F., Jr., 1949; B, LA; and Thomasson, H. G., Jr., 1951, SM, LA; and Kunkel, F., 1955, SR, FB. Van Couvering, M., and Allen, H. B., 1943, SL, B. Vander Leck, L., 1921, FB, SR. Vaughan, F. E., 1922, SB, SA.

1956, LB.

H. G., 1956, LA, T. Wallace, R. E., 1949, LA.

Warren, C. R., 1945, SJ. Watts, W. L., 1901, LB, SA

1953, SF, SR.

Webb, R. W., 1946, F; 1950, F. Weiss, L. E., 1954, SB.

1942.

Vickery, F. P., 1943, LA.
Vitaliano, C. J., and Bodenlos, A. J., 1945, N.
Von Estorff, F. E., 1930, SC, SL, F, B.

Wagner, C. M., and Schilling, K. H., 1923, LA.

Walker, G. W., see also Heyl, G. R., 1949; Page, B. M., 1951; and Moxham, R. M., 1955.

ing, G. A., 1917. Waring, C. A., 1917, M, G, F, D, B, T, K; 1917, LA. Waring, G. A., 1919, SA; and Waring, C. A., 1917, SA.

Weaver, C. E., 1943, FB, SR; 1944, SR; 1949, SF, SR, S;

Vedder, J. G., Schoellhamer, J. E., and Israelsky, M. C., Ver Planck, W. E., 1952, SS, SA, SD, LA, T; 1955, SF, SR. Walker, G. W., 1950, LA; 1950, SF; 1953, LA; and Griggs, A.B., 1953, SJ, SL, SC; and Lovering, T. G., and Stephens, Waring, C. A., see also McLaughlin, R. P., 1915; and War-Webb, R. W., see also Miller, W. J., 1940; and Murdoch, J.,

Wells, F. G., see also Hawkes, H. E., Jr., 1942; Rynearson, G. A., 1944; and Cater, F. M., Jr., 1953. Wells, F. G., 1940, W; 1956, W; and Page, L. R., and James, H. L., 1940, S; and Cater, F. W., Jr., and Rynearson, G. A., 1946, E, W; and Hotz, P. E., and Cater, F. W., Jr., 1949, W, and others, 1949, W; and Cater, F. W., Jr., 1950, W. Wheeler, D. P., Jr., see Hawkes, H. E., Jr., 1942, and 1943. White, D. E., 1940, D. White, G. H., see Hudson, F. S., 1941. Whitney, J. D., 1880, C, S, SJ. Wiebelt, F. J., 1947, SB; 1949, K; and Ricker, S., 1948, T. Wiese, J. H., see Heyl, G. R., 1949. Wiese, J. H., 1950, LA; and Page, L. R., 1946, LA; and others, 1950, S; and Fine, S. F., 1950, LA. Williams, H., 1928, WW; 1929, WW; 1929, C; 1932, WW; 1932, W; 1932, WW; 1942, W; 1949, W; and Holmes, C. N., 1945, SM. Wilson, E. J., 1954, SM. Wilson, H. D. B., see Fraser, H. J., 1942. Wilson, 1. F., 1943, SC; and Crittenden, M. D., Jr., 1945, FB. Wilson, L. K., 1943, D. Winston, W. B., see Aubury, L. E., 1910. Winterer, E. L., 1956, LA; and Durham, D. L., LA. Woodford, A. O., see Foshag, W. F., 1936; Daviess, S. N., 1949; and Schoellhamer, J. E., 1951. Woodford, A. O., 1924, SD, SA, LB; 1925, SA, SD, LB; and Harriss, T.F., 1928, SB; and Shelton, J. S., and Moran, T. G., 1944, SA, SB; and Moran, T. G., and Shelton, J. S., 1946, SA, SB; and others, 1954, LB, LA, SB, SA. Woodring, W. P., Roundy, P. V., and Farnsworth, H. R., 1932, B; and Bramlette, M. N., and Kleinpell, R. M 1936, LB; and Stewart, R., and Richards, R. W., 1940, SC, SL, B, F; and Bramlette, M. N., and Lohman, K. E., 1943, SM; and others, 1944, SM; and Loofbourow, J. S., Jr., and Bramlette, M. N., 1945, SM; and Bramlette, M. N., and Kew, W. S., 1946, LB. Woollard, G. P., 1943, M, G, F, D, SL, B, T, SM, LA. Worts, G. F., Jr., see also Upson, J. E., 1949. Worts, G. F., Jr., 1951, SM, SL. Wosk, D., 1940, LA. Wright, L. A., see also Page, B. M., 1943; Jahns, R. H., 1951; Gay, T. E., Jr., 1954 and Noble, L. F., 1954. Wright, L. A., 1952, T; 1954, T; 1954, T; and Troxel, B. W., 1954., LA, B, T, D, SB; and Chesterman, C. W., and Norman, L. A., Jr., 1954, SB. Wright, L. B., 1956, SA. Wyant, D. G., see Lemmon, D. M., 1943; and Cox, M.W., 1948. Yates, R. G., see also Eckel, E. B., 1941; and Ross, C. P., 1943. 1946, SR.

Yates, R. G., and Hilpert, L. S., 1945, SC; and Hilpert, L.S., Yerkes, R. F., 1957, SA. Yoder, H. S., and Chesterman, C. W., 1951, SC. Younger, U., 1943, B.

Zimmerman, J., 1944, SC.



## SPECIAL REPORTS ISSUED BY THE DIVISION OF MINES

- Sierra Blanca limestone in Santa Barbara County, Cali-
- fornia, by George W. Walker. 1950. 5 pp., 1 pl. Price 25¢. The Calera limestone, San Mateo and Santa Clara Coun-1-B. ties, California, by George W. Walker. 1950. 8 pp., 1 pl., 6 figs. Price 25¢.
  - Geology of part of the Delta-Mendota Canal neary Tracy.
  - California, by Parry Reiche. 1950. 12 pp., 5 figs. Price 25¢. Commercial "black granite" of San Diego County, California, by Richard A. Hoppin and L. A. Norman, Jr. 1950. 19 pp., 18 figs. Price 25¢.
- Geology of the San Dieguito pyrophyllite area, San Diego County, California, by Richard H. Jahns and John F. Lance. 1950. 32 pp., 2 pls., 21 figs. Price 50¢.
- Geology of the Jurupa Mountains, San Bernardino and Riverside Counties, California, by Edward M. Mackevett. 1951. 14 pp., 1 pl., 14 figs. Price 25¢.
- Geology of Bitterwater Creek area, Kern County, California, by Henry H. Heikkila and George M. MacLeod. 1951. 21 pp., 2 pls., 15 figs. Price 35¢.
- Gem- and lithium-bearing pegmatites of the Pala district, 7-A. San Diego County, California, by Richard H. Jahns and Lauren A. Wright. 1951. 72 pp., 13 pls., 35 figs. Price \$2.50. Economic geology of the Rincon pegmatites, San Diego
- 7-B. County, California, by John B. Hanley. 1951. 24 pp., 1 pl., 5 figs. Price 35¢.
  - Talc deposits of steatite grade, Inyo County, California, by Ben M. Page. 1951, 35 pp., 11 pls., 25 figs. Price 85¢. Type Moreno formation and overlying Eocene strata on the
- west side of the San Joaquin Valley, Fresno and Merced Counties, California, by Max B. Payne. 1951. 29 pp., 5 pls., 11 figs. Price 60¢.
- Nephrite jade and associated rocks of the Cape San Martin 0-A. region, Monterey County, California, by Richard A. Crippen, Jr. 2d printing. 1951. 14 pp., 14 figs.
- Nephrite in Marin County, California, by Charles W. Ches-0-B. terman. 1951. 11 pp., 16 figs. Price 25¢.
- Jadeite of San Benito County, California, by H. S. Yoder and C. W. Chesterman. 1951. 8 pp., 6 figs. Price 25¢. 0-C.
- 11. Guide to the geology of Pfeiffer-Big Sur State Park, Monterey County, California, by Gordon B. Oakeshott. 1951. 16 pp., 1 pl., 28 figs. Price 25¢.
- Hydraulic filling in metal mines, by William E. Lightfoot. 1951. 28 pp., 15 figs. Price 50¢.
- Geology of the saline deposits of Bristol Dry Lake, San Bernardino County, California, by Hoyt S. Gale. 1951. 24 pp., 1 pl., 2 figs. Price 35¢.
- Geology of the massive sulfide deposits at Iron Mountain, 14. Shasta County, California, by A. R. Kinkel, Jr., and J. P. Albers, 1951, 19 pp., 6 pls., 6 figs. Price 75¢.
- Photogeologic interpretation using photogrammetric dip calculations, by D. H. Elliott. 1952. 21 pp., 9 figs. Price 50¢. 15.
- Geology of the Shasta King mine, Shasta County, California, by A. R. Kinkel, Jr., and Wayne E. Hall. 1951. 11 pp., 3 pls., 4 figs. Price 50¢.
- Suggestions for exploration at New Almaden quicksilver 17. mine, California, by Edgar H. Bailey. 1952. 4 pp., 1 pl. Price 25¢.
- Geology of the Whittier-La Habra area, Los Angeles County, California, by Charles J. Kundert. 1952. 22 pp., 3 pls., 19 figs. Price 50¢.
- Geology and ceramic properties of the Ione formation, Buena Vista area, Amador County, California, by Joseph A. Pask and Mort D. Turner. 1952. 39 pp., 4 pls., 24 figs.
- Geology of the Superior talc area, Death Valley, California, 20. by Lauren A. Wright. 1952. 22 pp., 1 pl., 15 figs. Price 50¢.
- Geology of Burruel Ridge, northwestern Santa Ana Mountains, California, by James F. Richmond. 1952. 1 pl., 11 figs. Price 50¢.
- Geology of Las Trampas Ridge, Berkeley Hills, California, by Cornelius K. Ham. 1952. 26 pp., 2 pls., 20 figs. Price 75c.

- 23. Exploratory wells drilled outside of oil and gas fields in California to December 31, 1950, by Gordon B. Oakeshott, Lewis T. Braun, Charles W. Jennings, and Ruth Wells. 1952. 77 pp., 1 pl., map. Price, map and report,  $75 \, \phi$ ; map alone, 50¢.
- \*24. Geology of the Lebec quadrangle, California, by John C.
  - Crowell. 1952. 23 pp., 2 pls., 10 figs.
    Rocks and structure of the Quartz Spring area, northern Panamint Range, California, by James F. McAllister. 1952. 38 pp., 3 pls., 13 figs. Price 75¢.
- Geology of the southern Ridge Basin, Los Angeles County, California, by Peter Dehlinger. 1952. 11 pp., 1 pl., 7 figs. Price 50¢.
- Alkali-aggregate reaction in California concrete aggregates, by Richard Merriam. 1953. 10 pp., 12 figs.
- Geology of the Mammoth mine, Shasta County, California, by A. R. Kinkel, Jr., and Wayne E. Hall. 1952. 15 pp., 9 pls., 5 figs. Price 75¢.
- Geology and ore deposits of the Afterthought mine, Shasta County, California, by John P. Albers, 1953, 18 pp., 6 pls., 9 figs. Price 75¢.
- Geology of the southern part of the Quail quadrangle, California, by Charles W. Jennings. 1953. 18 pp., 2 pls., 16 figs. Price 75¢.
- Geology of the Johnston Grade area, San Bernardino County, California, by Robert Barton Guillou. 1953. 18 pp., 1 pl., 19 figs. Price 75¢.
- Geological investigations of strontium deposits in southern California, by Cordell Durrell. 1953. 48 pp., 9 pls., 12 figs. Price \$1.25.
- \*33. Geology of the Griffith Park area, Los Angeles County, California, by George J. Neuerberg. 1953. 29 pp., 1 pl., 15
- Geology of the Santa Rosa lead mine, Inyo County, California, by Edward M. Mackevett. 1953. 9 pp., 2 pls., 3 figs. Price 50¢.
- Tungsten deposits of Madera, Fresno, and Tulare Counties, California, by Konrad B. Krauskopf. 1953. 83 pp. 4 pls., 52 figs. Price \$1.25.
- Geology of the Palen Mountains gypsum deposits, Riverside County, California, by Richard A. Hoppin. 1954. 25 pp., 1 pl., 32 figs., frontis. Price 75¢.
- \*37. Rosamond uranium prospect, Kern County, California, by George W. Walker. 1953. 8 pp., 5 figs.
- Geology of the Silver Lake talc deposits, San Bernardino County, California, by Lauren A. Wright, 1954. 30 pp., 4 pls., 18 figs. Price \$1.00.
- Barite deposits near Barstow, San Bernardino County, California, by Cordell Durrell. 1954. 8 pp., 4 pls., 1 fig.
- Geology and mineral deposits of the Calaveritas quadrangle, Calaveras County, California, by Lorin D. Clark. 1954. 23 pp., 2 pls., 6 figs. Price \$1.75.
- Geology and mineral deposits of the Angels Camp and Sonora quadrangles, Calaveras and Tuolumne Counties, California, by John H. Eric, Arvid A. Stromquist, and C. Mel-
- vin Swinney. 1955. 55 pp., 4 pls., 21 figs. Price \$3.75.

  42. Geology and mineral deposits in the Ubehebe Peak quadrangle, Inyo County, California, by James F. McAllister. 1955. 64 pp., 3 pls., 26 figs. Price \$2.00.
- Geology of a portion of the Elsinore fault zone, California, by John F. Mann, Jr. 1955. 22 pp., 2 pls., 5 figs. Price 75¢.
- Bibliography of marine geology and oceanography, Califor-44. nia Coast, by Richard D. Terry. 146 pp., 2 figs. Price 75¢. Exploratory wells drilled outside of oil and gas fields in
- California to December 31, 1953, by Charles W. Jennings and Earl W. Hart. 1956. 104 pp., 2 figs., map. Price \$1.50.
- Geology of the Huntington Lake area, Fresno County, California, by Warren B. Hamilton. 1956. 25 pp., 1 pl., 16 figs. Price 75¢.
- Economic geology of the Bishop tungsten district, California, by Paul C. Bateman, with a section on the Pine Creek mine, by Paul C. Bateman and Lawson A. Wright. 1956. 87 pp., 14 pls., 27 figs., 14 plates. Price \$4.00.

- Economic geology of the Casa Diablo Mountain quadrangle, California, by C. Dean Rinehart and Donald C. Ross. 17 pp., 5 pls., 4 figs. Price \$1.00.
- Radioactive deposits in California, by George W. Walker, Tom G. Lovering, and Hal G. Stephens. 1956. 38 pp., 6 figs. Price 50¢.
- Plants as a guide to mineralization, by Donald Carlisle and George B. Cleveland. In preparation.
- 51. Economic geology of the Darwin quadrangle, Inyo Cour California, by Wayne E. Hall and E. M. Mackevett, wa a section on the Darwin silver-lead district by W. E. H. E. M. Mackevett, and D. L. Davis, and on the tungs deposits by W. E. Hall, E. M. Mackevett, and D. Lemmon, In preparation.
- Lemmon. In preparation.

  52. Index to geologic maps of California to December 31, 19 by R. G. Strand, J. B. Koenig, and C. W. Jennings, 19 128 pp., 1 illus., 57 maps. Price \$1.00.



